

Missouri Vital Statistics

2022



Health Care Analysis & Data Dissemination

MISSOURI VITAL STATISTICS 2022

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES

DIVISION FOR COMMUNITY AND PUBLIC HEALTH BUREAU OF HEALTHCARE ANALYSIS AND DATA DISSEMINATION

P.O. BOX 570 JEFFERSON CITY, MO 65102-0570

BHCADD PUBLICATION NO. 4.70

MISSOURI DEPARTMENT OF HEALTH & SENIOR SERVICES

Paula F. Nickelson, Director

DIVISION OF COMMUNITY AND PUBLIC HEALTH

Lori Brenneke, Director Venkata Garikapaty, Assistant Deputy Director Dylan Bryant, State Registrar

BUREAU OF HEALTH CARE ANALYSIS AND DATA DISSEMINATION

Andrew Hunter, Chief Evan Mobley, Research Manager

PREFACE

For more than 100 years, Missouri vital records have captured a piece of the life story of every person who was born or died in Missouri. Legislation passed by the Missouri General Assembly and approved on May 6, 1909, provided for the "immediate registration of all births and deaths" by the State Board of Health. Improved sanitation and hygiene for the people of the state were anticipated as a result of centralizing these duties. With the passage of the legislation, Missouri became the 19th state to enact a comprehensive vital statistics law, and acceptance into the death registration area of the U.S. Census Bureau soon followed. The 1909 law was implemented by February of 1910, and the first vital statistics report using a full year of Missouri birth and death records was for 1911.

Vital records and vital statistics impact our lives every day. Birth and death certificates are permanent legal records that contain valuable health and medical information. As legal documents, birth and death certificates provide proof of age, parentage, and citizenship. They are used to obtain passports and driver's licenses, enroll in benefits programs, settle estates, obtain life insurance payouts, and terminate Social Security benefits. Health and medical information from birth and death records is transformed into data to calculate population growth, identify health risk factors, measure health outcomes, plan and evaluate health programs, and conduct research. Vital statistics help drive public health programs that keep people healthy, and they influence our personal health care.

This report presents the final tabulation of statistical data relating to vital events in Missouri during 2022. Live births were accepted through February 22, 2023, death, fetal death, and abortion records through April 15, 2023, dissolutions through June 27, 2023 and marriages through July 18,2023.

Missouri Vital Statistics 2022 is published for use in public health and related fields as an aid for studying births, deaths, fetal deaths, marriages, dissolutions, and abortions. This document, along with additional vital statistics data, is available on the Department of Health and Senior Services website at www.health.mo.gov under "Data and Statistics."

2022 saw a significant decrease in COVID deaths, decreasing by over 40%. It dropped from the third leading cause to the fourth overall cause, still contributing to 4,316 deaths. Total deaths decreased from 73,831 to 71,776, a 2.7% decrease. Live births also decreased for another consecutive year dropping to 68,954. There was a natural decrease (more deaths than births) for a third-consecutive year, but the decrease improved by nearly 40%. Life expectancy improved to 75.4 years. Tables showing specific causes of death have been modified so that the COVID-19 category could be added.

TABLE OF CONTENTS

Table/	/Gra	ph BIRTH AND DEATH TRENDS	Page
	Α	Live Birth and Death Rates per 1,000 Population: Missouri, 1911-2022	1
1		Population, Recorded Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri, 1911-1944	2
2		Population, Recorded and Resident Births and Deaths with Rates per 1,000, and Natural Increase: Missouri 1945-2022	
	В	Total Fertility Rates: Missouri, 1911-2022	5
3		Fertility Rates per 1,000 Females by Age of Mother: Missouri, 1911-2022	6
	С	Crude and Age-Adjusted Death Rates per 1,000 Population: Missouri, 1911-2022	7
4		Age-Specific Death Rates per 1,000 Population: Missouri, 1911-2022	8
		BIRTHS	
5A		Resident Live Births by Selected Characteristics by Race and Hispanic Origin of Mother: Missouri, 2022	9
5B		Resident Live Births by Selected Obstetric, Pediatric, and Maternal Conditions and Procedures: Missouri, 2022	10
6		Resident Live Births by Race and Age of Mother by Marital Status and Live Birth Order: Missouri, 2022	11
7		Teen-Age Resident Live Births by Race and Age of Mother by Marital Status and Live Birth Order with Percentages: Missouri, 2022	12
8		Percent Resident Low Birth Weight and Resident Live Births by Birth Weight by Race and Age of Mother: Missouri, 2022	13
9		Resident Live Births by Mother's Marital Status by Race of Mother with Percentages by County and Cities with 25,000 or More Population: Missouri, 2022	14
10A		Resident Live Births by Selected Characteristics by Race and Hispanic Origin of Mother: Missouri, 2022	19
10B		Resident Live Births by Selected Characteristics by BRFSS Region and Urban vs Rural Area: Missouri, 2022	20
10C		Resident Live Births by Selected Characteristics by County: Missouri, 2022	22
10D		Resident Live Births by Selected Characteristics by Cities with more than 25,000 Population: Missouri, 2022	39
		ABORTIONS	
11		Resident Teen-age Pregnancies and Abortions by Selected Ages by County of Residence: Missouri, 2022	45
	D	Resident Abortion Ratios per 1,000 Live Births: Missouri, 1971-2022	47
12A		Resident Abortions by Race, Age, and Type of Procedure by Weeks of Gestation: Missouri, 2022	48
12B		Recorded Abortions by Race, Age, and Type of Procedure by Weeks of Gestation: Missouri, 2022	49

TABLE OF CONTENTS (continued)

Table	/Gra	ph	Page
12C		Post-Abortion Complication Report: Missouri, 2022	50
13		Resident Abortions by Age, Marital Status, and Education by Race and Hispanic Origin: Missouri, 2022	51
14		Resident Abortions and Ratios per 1,000 Live Births by County and BRFSS Region of Residence: Missouri, 2022	52
15		Resident Abortions by Marital Status, Number of Living Children, and Number of Previous Abortions by Age of Patient: Missouri, 2022	53
		NATURAL INCREASE	
16A		Resident and Recorded Live Births, Deaths, and Natural Increase with Rates per 1,000 Population by County: Missouri, 2022	
16B		Resident and Recorded Live Births, Deaths, and Natural Increase with Rates by Cities with Over 25,000 Population: Missouri, 2022	57
16C		Resident and Recorded Live Births, Deaths, and Natural Increase with Rates by Multi-County Cities: Missouri, 2022	58
17A		Resident Live Births and Deaths by Cities with 10,000 to 24,999 Population: Missouri, 2022	59
17B		Resident Live Births and Deaths by Cities with 2,500 to 9,999 Population: Missouri, 2022	60
		DEATHS	
18A		Twelve Leading Causes of Death and Death Rates per 100,000 Residents: Missouri, 2022	62
18B		Twelve Leading Causes of Resident Death and Percentages by Race: Missouri, 2022	
19		Five Leading Causes of Death and Percentages for Selected Resident Age Groups: Missouri, 2022	64
20		Resident Deaths with Age-Specific Rates per 1,000 Residents by Age Groups by Sex and Race: Missouri, 2022	65
21A		Resident Deaths by Selected Causes by Age Groups: Missouri, 2022	66
21B		Male Resident Deaths by Selected Causes by Age Groups: Missouri, 2022	68
21C		Female Resident Deaths by Selected Causes by Age Group: Missouri, 2022	70
	Ε	Resident Infant Death Rates per 1,000 Live Births: Missouri, 1960-2022	72
22A		Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri, 2022	73
22B		White Non-Hispanic Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri, 2022	75
22C		Black Non-Hispanic Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by County and Cities with 25,000 or More Population: Missouri, 2022	77
22D		Resident Perinatal, Infant, Neonatal, and Post-Neonatal Deaths by Resident BRFSS Region with Rates per 1,000 Live Births: Missouri, 2022	79

TABLE OF CONTENTS (continued)


Table/Gra	ph	Page
22E	White Non-Hispanic and Black Non-Hispanic Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by Resident BRFSS Region: Missouri, 2022	80
23	Resident Infant Deaths and Rates per 1,000 Live Births by Cause of Death by Race and by Age at Death: Missouri, 2022	81
24	Resident Infant Deaths and Rates per 1,000 Live Births by Age of Mother by Birth Order: Missouri, 2022	82
25	Resident Infant Deaths and Rates per 1,000 Live Births by Birth Weight by Race of Mother, 2022	82
26A	Resident Deaths by Selected Causes of Death by Race and Hispanic Origin with Rates per 100,000 Residents: Missouri, 2022	83
26B	Resident Deaths by Selected Causes of Death by BRFSS Region and Urban/Rural Area: Missouri, 2022	84
26C	Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022	85
26D	Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri, 2022	102
27	Recorded Deaths by Type of Accident by Age by Sex: Missouri, 2022	107
28	Resident Deaths by Selected Variables by Determination of Tobacco Use Contributing to Cause of Death: Missouri, 2022	108
29	Resident Deaths by Selected Characteristics by Sex: Missouri, 2022	109
30	Abridged Life Table for Total Population and by Sex: Missouri, 2022	110
	MARRIAGES	
F	Marriage Rates per 1,000 Population: Missouri, 1950-2022	113
31	Reported Marriages by Month of Event: Missouri, 2022	114
32	Reported Male-Female Marriages by Age: Missouri, 2022	115
33A	Reported Marriages by Age and Previous Marital Status: Missouri, 2022	117
33B	Reported Same-Sex Marriages by Age and Previous Marital Status: Missouri, 2022	118
34A	Reported Male-Female Marriages by Race: Missouri, 2022	119
34B	Reported Female-Female Marriages by Race: Missouri, 2022	119
34C	Reported Male-Male Marriages by Race: Missouri, 2022	119
35A	Reported Marriages by County of Recording with Rates per 1,000 Population: Missouri, 2022	120
35B	Reported Marriages by Gender and County of Recording: Missouri, 2022	121
35C	Reported Marriages by BRFSS Region of Recording with Rates per 1,000 Population: Missouri, 2022	122

TABLE OF CONTENTS (continued)


DISSOLUTIONS

/Gra	ph	Page
G	Dissolution Rates per 1,000 Population: Missouri, 1950-2022	123
	Reported Marriage Dissolution Decrees by Month and by Type of Decree: Missouri, 2022	124
	Reported Dissolutions and Annulments of Marriage by Number of Previous Marriages: Missouri, 2022	124
	Reported Dissolutions and Annulments of Marriage by Duration of Marriage and Number of Children Affected: Missouri, 2022	125
	Reported Dissolutions and Annulments of Marriage by Race of Wife by Race of Husband: Missouri, 2022	126
	Reported Dissolutions and Annulments of Marriage by Petitioner by Disposition of Children and by Child Support Awarded: Missouri, 2022	126
	Reported Dissolutions and Annulments of Marriage by Age of Wife by Age of Husband: Missouri, 2022	127
	Reported Dissolutions and Annulments by County of Recording with Rates per 1,000 Population: Missouri, 2022	128
	Reported Dissolutions and Annulments by BRFSS Region of Recording with Rates per 1,000 Population: Missouri, 2022	129
	APPENDIX	130
		Reported Dissolutions and Annulments of Marriage by Number of Previous Marriages: Missouri, 2022

Behavioral Risk Factor Surveillance System (BRFSS) Regions



Graph A. Live Birth and Death Rates per 1,000 Population: Missouri, 1911-2022*



te Te	Death	6.6	10.1	10.3	10.1	12.0	12.0	11.6	
Rate	Birth	12.4	12.0	12.0	11.7	11.3	11.2	11.2	
	Year				2019				
Ite	Death	10.0	10.0	9.8	10.1	9.8	9.4	9.5	
Rate	Birth	16.0	15.3	15.5	13.5	13.6	13.6	12.8	
	Year	1980	1985	1990	1995	2000	2002	2010	
Rate	Death	12.1	11.0	10.4	11.2	11.2	11.1	10.2	
8	Birth	18.7	21.6	22.7	22.6	18.2	17.2	14.3	
	Year	1945	1950	1955	1960	1965	1970	1975	
Rate	Death	13.1	11.7	12.5	11.7	11.8	11.4	11.6	
Ra	Birth	22.3	20.5	19.2	19.4	17.0	12.1	16.5	
	Year	1911	1915	1920	1925	1930	1935	1940	

*1911-1944 recorded events 1945-2022 resident events

Table 1. Population, Recorded Births and Deaths with Rates per 1,000 Population and Natural Increase: Missouri, 1911-1944

	Estimated Mid-Year	Bir	Births	Deaths	ths	
Year	Population	Number	Rate	Number	Rate	Natural Increase
1911	3,317	74,130	22.3	43,479	13.1	30,651
1912	3,344	75,452	22.6	42,139	12.6	33,313
1913	3,409	75,231	22.1	42,130	12.4	33,101
1914	3,467	73,925	21.3	41,743	12.0	32,182
1915	3,492	71,543	20.5	40,863	11.7	30,680
1916	3,527	73,486	20.8	44,705	12.7	28,781
1917	3,470	67,041	19.3	45,564	13.1	21,477
1918	3,325	64,001	19.2	51,925	15.6	12,076
1919	3,371	61,193	18.2	39,282	11.7	21,911
1920	3,404	65,416	19.2	42,572	12.5	22,844
1921	3,429	66,970	19.5	36,210	10.6	30,760
1922	3,427	64,388	18.7	38,417	11.2	25,971
1923	3,454	66,691	19.3	41,853	12.1	24,838
1924	3,508	68,961	19.7	40,463	11.5	28,498
1925	3,526	68,293	19.4	41,332	11.7	26,961
1926	3,556	66,611	18.7	42,684	12.0	23,927
1927	3,576	66,401	18.6	40,853	11.4	25,548
1928	3,601	63,401	17.6	45,219	12.6	18,182
1929	3,622	60,980	16.8	44,262	12.2	16,718
1930	3,646	62,011	17.0	42,924	11.8	19,087
1931	3,711	60,201	16.2	43,999	11.9	16,202
1932	3,746	59,755	16.0	43,695	11.7	16,060
1933	3,773	57,717	15.3	43,368	11.5	14,349
1934	3,784	60,317	15.9	46,685	12.3	13,632
1935	3,798	57,299	15.1	43,201	11.4	14,098
1936	3,801	55,916	14.7	48,767	12.8	7,149
1937	3,794	57,270	15.1	45,160	11.9	12,110
1938	3,781	59,365	15.7	42,578	11.3	16,787
1939	3,783	59,688	15.8	42,693	11.3	16,995
1940	3,786	62,545	16.5	43,950	11.6	18,595
1941	3,811	66,268	17.4	43,295	11.4	22,973
1942	3,829	72,575	19.0	42,117	11.0	30,458
1943	3,705	74,820	20.2	44,437	12.0	30,383
1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census Release, Series P-25, No 139, June 27, 1956.

Note: Only recorded births and deaths are shown because resident data was not available before 1945.


Table 2. Population, Recorded and Resident Births and Deaths with Rates per 1,000, and Natural Increase: Missouri, 1945-2022

	Estimated		Reco	Recorded			Res	Resident		
	Mid-Year	Births	,hs	Deaths	<u>ths</u>	Births	hs	Dea	<u>Deaths</u>	
Year	Population (Thousands)	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Natural Increase
1945	3,516	62,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,964	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	4,015	92,664	23.1	44,318	11.0	89,977	22.4	44,051	10.9	45,926
1952	3,972	92,931	23.4	45,245	11.4	90,118	22.7	45,051	11.3	45,067
1953	4,020	94,419	23.5	45,686	11.4	91,447	22.7	45,148	11.2	46,299
1954	4,066	97,278	23.9	44,404	10.9	93,453	23.0	43,835	10.8	49,618
1955	4,134	97,591	23.6	43,531	10.5	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.1	45,003	10.8	660'96	23.1	44,458	10.7	51,641
1957	4,189	101,287	24.2	47,784	11.4	97,161	23.2	47,333	11.3	49,828
1958	4,186	100,729	24.1	47,338	11.3	96,721	23.1	46,729	11.2	49,992
1959	4,258	102,461	24.1	47,099	11.1	98,537	23.1	46,465	10.9	52,072
1960	4,326	101,778	23.5	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,349	101,462	23.3	47,933	11.0	97,321	22.4	47,303	10.9	50,018
1962	4,357	97,658	22.4	49,685	11.4	93,879	21.5	49,016	11.2	44,863
1963	4,392	93,545	21.3	51,159	11.6	90,363	20.6	50,538	11.5	39,825
1964	4,442	90,918	20.5	50,271	11.3	88,335	19.9	49,617	11.2	38,718
1965	4,467	84,162	18.8	51,101	11.4	81,216	18.2	50,249	11.2	30,967
9961	4,523	80,750	17.9	52,476	11.6	77,946	17.2	51,581	11.4	26,365
1967	4,539	77,940	17.2	51,245	11.3	74,823	16.5	50,544	11.1	24,279
8961	4,568	77,028	16.9	52,834	11.6	74,304	16.3	52,019	11.4	22,285
6961	4,640	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,680	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.1	28,964
1971	4,723	81,409	17.2	51,810	11.0	78,375	16.6	50,811	10.8	27,564
1972	4,753	75,127	15.8	53,249	11.2	72,597	15.3	52,287	11.0	20,310
1973	4,775	70,808	14.8	53,003	11.1	68,605	14.4	51,812	10.9	16,793
1974	4,785	71,875	15.0	51,656	10.8	69,412	14.5	50,504	10.6	18,908
1975	4,795	70,786	14.8	49,986	10.4	68,442	14.3	48,984	10.2	19,458
1976	4,824	71,319	14.8	50,074	10.4	68,781	14.3	49,008	10.2	19,773
1977	4,845	75,689	15.6	49,839	10.3	72,957	15.1	48,761	10.1	24,196
8261	4,871	75,283	15.5	50,439	10.4	72,654	14.9	49,207	10.1	23,447
1979	4,889	78,562	16.1	48,946	10.0	76,056	15.6	47,656	9.7	28,400
1980	4,917	80,770	16.4	50,504	10.3	78,588	16.0	49,334	10.0	29,254
1981	4,932	78,538	15.9	49,780	10.1	76,758	15.6	48,645	6.6	28,113
1982	4,930	78,334	15.9	49,145	10.0	76,648	15.5	48,126	8.6	28,522
1983	4,944	77,061	15.6	50,540	10.2	75,505	15.3	49,381	10.0	26,124
1984	4,976	76,293	15.3	50,232	10.1	74,422	15.0	48,890	9.8	25,532

Table 2. Population, Recorded and Resident Births and Deaths with Rates per 1,000, and Natural Increase: Missouri, 1945-2022

Recorded	i	Resident			
Births	Births	(0)	Deaths	SI	,
Number Rate Number	Rate Number	Rate	Number	Rate	Natural Increase
78,760 15.7 51,635		15.3	50,098	10.0	26,599
15.3		15.0	49,971	6.6	25,145
15.2		14.8	50,362	10.0	24,468
15.4		15.0	50,619	10.0	25,482
79,866 15.7 51,679		15.3	50,169	9.6	27,586
15.9		15.5	50,212	9.6	28,923
15.7		15.2	50,711	9.6	27,757
15.1		14.6	50,893	9.6	25,112
14.8		14.3	53,655	10.2	21,491
14.3		13.8	53,611	10.1	19,668
14.1		13.5	54,222	10.1	18,582
14.1		13.6	53,766	6.6	19,967
76,650 14.0 55,887	10.2 73,940	13.5	54,203	6.6	19,737
14.1		13.6	54,849	6.6	20,393
13.9		13.6	55,732	10.0	19,634
14.0		13.6	54,602	8.6	21,727
13.6		13.3	54,601	9.7	20,689
13.5		13.2	55,637	9.8	19,530
13.6		13.5	55,195	9.7	21,765
13.7		13.5	53,787	9.4	23,922
13.7		13.6	54,324	9.4	24,223
		13.9	54,475	9.3	26,878
-		13.9	53,937	9.5	27,946
		13.7	56,278	9.2	24,666
13.4		13.2	54,064	9.1	24,785
13.0		12.8	55,054	9.5	21,664
12.8		12.7	55,599	9.3	20,470
76,411 12.7 58,117	9.6 75,400	12.5	55,783	9.3	19,617
12.6		12.5	57,256	9.5	17,988
	10.0 75,104	12.4	58,141	9.6	16,963
12.5	10.2 75,042	12.4	59,810	6.6	15,232
75,863 12.5 61,888	74,664	12.3	59,824	9.6	14,840
73,868 12.1 64,202	10.5 73,017	12.0	61,866	10.1	11,151
74,099 12.1 65,507	10.7 73,281	12.0	63,110	10.3	10,171
72,912 11.9	10.6 72,103	11.7	62,155	10.1	9,948
69,957 11.4	12.4 69,277	11.3	73,883	12.0	-4,606
		11.2	73,831	12.0	-4,562
69,390 11.2 73,938		77	71 776	11.6	-2,822

Graph B. Total Fertility Rates: Missouri, 1911-2022




Year	Fertility	Year	Fertility	Year	Fertility	Year	Fertility
1911	Kate 2.71	1945	Kate 2.16	1980	Kate 1.90	2015	Kate 1.87
1915	2.55	1950	2.92	1985	1.85	2017	1.81
1920	2.33	1955	3.39	1990	2.00	2018	1.82
1925	2.37	1960	3.63	1995	1.89	2019	1.79
1930	2.09	1965	2.79	2000	2.00	2020	1.73
1935	1.99	1970	2.40	2002	2.03	2021	1.72
1940	2.02	1975	1.76	2010	1.94	2022	1.71

Table 3. Fertility Rates per 1,000 Females by Age of Mother: Missouri, 1911-2022

	General Fertility			75,70		Age of	Age of Mother				
Year	Rate	Under 15	Total	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+
1911	93.3	0.4	48.8	!	1	134.2	133.5	109.6	7.77	33.5	3.8
1915	88.8	0.3	50.4	!	i	136.4	126.2	97.5	67.7	27.7	3.2
1920	9.08	0.4	49.6	!	1	129.3	113.3	85.0	59.6	25.0	3.0
1925	81.1	0.4	26.7	!	i	129.5	120.2	83.8	57.7	22.5	2.4
1930	71.1	0.5	54.1	!	1	115.5	103.6	79.8	46.7	18.3	2.0
1935	68.0	0.5	52.5	!	1	116.0	6.96	69.3	43.6	16.8	1.6
1940	69.1	4.0	54.5	1	ł	123.6	104.8	8.69	37.1	13.2	1.4
1945	73.2	0.5	50.2	!	i	121.7	114.2	81.4	47.5	14.9	1.2
1950	98.6	6.0	82.6	!	i	189.5	153.4	95.2	48.1	14.0	1.0
1955	112.3	0.8	95.3	!	i	229.0	174.2	106.9	55.7	15.2	1.0
1960	118.1	0.9	99.0	1	ŀ	254.4	187.5	110.5	56.5	16.5	1.0
1965	93.0	0.9	75.1	1	i	188.7	146.5	87.1	45.0	13.5	0.8
1970	85.6	1.1	71.8	!	i	163.3	137.2	67.7	30.1	8.8	0.5
1975	62.9	1.3	0.09	41.1	89.0	110.1	106.6	51.1	18.8	4.6	0.2
1980	20.6	1.2	57.5	35.6	88.0	121.9	116.9	60.5	18.3	3.7	0.2
1985	66.4	1.2	52.4	30.5	83.8	115.9	113.0	63.4	19.7	3.2	0.2
1990	6.79	1.2	62.7	39.2	92.9	118.9	117.3	70.5	25.3	4.1	0.1
1995	61.0	1.1	55.1	32.3	91.2	108.3	108.9	72.4	27.6	4.5	0.2
2000	63.3	0.7	48.6	26.7	80.4	115.2	115.4	82.9	31.4	5.8	0.4
2005	65.8	0.5	41.6	20.6	73.4	110.1	123.4	87.0	36.3	6.4	0.3
2006	68.2	0.5	44.0	22.4	77.0	114.4	124.8	89.3	37.1	9.9	4.0
2007	8.89	0.5	44.0	21.2	78.7	115.1	124.6	0.06	36.7	6.5	0.4
2008	68.4	0.5	43.5	21.3	75.8	111.3	122.1	90.4	36.5	8.9	0.4
2009	8.99	0.4	40.6	19.4	70.4	107.5	117.5	89.9	36.3	6.7	0.3
2010	65.2	0.4	37.0	17.0	65.0	100.0	116.6	90.2	36.0	7.2	0.4
2011	64.7	0.3	34.5	15.8	61.1	96.3	115.1	91.1	37.4	7.3	0.3
2012	64.3	4.0	32.2	13.9	58.9	93.3	115.1	91.4	37.8	7.5	0.4
2013	64.1	0.2	30.0	12.6	55.9	90.4	116.6	92.5	39.0	7.0	0.4
2014	64.0	0.3	27.2	11.7	20.7	88.9	115.6	94.8	39.7	7.5	0.4
2015	64.0	0.2	25.1	10.4	47.8	9.78	115.4	9.96	41.3	7.1	0.4
2016	63.8	0.2	23.4	9.4	44.9	85.4	113.9	97.8	42.7	8.1	0.4
2017	62.4	0.1	22.5	8.6	43.6	82.3	109.9	2.96	42.6	8.1	0.5
2018	62.5	0.2	21.6	8.6	41.0	82.1	110.3	97.7	42.8	8.8	0.5
2019	61.3	0.2	20.3	7.6	39.2	79.5	108.7	97.2	43.0	8.4	0.5
2020	58.6	0.2	18.0	7.3	33.2	74.4	107.3	94.0	41.8	8.7	0.4
2021	58.2	0.2	17.0	9.9	32.6	69.4	108.0	96.3	43.9	8.7	0.5
2022	57.7	0.2	16.8	6.7	32.9	68.4	107.7	95.5	44.9	9.8	0.1

Graph C. Crude and Age-Adjusted Death Rates* per 1,000 Population: Missouri, 1911-2022



13.1 22.1 11.7 21.2 12.5 20.1 11.7 19.2 11.8 18.2 11.4 17.5	Year	Crude	Age-Adj.									
11.7 21.2 1950 11.0 14.3 1985 10.0 10.0 2017 10.1 12.5 20.1 1955 10.4 13.8 1990 9.8 9.5 2018 10.3 11.7 19.2 1960 11.2 13.2 1995 10.2 9.7 2019 10.1 11.8 18.2 1965 11.2 12.9 2000 9.8 9.2 2020 12.0 11.4 17.5 1970 11.1 12.6 2005 9.4 8.7 2021 12.0 11.6 16.7 1975 10.2 11.2 2010 9.2 8.2 2022 11.6	1911	13.1	22.1	1945	12.1	15.5	1980	10.0	10.5	2015	8.6	8.2
12.5 20.1 1955 10.4 13.8 1990 9.8 9.5 2018 10.3 11.7 19.2 1960 11.2 13.2 1995 10.2 9.7 2019 10.1 11.8 18.2 1965 11.2 12.9 2000 9.8 9.2 2020 12.0 11.4 17.5 1970 11.1 12.6 2005 9.4 8.7 2021 12.0 11.6 16.7 1975 10.2 11.2 2010 9.2 8.2 2022 11.6	1915	11.7	21.2	1950	11.0	14.3	1985	10.0	10.0	2017	10.1	8.2
11.7 19.2 1960 11.2 13.2 1995 10.2 9.7 2019 10.1 11.8 18.2 1965 11.2 12.9 2000 9.8 9.2 2020 12.0 11.4 17.5 1970 11.1 12.6 2005 9.4 8.7 2021 12.0 11.6 16.7 1975 10.2 11.2 2010 9.2 8.2 2022 11.6	1920	12.5	20.1	1955	10.4	13.8	1990	9.8	9.5	2018	10.3	8.2
11.8 18.2 1965 11.2 12.9 2000 9.8 9.2 2020 12.0 11.4 17.5 1970 11.1 12.6 2005 9.4 8.7 2021 12.0 11.6 16.7 1975 10.2 11.2 2010 9.2 8.2 2022 11.6	1925	11.7	19.2	1960	11.2	13.2	1995	10.2	9.7	2019	10.1	8.0
11.4 17.5 1970 11.1 12.6 2005 9.4 8.7 2021 12.0 11.6 16.7 1975 10.2 11.2 2010 9.2 8.2 2022 11.6	1930	11.8	18.2	1965	11.2	12.9	2000	9.8	9.2	2020	12.0	9.6
11.6 16.7 1975 10.2 11.2 2010 9.2 8.2 2022 11.6	1935	11.4	17.5	1970	11.1	12.6	2002	9.4	8.7	2021	12.0	9.6
	1940	11.6	16.7	1975	10.2	11.2	2010	9.2	8.2	2022	11.6	9.5

• • • • Age-Adjusted Rate

Crude Death Rate

Table 4. Age-Specific Death Rates per 1,000 Population: Missouri, 1911-2022

Year	Total*	Under 1	<u>-</u>	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	82+
1911	22.1	9.66	12.3	2.7	4.8	6.9	8.8	13.5	24.4	52.4	118.8	247.6
1920	20.1	87.1	10.4	2.8	2.0	7.0	7.9	11.2	21.1	47.0	104.2	249.0
1930	18.2	63.9	5.1	1.8	3.3	4.4	6.4	11.9	22.2	49.5	110.0	190.0
1940	16.7	51.6	3.3	1.0	1.9	2.8	4.9	8.6	20.4	44.8	110.0	207.2
1950	14.3	33.4	1.5	9.0	1.2	1.7	3.4		18.1	38.9	94.3	210.4
1960	13.2	25.5	1.0	0.4	1.1	1.5	2.9	7.2	16.6	37.1	86.5	201.1
1970	12.6	20.8	0.8	0.4	1.4	1.6	3.2	7.2	16.6	35.8	81.8	181.9
1975	11.2	16.4	9.0	0.3	1.2	1.4	2.6	6.5	14.6	32.4	71.9	170.6
1980	10.5	12.3	0.7	0.3	1.3	1.3	2.2	5.8	13.4	30.5	67.1	162.4
1985	10.0	10.2	0.5	0.2	1.0	1.2	1.8	5.1	13.3	28.5	65.8	161.4
1990	9.4	9.4	0.5	0.3	1.1	1.3	2.0	4.5	12.5	26.8	6.09	154.5
1995	9.7	7.4	0.4	0.3	1.1	1.4	2.3	4.8	11.7	27.3	6.09	159.5
1996	9.5	7.6	0.4	0.3	1.0	1.2	2.3	4.5	11.2	26.5	9.09	158.2
1997	9.5	7.6	0.4	0.2	1.0	1.2	2.0	4.5	11.5	26.6	29.7	160.8
1998	9.4	7.6	0.4	0.2	6.0	1.2	2.1	4.4	11.0	26.5	9.09	163.5
1999	9.5	7.7	0.3	0.2	6.0	1.2	2.2	4.4	10.9	26.7	61.3	165.5
2000	9.5	7.2	0.3	0.2	1.0	7.	2.1	4.4	10.6	25.5	59.5	162.2
2001	9.1	7.4	0.4	0.2	1.0	1.1	2.2	4.4	10.2	24.8	29.0	161.9
2002	9.1	8.5	0.4	0.2	1.0	1.1	2.2	4.6	10.1	25.0	59.1	164.3
2003	9.0	7.8	0.4	0.2	6.0	1.1	2.2	4.7	10.1	24.3	58.0	160.8
2004	8.7	7.5	0.4	0.2	6.0	1.1	2.1	4.5	6.6	23.3	26.0	154.9
2002	8.7	7.5	0.3	0.2	1.0	1.2	2.2	4.8	9.5	22.8	26.0	153.9
2006	9.8	7.4	0.3	0.2	1.0	1.3	2.2	4.7	9.6	22.2	54.6	151.8
2007	8.3	7.5	0.4	0.2	6.0	1.2	2.0	4.6	9.1	21.6	53.6	150.2
2008	8.6	7.2	0.3	0.2	6.0	1.2	2.1	4.8	9.7	21.7	54.7	156.1
2009	8.1	7.2	0.4	0.1	6.0	1.3	2.0	4.7	9.5	20.6	51.8	142.5
2010	8.2	9.9	0.2	0.1	6.0	1.3	2.1	4.7	9.3	20.8	51.6	146.9
2011	8.1	6.3	0.3	0.1	6.0	1.3	2.0	4.7	9.2	20.6	21.0	144.1
2012	8.0	9.9	0.3	0.2	0.8	1.3	2.0	4.7	9.4	20.1	20.5	141.1
2013	8.1	6.5	0.3	0.2	0.8	1.2	2.1	4.7	9.8	20.1	9.03	143.0
2014	8.0	6.1	0.3	0.1	0.8	1.3	2.1	4.9	10.1	20.2	50.5	139.4
2015	8.2	6.5	0.3	0.2	6.0	1.4	2.2	4.8	10.3	20.3	6.03	142.1
2016	8.1	9.9	0.3	0.1	1.0	1.6	2.4	4.7	10.0	20.0	49.4	138.9
2017	8.2	6.2	0.3	0.2	1.0	1.6	2.4	4.6	10.2	20.8	20.2	139.8
2018	8.2	6.3	0.3	0.1	1.0	1.7	2.5	4.9	10.5	20.6	49.5	139.6
2019	8.0	0.9	0.3	0.2	1.0	1.6			10.3	20.3		134.7
2020	9.6	2.2	0.3	0.2	1.7	2.1	3.0			24.3	28.8	165.7
2021	9.6	2.2	0.4	0.2	1.1	2.3	3.4			24.5	26.0	150.6
2022	9.2		0.4	0.2	7.	2.0	3.1	5.4	12.3	23.1	54.0	151.0

*Age-Adjusted Death Rate using United States 2000 population distribution as the standard.

Table 5A. Resident Live Births by Selected Characteristics by Race and Hispanic Origin of Mother: Missouri, 2022

	All Races	White Non-Hisp	Black Non-Hisp	Other Non-Hisp*	Hispanic, Any Race
Total	68,954	49,729	9,197	4,670	5,213
Gender		1	1		
Male	35,169	25,319	4,739	2,410	2,630
Female	33,785	24,410	4,458	2,260	2,583
<u>Attendant</u>					
MD	50,126	35,100	7,582	3,464	3,878
00	13,048	10,047	1,186	874	914
CNM/CM	4,055	3,047	354	286	363
CPM	904	806	28	28	34
Other Midwife	342	316	8	9	12
Other	479	413	39	12	12
Birthplace	120	77.7	0	200	n 2.
nospital	60,700	1,','	9,034	4,002	0,130
Birthing Center	197	144	22	15	15
Clinic	318	304	0	3	6
Home Residence	1,420	1,253	29	44	47
Planned	1,292	1,172	36	36	40
Unplanned	116	74	29	7	9
Other	280	251	14	9	9
Month of Birth					
January	5,443	3,893	770	379	330
February	5,041	3,641	682	342	367
March	5,779	4,210	200	356	429
April	5,443	3,933	740	374	387
Мау	5,557	4,007	746	377	417
June	5,939	4,289	787	417	432
July	6,156	4,380	813	446	200
August	6,398	4,692	800	412	474
September	5,954	4,281	813	399	455
October	5,728	4,158	729	395	432
November	5.579	3.956	769	383	461
December	5 937	4 289	779	390	469
iooninge	0,0,0	0,900	607	200	1
Number Born	5,5	t, 1,00	2	000	P P
Singleton	66.521	48.072	8.689	4.555	5.062
Twin	2,382	1,624	493	112	151
Triplet	47	29	15	3	0
Quadruplet or More	4	4	С	С	

	All Races	White Non-Hisp	Black Non-Hisp	Other Non-Hisp*	Hispanic, Any Race
Previous Non-Live Birth Outcomes					
None	46,954	34,225	5,646	3,222	3,772
One	14,094	10,010	2,116	962	971
Two or More	7,654	5,326	1,392	465	456
Unknown	252	168	43	21	14
Maternal Smoking	60 764	43.408	x 103	4 170	A 876
3 Months Prior	6 977	5, 50	707	390	257
During Pregnancy	5,424	4.376	565	291	178
First Trimester	5,262	4,247	546	281	174
Second Trimester	4,485	3,667	440	231	133
Last 3 Months	4,202	3,452	400	215	123
Smoked Pack per Day	868	768	72	38	19
Quit Smoking	1,203	606	163	75	54
Status Unknown	1,101	613	280	91	75
Full-Term Singleton Maternal Weight Gain	,	,			
Less than 15 Pounds	9,639	6,229	1,771	738	882
15 to 24 Pounds	10,296	7,326	1,283	169	903
25 to 34 Pounds	14,806	11,227	1,497	996	1,095
35 to 44 Pounds	11,919	9,148	1,205	777	774
45 or More Pounds	11,643	8,796	1,440	689	269
Unknown	1,978	1,183	366	164	233
Maternal Weight Status Before Pregnancy					
Underweight	2,030	1,468	281	171	107
Normal	25,998	19,620	2,728	1,923	1,688
Overweight	17,084	12,324	2,107	1,173	1,455
Obese	22,155	15,472	3,719	1,243	1,694
Principal Payment Source					
Medicaid	26,651	15,421	6,042	2,027	3,084
Private Insurance	36,983	30,211	2,728	2,307	1,697
Self-pay	3,011	2,446	142	142	261
Other	1,209	893	108	92	113
Unknown	1,100	758	177	66	58

Table 5B. Resident Live Births by Selected Obstetric, Pediatric, and Maternal Conditions and Procedures: Missouri, 2022 ...Insulin-Diabetes Pregnanc ...Gestati Live Birth ...Prepre

	Number	Percent		
Live Births	68,954	100.0		Charact
Pregnancy Risk Factors	25,693	37.3		\$0110 cl
Prepregnancy Diabetes	879	1.3		72 12 12 12 12 12 12 12 1
Gestational Diabetes	5,752	8.3		Augme
Insulin-dependent Diabetes	1,321	1.9		Non-v
Prepregnancy Hypertension	2,655	3.9		Steroic
Gestational Hypertension	7,743	11.2		Clinics
Eclampsia	495	0.7		Mecon
Previous Preterm Births	3,430	5.0	<u>-I</u>	Fetal I
Other Poor Pregnancy Outcomes	1,842	2.7		Epidur
Infertility Treatment	1,449	2.1		Final De Method
Previous Cesarean Delivery	9,660	14.0		Vagina
Infections	2,317	3.4		Vagina
Gonorrhea	331	0.5		vagine
Syphilis	285	0.4		Cesare
Chlamydia	1,432	2.1		vagır Cesarea
Hepatitis B	100	0.1		1
Hepatitis C	407	9.0		Attem (unsucc
NH	41	0.1		
Obstetric Procedures	840	1.2		Attemp (unsucc
Cervical Cerclage	250	0.4		
Tocolysis	296	0.4		vagina Cesarea
External Cephalic Version	319	0.5		Fetal Pro
Successful*	151	47.3		Cepha
Onset of Labor	8,395	12.2		Breech
Premature Membrane Rupture	2,624	3.8		Other
Precipitous Labor	4,516	6.5		
Prolonged Labor	1,619	2.3		

	Number	Percent
Characteristics of Labor	61,871	89.7
Induction of Labor	29,296	42.5
Augmentation of Labor	15,522	22.5
Non-vertex Presentation	1,553	2.3
Steroids for Lung Maturation	3,147	4.6
Antibiotics for Mother	20,328	29.5
Clinical Chorioamnionitis	715	1.0
Meconium Staining	2,828	4.1
Fetal Intolerance of Labor	4,204	6.1
Epidural Given	54,696	79.3
Final Delivery Route and Method		
Vaginal/Spontaneous	46,243	67.1
Vaginal/Forceps	308	0.4
Vaginal/Vacuum	1,398	2.0
Cesarean	20,944	30.4
Vaginal Trial Prior to Cesarean**	6,592	31.5
Attempted Forceps (unsuccessful)	208	0.3
Attempted Vacuum (unsuccessful)	501	0.7
Vaginal After Previous Cesarean (VBAC)***	1,668	17.3
Fetal Presentation:		
Cephalic	65,018	94.3
Breech	3,040	4.4
Other	331	0.5

	Number	Percent
Abnormal Conditions of Newborn	10,242	14.9
Assisted Ventilation, Immediate	6,410	9.3
Assisted Ventilation, Long-term	2,079	3.0
NICU Admission	6,995	10.1
Surfactant Therapy	516	0.7
Antibiotics for Suspected Sepsis	1,330	1.9
Seizures or Neurological Problems	45	0.1
Birth Injury	38	0.1
Congenital Anomalies	287	0.4
Anencephaly	6	0.0
Spina Bifida	16	0.0
Cyanotic Heart Disease	32	0.0
Diaphragmatic Hernia	16	0.0
Omphalocele	11	0.0
Gastrochisis	15	0.0
Limb Reduction	13	0.0
Cleft Lip (with or without Cleft Palate)	47	0.1
Cleft Palate (alone)	18	0.0
Down Syndrome	42	0.1
Other Chromosomal	32	0.0
Hypospadias	53	0.1
Maternal Morbidity	1,151	1.7
Maternal Transfusion	352	0.5
Perineal Laceration (3rd or 4th degree)	558	0.8
Ruptured Uterus	29	0.0
Unplanned Hysterectomy	34	0.0
Admission to ICU	132	0.2
Unplanned OR Procedure	220	0.3

Table 6. Resident Live Births by Race and Age of Mother by Marital Status and Live Birth Order: Missouri, 2022

				1 1 1 1 1 V	intho					olboW 3	dt. O Jo		
	•			Live Birth	Live Birth Order	der			- Carl	Live Birth Orc	Live Birth Order	der	
							5th or						5th or
		Total	1st	2nd	3rd	4th	More	Total	1st	2nd	3rd	4th	More
All Races	All Ages	68,954	25,969	21,363	11,905	5,412	4,305	27,037	11,500	7,402	4,296	2,159	1,680
	Under 15	40	38	2	0	0	0	40	38	2	0	0	0
	15-17	793	742	46	က	_	_	774	725	44	က	_	_
	18-19	2,476	2,063	370	35	4	4	2,190	1,834	321	29	4	2
	20-24	14,225	7,721	4,494	1,495	404	111	9,194	5,092	2,835	934	260	73
	25-29	21,044	8,017	6,802	3,759	1,584	882	7,472	2,313	2,348	1,590	764	457
	30-34	19,695	5,313	6,588	4,187	1,995	1,612	4,747	296	1,269	1,166	710	635
	35-39	8,912	1,753	2,634	2,055	1,172	1,298	2,146	420	495	478	351	402
	40-44	1,657	293	400	357	236	371	444	101	82	93	63	105
	45 and Over	92	25	23	6	41	24	22	7	2	0	2	2
	Unknown	17	4	4	5	2	2	8	က	-	လ	_	0
White, Non-Hispanic All Ages	All Ages	49,729	19,120	15,895	8,456	3,579	2,679	15,468	7,050	4,310	2,322	1,054	732
	Under 15	17	16	_	0	0	0	17	16	_	0	0	0
	15-17	412	388	20	2	_	_	397	374	19	2	_	_
	18-19	1,553	1,327	203	19	2	2	1,330	1,139	172	16	2	_
	20-24	9,743	5,394	3,066	986	239	28	5,547	3,178	1,688	525	129	27
	25-29	15,557	6,268	5,141	2,605	1,012	531	4,184	1,388	1,364	855	371	206
	30-34	14,775	4,173	5,187	3,080	1,350	985	2,538	604	713	614	334	273
	35-39	6,479	1,327	1,986	1,510	823	833	1,199	273	301	261	186	178
	40-44	1,124	209	272	244	144	255	238	71	48	48	27	44
	45 and Over	28	16	15	7	7	13	13	2	3	0	3	2
	Unknown	11	2	4	3	_	_	2	2	_	_	_	0
Black, Non-Hispanic	All Ages	9,197	2,993	2,470	1,762	1,015	957	6,934	2,453	1,847	1,247	735	652
	Under 15	12	11	_	0	0	0	12	1	_	0	0	0
	15-17	189	174	14	_	0	0	189	174	14	_	0	0
	18-19	463	363	98	7	2	_	457	329	85	10	2	_
	20-24	2,223	1,137	669	259	92	33	2,038	1,059	631	233	98	59
	25-29	2,671	200	804	298	332	237	2,070	527	615	464	271	193
	30-34	2,291	397	284	292	373	370	1,460	219	363	367	259	252
	35-39	1,092	168	237	275	161	251	581	83	121	144	94	139
	40-44	236	40	40	20	48	28	121	19	15	28	22	37
	45 and Over	20	ဇ	5	_	4	7	9	2	2	0	_	~

Table 7. Teen-Age Resident Live Births by Race and Age of Mother by Marital Status and Live Birth Order with Percentages: Missouri, 2022

			All Live Births	Births		Out	Out-of-Wedlock Births	ock Birt	hs	Per	Percent Out-of-Wedlock	of-Wedle	ock
			avi I	I ive Rirth Order	der		l ive	I ive Rirth Order	der		ovi I	I ive Birth Order	der
					3rd or				3rd or				3rd or
		Total	1st	2nd	More	Total	1st	2nd	More	Total	1st	2nd	More
All Races	All Ages	3,309	2,843	418	48	3,004	2,597	367	40	8.06	91.3	87.8	83.3
	10	0	0	0	0	0	0	0	0	1	1	-	1
	7	0	0	0	0	0	0	0	0	1	1	1	-
	12	0	0	0	0	0	0	0	0	1	1	1	1
	13	7	10	_	0	7	10	_	0	100.0	100.0	100.0	-
	14	29	28	_	0	29	28	_	0	100.0	100.0	100.0	1
	15	94	93	_	0	94	93	-	0	100.0	100.0	100.0	1
	16	234	225	2	4	229	220	5	4	97.9	8.76	100.0	100.0
	17	465	424	40	_	451	412	38	_	97.0	97.2	92.0	100.0
	18	917	811	102	4	842	747	92	3	91.8	92.1	90.2	75.0
	19	1,559	1,252	268	39	1,348	1,087	229	32	86.5	8.98	85.4	82.1
White, Non-Hispanic	All Ages	1,982	1,731	224	27	1,744	1,529	192	23	88.0	88.3	85.7	85.2
	10	0	0	0	0	0	0	0	0	1	1	1	1
	1	0	0	0	0	0	0	0	0	1	1	1	-
	12	0	0	0	0	0	0	0	0	1	1	1	1
	13	9	9	0	0	9	9	0	0	100.0	100.0	-	1
	14	11	10	_	0	11	10	_	0	100.0	100.0	100.0	-
	15	37	36	_	0	37	36	_	0	100.0	100.0	100.0	
	16	131	127	_	3	126	122	_	3	96.2	96.1	100.0	100.0
	17	244	225	18	_	234	216	17	_	95.9	0.96	94.4	100.0
	18	223	203	49	_	491	449	42	0	88.8	89.3	85.7	0.0
	19	1,000	824	154	22	839	069	130	19	83.9	83.7	84.4	86.4
Black, Non-Hispanic	All Ages	664	248	101	15	658	244	100	14	99.1	99.3	99.0	93.3
	10	0	0	0	0	0	0	0	0	I	I	1	-
	11	0	0	0	0	0	0	0	0	-	-	-	-
	12	0	0	0	0	0	0	0	0	!	-	+	!
	13	3	7	_	0	က	2	~	0	100.0	100.0	100.0	1
	14	6	6	0	0	6	6	0	0	100.0	100.0	1	1
	15	31	31	0	0	31	31	0	0	100.0	100.0	1	1
	16	46	42	က	_	46	42	က	_	100.0	100.0	100.0	100.0
	17	112	101	7	0	112	101	7	0	100.0	100.0	100.0	1
	18	180	148	30	2	179	147	30	2	99.4	99.3	100.0	100.0
	19	283	215	26	12	278	212	55	7	98.2	98.6	98.2	91.7

Table 8. Percent Resident Low Birth Weight and Resident Live Births by Birth Weight by Race and Age of Mother: Missouri, 2022

		Percent						Birth V	Birth Weight (Grams)	ams)				
		Low Birth		Less		1000-	1500-	2000-	2500-	3000-	3500-	4000-	4500 or	
		Weight	Total	Than 500	200-999	1499	1999	2499	2999	3499	3999	4499	More	Unknown
All Races	All Ages	9.1	68,954	117	352	541	1,253	4,040	13,239	26,290	17,983	4,511	613	15
	Under 15	12.5	40	0	_	_	_	2	7	18	9	0	0	0
	15-17	13.5	793	က	5	10	23	99	209	303	136	33	5	0
	18-19	11.1	2,476	7	16	26	44	182	624	1,012	490	71	4	0
	20-24	9.6	14,225	25	80	108	260	921	3,069	2,609	3,331	744	74	4
	25-29	8.3	21,044	26	96	149	357	1,127	3,920	8,087	5,704	1,401	171	9
	30-34	9.8	19,695	35	98	147	323	1,085	3,432	7,452	5,453	1,451	220	က
	35-39	9.6	8,912	14	43	77	185	538	1,632	3,190	2,425	969	110	2
	40 and Over	12.9	1,752	7	17	23	09	119	337	615	433	114	27	0
White,	All Ages	7.8	49,729	54	186	336	992	2,529	8,412	18,989	14,197	3,741	208	7
Non-Hispanic	Under 15	0.0	17	0	0	0	0	0	2	7	5	0	0	0
	15-17	12.4	412	_	3	2	14	28	92	158	85	22	4	0
	18-19	9.3	1,553		8	16	20	66	329	642	354	53	1	0
	20-24	8.5	9,743	10	43	64	154	226	1,851	3,869	2,512	622	56	3
	25-29	7.1	15,557	11	20	92	229	729	2,581	2,997	4,560	1,156	147	5
	30-34	7.1	14,775	18	49	92	207	989	2,269	5,214	4,456	1,233	187	_
	35-39	8.4	6,479	80	22	20	110	357	1,046	2,320	1,908	269	87	2
	40 and Over	11.3	1,182	2	1	14	32	71	202	419	315	98	24	0
Black,	All Ages	16.5	9,197	40	112	135	308	922	2,712	3,312	1,376	230	46	_
Non-Hispanic	Under 15	33.3	12	0		_	_	_	4	4	0	0	0	0
	15-17	13.2	189	_	2	2	4	16	69	75	16	3	1	0
	18-19	17.9	463	4	2	9	15	53	138	183	25	9	1	0
	20-24	15.7	2,223	8	26	24	89	222	716	808	307	33	10	0
	25-29	16.3	2,671	13	35	41	92	255	759	996	424	9/	6	_
	30-34	16.8	2,291	8	27	37	69	245	640	831	354	64	16	0
	35-39	16.4	1,092	2	12	18	43	101	311	377	179	37	6	0
	40 and Over	23.0	256	_	4	9	16	32	75	29	44	1	0	0

Table 9. Resident Live Births by Mother's Marital Status by Race of Mother with Percentages by County and Cities with 25,000 or More Population: Missouri, 2022

		All Live Births		Ont	Out-of-Wedlock Births	rths	Perc	Percent Out-of-Wedlock	dlock
Counties	All Races	White, Black, Non-Hispanic	Black, Non-Hispanic	All Races	White, Non-Hispanic	White, Black, Non-Hispanic	All Races	White, Non-Hispanic	White, Black, Non-Hispanic
State Total	68,954	49,729	9,197	27,037	15,468	6,934	39.2	31.1	75.4
Adair	282	227	37	108	85	14	38.3	37.4	37.8
Andrew	159	147	_	09	53	0	37.7	36.1	0.0
Atchison	52	90	0	17	16	0	32.7	32.0	
Audrain	268	232	15	100	74	13	37.3	31.9	86.7
Barry	413	317	2	154	108	_	37.3	34.1	50.0
Barton	141	129	0	42	37	0	29.8	28.7	
Bates	176	167	0	29	61	0	38.1	36.5	
Benton	171	159	_	29	09	~	39.2	37.7	100.0
Bollinger	134	130	_	47	47	0	35.1	36.2	0.0
Boone	2,008	1,408	283	099	342	192	32.9	24.3	67.8
Buchanan	686	726	49	532	364	36	53.8	50.1	73.5
Butler	475	408	31	261	205	29	54.9	50.2	93.5
Caldwell	107	66	0	39	35	0	36.4	35.4	
Callaway	475	424	16	217	180	13	45.7	42.5	81.3
Camden	379	337	3	155	140	0	40.9	41.5	0.0
Cape Girardeau	927	710	124	372	231	86	40.1	32.5	79.0
Carroll	81	78	0	32	30	0	39.5	38.5	
Carter	75	72		33	32	_	44.0	44.4	100.0
Cass	1,145	933	72	373	274	43	32.6	29.4	265
Cedar	224	211		99	29	0	29.5	28.0	0.0
Chariton	71	29		31	29	_	43.7	43.3	100.0
Christian	1,028	926	9	256	227	_	24.9	24.5	16.7
Clark	92	75	0	33	33	0	43.4	44.0	-
Clay	2,996	2,182	298	925	222	154	30.9	25.5	51.7
Clinton	238	226	_	96	06	_	40.3	39.8	100.0
Cole	789	298	92	305	189	99	38.7	31.6	71.7
Cooper	170	154	4	49	39	2	28.8	25.3	50.0
Crawford	242	226	0	104	95	0	43.0	42.0	-
Dade	64	09	0	26	24	0	40.6	40.0	
Dallas	201	181	0	61	51	0	30.3	28.2	
Daviess	127	126	0	31	31	0	24.4	24.6	
Dekalb	104	26	0	49	44	0	47.1	45.4	
Dent	156	146		29	61	_	42.9	41.8	100.0
Douglas	143	134	0	43	39	0	30.1	29.1	-

Table 9. Resident Live Births by Mother's Marital Status by Race of Mother with Percentages by County and Cities with 25,000 or More Population: Missouri, 2022

		All Live Births		Ont	Out-of-Wedlock Births	rths	Perc	Percent Out-of-Wedlock	dlock
Counties	All Races	White, Black, Non-Hispanic	Black, Non-Hispanic	All Races	White, Non-Hispanic	White, Black, Non-Hispanic	All Races	White, Non-Hispanic	White, Black, Non-Hispanic
Dunklin	329	233	43	202	128	39	61.4	54.9	2.06
Franklin	1,119	1,050	10	371	327	10	33.2	31.1	100.0
Gasconade	138	131	0	42	39	0	30.4	29.8	-
Gentry	8	74	0	30	26	0	37.0	35.1	-
Greene	3,275	2,659	132	1,289	978	89	39.4	36.8	67.4
Grundy	142	133	_	20	46	_	35.2	34.6	100.0
Harrison	82	75	0	23	20	0	28.0	26.7	-
Henry	238	216	3	101	89	2	42.4	41.2	66.7
Hickory	75	72	0	18	17	0	24.0	23.6	!
Holt	41	40	0		-	0	26.8	27.5	-
Howard	108	26	4	49	40	4	45.4	41.2	100.0
Howell	445	410	2	189	177	0	42.5	43.2	0.0
Iron	84	81	~	39	38	0	46.4	46.9	0.0
Jackson	8,558	4,281	2,113	4,139	1,261	1,622	48.4	29.5	76.8
Jasper	1,609	1,190	31	727	475	22	45.2	39.9	71.0
Jefferson	2,326	2,114	39	836	743	19	35.9	35.1	48.7
Johnson	715	574	27	185	146	0	25.9	25.4	33.3
Knox	20	48	0	12	10	0	24.0	20.8	
Laclede	455	417	5	188	176	3	41.3	42.2	0.09
Lafayette	377	330	7	153	126	9	40.6	38.2	85.7
Lawrence	209	437	_	201	161	0	39.5	36.8	0.0
Lewis	98	80	2	32	28	2	37.2	35.0	100.0
Lincoln	852	800	5	284	255	5	33.3	31.9	100.0
Linn	131	124	0	26	51	0	42.7	41.1	-
Livingston	153	147	_	09	29	0	39.2	40.1	0.0
Macon	179	175	0	61	09	0	34.1	34.3	!
Madison	122	120	0	44	44	0	36.1	36.7	-
Maries	66	96	0	28	27	0	28.3	28.1	-
Marion	320	283	18	125	86	15	39.1	34.6	83.3
McDonald	317	199	9	149	98	0	47.0	43.2	0.0
Mercer	29	51	_	14	12		23.7	23.5	100.0
Miller	295	268	3	121	111	0	41.0	41.4	0.0
Mississippi	152	102	39	92	47	35	60.5	46.1	89.7
Moniteau	212	188	_	56	47	_	26.4	25.0	100.0
Monroe	97	91	~	36	33	~	37.1	36.3	100.0

Table 9. Resident Live Births by Mother's Marital Status by Race of Mother with Percentages by County and Cities with 25,000 or More Population: Missouri, 2022

		All Live Births		Out	Out-of-Wedlock Births	irths	Perc	Percent Out-of-Wedlock	dlock
Counties	All Races	White, Non-Hispanic	Black, nic Non-Hispanic	All Races	White, Non-Hispanic	White, Black, Non-Hispanic	All Races	White, Non-Hispanic	White, Black, Non-Hispanic
Montgomery	112	106	_	40	37	0	35.7	34.9	0.0
Morgan	266	251	0	29	09	0	25.2	23.9	1
New Madrid	176		35	86	29	29	55.7	47.6	82.9
Newton	708	515	7	277	179	5	39.1	34.8	45.5
Nodaway	197	187	_	63	29	_	32.0	31.6	100.0
Oregon	66	96	0	31	31	0	31.3	32.3	-
Osage	167	163	0	34	33	0	20.4	20.2	-
Ozark	77	72	0	29	28	0	37.7	38.9	-
Pemiscot	197	106	73	145	64	69	73.6	60.4	94.5
Perry	190	170	0	78	65	0	41.1	38.2	
Pettis	551	420	12	246	168	-	44.6	40.0	91.7
Phelps	443	379	6	180	158	9	40.6	41.7	2.99
Pike	186	170	5	79	70	2	42.5	41.2	100.0
Platte	1,167	814	155	335	181	89	28.7	22.2	43.9
Polk	373	344	ဇ	114	103	0	30.6	29.9	0.0
Pulaski	689	489	28	195	152	18	28.3	31.1	31.0
Putnam	29	99	0	14	13	0	20.9	20.0	1
Ralls	66	96	2	40	37	_	40.4	38.9	50.0
Randolph	288	269	5	141	129	2	49.0	48.0	100.0
Ray	241	221	_	98	92	_	35.7	34.4	100.0
Reynolds	99	62	_	30	28	0	45.5	45.2	0.0
Ripley	127	121	0	09	25	0	47.2	47.1	-
Saline	249	185	6	133	85	8	53.4	45.9	88.9
Schuyler	63	63	0	18	18	0	28.6	28.6	
Scotland	81	62	0	7	5	0	8.6	6.3	1
Scott	464	346	88	242	152	75	52.2	43.9	84.3
Shannon	97	92	0	37	37	0	38.1	40.2	
Shelby	99	64	0	19	18	0	28.8	28.1	-
St. Charles	4,252	3,352	274	666	029	139	23.5	20.0	20.7
St. Clair	116	108	0	37	34	0	31.9	31.5	-
St. Francois	651	612	9	289	273	4	44.4	44.6	2.99
St. Louis City	3,344	1,215	1,557	1,862	288	1,300	55.7	23.7	83.5
St. Louis County	10,475	5,473	3,319	4,137	943	2,615	39.5	17.2	78.8
Ste. Genevieve	178	164	0	09	26	0	33.7	34.1	
Stoddard	334	308	7	155	138	5	46.4	44.8	71.4

Table 9. Resident Live Births by Mother's Marital Status by Race of Mother with Percentages by County and Cities with 25,000 or More Population: Missouri, 2022

		All Live Births		Out	Out-of-Wedlock Births	rths	Perc	Percent Out-of-Wedlock	llock
Gointien	All Races	White,	Black,	All Races	White,	White, Black,	All Races	White,	White, Black, Non-Hispanic
Stone	269	245	0	110		0	40.9		
Sullivan	74	53	က	30	17	က	40.5	32.1	100.0
Taney	598	489	12	243	193	7	40.6	39.5	58.3
Texas	260	240	_	89	8	_	34.2	33.8	100.0
Vernon	224	212	_	116	111	0	51.8	52.4	0.0
Warren	464	413	7	158	138	က	34.1	33.4	42.9
Washington	265	250	2	142	132	_	53.6	52.8	50.0
Wayne	129	124	2	45	41	_	34.9	33.1	50.0
Webster	617	588	0	134	123	0	21.7	20.9	1
Worth	24	23	0	13	12	0	54.2	52.2	!
Wright	258	244	0	89	84	0	34.5	34.4	

		All Live Births	(A)	O	Out-of-Wedlock Births	irths	Perc	Percent Out-of-Wedlock	dlock
Multi-County Cities	All Races	White,	Black, Non-Hispanic	All Races	White, Non-Hispanic	White, Black,	All Races	White, Non-Hispanic	White, Black,
Joplin	611	450	18	303		41	49.6		77.8
Jasper Co. Part	549	405	18	277	190	41	50.5	46.9	77.8
Newton Co. Part	62	45	0	26	15	0	41.9	33.3	-
Kansas City	6,592	2,954	1,867	3,142	992	1,390	47.7	25.9	74.5
Jackson Co. Part	4,177	1,377	1,522	2,383	375	1,226	57.1	27.2	80.6
Clay Co. Part	1,792	1,210	224	564	309	1-1-1-1	31.5	25.5	49.6
Platte Co. Part	623	367	121	195	82	53	31.3	22.3	43.8
Cass Co. Part	0	0	0	0	0	0	1	1	1

Table 9. Resident Live Births by Mother's Marital Status by Race of Mother with Percentages by County and Cities with 25,000 or More Population: Missouri, 2022

		All Live Births		Out	Out-of-Wedlock Births	irths	Perc	Percent Out-of-Wedlock	llock
		White	Black		White	Black		White	Black
Cities	All Races		nic Non-Hispanic	All Races	Non-Hispanic	Non-Hispanic Non-Hispanic	All Races	Non-Hispanic	Non-Hispanic Non-Hispanic
Ballwin	311	256	8	32	21	5	10.3	8.2	62.5
Blue Springs	639	491	52	191	121	29	29.9	24.6	55.8
Cape Girardeau	443	272	111	226	105	91	51.0	38.6	82.0
Chesterfield	393	257	15	43	21	8	10.9	8.2	53.3
Columbia	1,322	847	228	445	197	153	33.7	23.3	67.1
Florissant	628	165	390	404	09	307	64.3	36.4	78.7
Gladstone	308	188	47	133	62	27	43.2	33.0	57.4
Grandview	366	152	111	176	45	74	48.1	29.6	2.99
Hazelwood	298	85	178	180	32	130	60.4	37.6	73.0
Independence	1,369	779	196	796	391	151	58.1	50.2	77.0
Jefferson City	426	294	89	194	107	54	45.5	36.4	79.4
Kirkwood	292	245	16	35	20	10	12.0	8.2	62.5
Lee's Summit	995	191	106	217	127	55	21.8	16.6	49.1
Liberty	302	258	10	99	53	9	21.9	20.5	0.09
Maryland Heights	407	170	92	128	46	09	31.4	27.1	65.2
O'Fallon	937	734	43	231	164	24	24.7	22.3	55.8
Raytown	301	118	109	161	43	80	53.5	36.4	73.4
St. Charles	702	202	64	204	122	32	29.1	24.1	50.0
St. Joseph	880	626	48	491	329	35	55.8	52.6	72.9
St. Louis City	3,344	1,215	1,557	1,862	288	1,300	55.7	23.7	83.5
St. Peters	547	429	37	140	98	17	25.6	22.8	45.9
Springfield	1,860	1,429	106	935	989	62	50.3	48.0	74.5
University City	413	229	118	130	21	88	31.5	9.2	75.4
Wentzville	588	497	41	112	74	26	19.0	14.9	63.4
Wildwood	253	218	5	18	17	_	7.1	7.8	20.0

Table 10A. Resident Live Births by Selected Characteristics by Race and Hispanic Origin of Mother: Missouri, 2022

		All R	I Races	White, Non-Hisp.	on-Hisp.	Black, Non-Hisp.	on-Hisp.	Other, Non-Hisp.*	n-Hisp.*	Hispanic,	Hispanic, Any Race
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		68,954	100.0	49,729	100.0	9,197	100.0	4,670	100.0	5,213	100.0
Birth Weight: Under 2500 Grams		6,303	9.1	3,871	7.8	1,520	16.5	463	9.9	429	8.2
Birth Weight: Above 4499 Grams		613	6.0	208	1.0	46	0.5	25	0.5	30	9.0
Gestational Age: Less than 37 Weeks		7,779	11.3	5,228	10.5	1,428	15.6	532	11.4	269	10.9
APGAR (5 Minutes): Less than 8		4,307	6.3	3,041	6.1	742	8.1	242	5.2	271	5.2
Infant Care: NICU Admission		6,995	10.1	4,743	9.5	1,272	13.8	474	10.1	478	9.2
Infant Care: Transfer to Other Facility		1,352	2.0	836	1.7	338	3.7	84	1.8	06	1.7
Place of Birth: At-Home Delivery		1,420	2.1	1,253	2.5	29	0.7	44	0.0	47	0.0
Method of Delivery: Cesarean		20,944	30.4	14,905	30.0	3,063	33.3	1,461	31.3	1,468	28.2
Infant Care: Breastfed After Delivery		55,436	81.8	41,045	83.9	6,377	70.5	3,775	82.6	4,152	81.2
Maternal Smoking: During Pregnancy		5,424	8.0	4,376	8.9	292	6.3	291	6.4	178	3.5
Quit Smoking During Pregnancy		1,203	22.2	606	20.8	163	28.8	75	25.8	54	30.3
Mat. Weight: Underweight (BMI < 18.5)		2,030	3.0	1,468	3.0	281	3.2	171	3.8	107	2.2
Mat. Weight: Obese (BMI >= 30)		22,155	32.9	15,472	31.7	3,719	42.1	1,243	27.6	1,694	34.3
Mat. Sing. Wt. Gain: Low (< 15 lbs)		9,639	16.5	6,229	14.6	1,771	24.6	738	18.7	882	20.3
Mat. Sing. Wt. Gain: High (> 45 lbs)		11,643	20.0	8,796	20.6	1,440	20.0	689	17.5	269	16.0
Mother's Education: Under 12 Yrs.		7,681	11.2	4,552	9.5	1,132	12.4	634	13.6	1,348	26.0
Marital Status: Out-of-Wedlock		27,037	39.2	15,468	31.1	6,934	75.4	1,804	38.6	2,748	52.7
Live Birth Order: 4 or More		9,717	14.1	6,258	12.6	1,972	21.5	989	13.6	821	15.8
Birth Spacing: Less than 18 Months		5,069	12.5	3,485	12.0	898	12.1	336	12.9	368	12.0
Prenatal Care: 1st Trimester		47,700	70.9	36,734	75.5	5,085	57.4	2,865	63.0	2,948	58.2
Prenatal Care: 2nd Trimester		14,542	21.6	9,353	19.2	2,624	29.6	1,168	25.7	1,361	26.9
Prenatal Care: 3rd Trimester		3,518	5.2	1,910	3.9	777	8.8	354	7.8	464	9.2
Prenatal Care: None		1,520	2.3	671	1.4	380	4.3	158	3.5	295	5.8
Prenatal Care: Inadequate		13,785	20.6	7,704	16.0	3,095	35.2	1,240	27.5	1,694	33.5
Maternal Utilization: Medicaid		26,651	39.3	15,421	31.5	6,042	0.79	2,027	44.3	3,084	59.8
Maternal Utilization: WIC		19,078	28.1	11,164	22.7	4,114	45.7	1,407	31.0	2,360	46.0
Maternal Utilization: Food Stamps		13,347	20.8	6,821	14.7	4,544	53.1	1,041	24.0	918	19.1
Mother's Age: At Delivery	Under 15	40	0.1	17	0.0	12	0.1	7	0.1	4	0.1
	15-17	793	1.2	412	0.8	189	2.1	89	1.5	123	2.4
	18-19	2,476	3.6	1,553	3.1	463	5.0	189	4.0	267	5.1
	20-24	14,225	20.6	9,743	19.6	2,223	24.2	938	20.1	1,300	25.0
	25-29	21,044	30.5	15,557	31.3	2,671	29.0	1,233	26.4	1,543	29.6
	30-34	19,695	28.6	14,775	29.7	2,291	24.9	1,366	29.3	1,223	23.5
	35-39	8,912	12.9	6,479	13.0	1,092	11.9	269	14.9	612	11.7
	40 and Over	1,752	2.5	1,182	2.4	256	2.8	170	3.6	138	2.6

* Includes births to mothers of multiple races, but not mothers of unknown race.

Table 10B. Resident Live Births by Selected Characteristics by BRFSS Region and Urban vs Rural Area: Missouri, 2022

		Northeast	east	Northwest	west	Central	tral	Southeast	neast	Southwest	west
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		2,819	100.0	2,652	100.0	8,045	100.0	6,189	100.0	11,170	100.0
Birth Weight: Under 2500 Grams		212	7.5	222	8.4	712	8.9	571	9.2	954	8.5
Birth Weight: Above 4499 Grams		32	1.1	23	6.0	85	1.1	29	1.0	118	1.1
Gestational Age: Less than 37 Weeks		283	10.1	274	10.3	857	10.7	707	11.4	1,242	11.1
APGAR (5 Minutes): Less than 8		239	8.5	161	6.1	554	6.9	351	5.7	657	0.9
Infant Care: NICU Admission		213	7.6	239	9.0	819	10.2	484	7.8	1,179	10.6
Infant Care: Transfer to Other Facility		108	3.8	4	1.7	144	1.8	209	3.4	110	1.0
Place of Birth: At-Home Delivery		127	4.5	73	2.8	178	2.2	104	1.7	382	3.4
Method of Delivery: Cesarean		880	31.3	754	28.4	2,457	30.5	1,881	30.4	3,234	29.0
Infant Care: Breastfed After Delivery		2,290	82.6	2,023	77.2	6,581	82.8	4,183	68.7	9,275	84.5
Maternal Smoking: During Pregnancy		341	12.3	301	11.5	822	10.4	842	13.8	1,098	6.6
Quit Smoking During Pregnancy		28	17.0	9/	25.2	156	19.0	156	18.5	253	23.0
Mat. Weight: Underweight (BMI < 18.5)		96	3.5	29	2.6	256	3.2	195	3.2	353	3.2
Mat. Weight: Obese (BMI >= 30)		972	35.5	912	35.1	2,738	34.6	2,304	38.2	3,644	33.2
Mat. Sing. Wt. Gain: Low (< 15 lbs)		425	17.7	342	14.9	1,209	17.3	686	19.9	1,628	16.9
Mat. Sing. Wt. Gain: High (> 45 lbs)		435	18.1	217	22.5	1,334	19.1	1,000	20.1	1,917	19.9
Mother's Education: Under 12 Yrs.		205	17.8	369	13.9	1,011	12.6	818	13.3	1,756	15.8
Marital Status: Out-of-Wedlock		1,099	39.0	1,046	39.4	2,941	36.6	2,799	45.2	4,188	37.5
Live Birth Order: 4 or More		466	16.6	389	14.7	1,148	14.3	981	15.9	1,818	16.3
Birth Spacing: Less than 18 Months		231	12.8	242	12.1	909	12.5	579	15.3	944	13.9
Prenatal Care: 1st Trimester		2,053	74.0	2,005	76.8	5,950	75.6	4,474	73.5	7,743	70.5
Prenatal Care: 2nd Trimester		523	18.8	444	17.0	1,507	19.1	1,193	19.6	2,299	20.9
Prenatal Care: 3rd Trimester		172	6.2	127	4.9	330	4.2	315	5.2	591	5.4
Prenatal Care: None		27	1.0	35	1.3	88	1.1	105	1.7	355	3.2
Prenatal Care: Inadequate		635	22.9	438	16.8	1,458	18.6	1,144	18.9	2,463	22.6
Maternal Utilization: Medicaid		1,182	42.0	991	37.6	3,265	40.7	3,386	55.0	4,936	44.6
Maternal Utilization: WIC		934	33.5	778	29.7	2,363	29.8	2,725	44.6	3,789	34.4
Maternal Utilization: Food Stamps		475	18.9	452	18.2	1,472	18.7	1,734	29.7	2,024	18.9
Mother's Age: At Delivery	Under 15	_	0.0	2	0.1	3	0.0	7	0.2	4	0.0
	15-17	31	1.1	29	1.1	100	1.2	115	1.9	146	1.3
	18-19	108	3.8	105	4.0	310	3.9	354	5.7	549	4.9
	20-24	292	27.3	735	27.7	1,820	22.6	1,749	28.3	2,997	26.8
	25-29	296	34.3	863	32.6	2,651	33.0	1,976	31.9	3,582	32.1
	30-34	647	23.0	609	23.0	2,048	25.5	1,327	21.5	2,541	22.8
	35-39	245	8.7	272	10.3	929	11.5	222	9.0	1,112	10.0
	40 and Over	20	1.8	36	1.4	183	2.3	97	1.6	237	2.1

Table 10B. Resident Live Births by Selected Characteristics by BRFSS Region and Urban vs Rural Area: Missouri, 2022

		St. Louis Region	Region	Kansas City Region	ty Region	Urban	<u>an</u>	Rural	<u>a</u>
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		23,074	100.0	15,005	100.0	45,596	100.0	23,358	100.0
Birth Weight: Under 2500 Grams		2,183	9.5	1,449	9.7	4,377	9.6	1,926	8.2
Birth Weight: Above 4499 Grams		179	0.8	117	0.8	363	0.8	250	1.1
Gestational Age: Less than 37 Weeks		2,767	12.0	1,649	11.0	5,301	11.6	2,478	10.6
APGAR (5 Minutes): Less than 8		1,335	5.8	1,010	6.8	2,703	5.9	1,604	6.9
Infant Care: NICU Admission		2,297	10.0	1,764	11.8	5,010	11.0	1,985	8.5
Infant Care: Transfer to Other Facility		292	2.5	170	1.1	755	1.7	265	2.6
Place of Birth: At-Home Delivery		219	6.0	337	2.2	637	4.1	783	3.4
Method of Delivery: Cesarean		7,369	32.0	4,369	29.1	14,145	31.0	6,799	29.1
Infant Care: Breastfed After Delivery		18,716	82.3	12,368	84.4	37,283	83.2	18,153	78.9
Maternal Smoking: During Pregnancy		1,189	5.3	831	5.6	2,591	5.8	2,833	12.3
Quit Smoking During Pregnancy		286	24.1	218	26.2	661	25.5	545	19.1
Mat. Weight: Underweight (BMI < 18.5)		624	2.8	439	3.0	1,283	2.9	747	3.3
Mat. Weight: Obese (BMI >= 30)		6,870	30.7	4,715	32.3	13,934	31.4	8,221	35.9
Mat. Sing. Wt. Gain: Low (< 15 lbs)		2,949	15.3	2,097	16.4	6,021	15.7	3,618	18.1
Mat. Sing. Wt. Gain: High (> 45 lbs)		3,831	19.9	2,609	20.4	7,832	20.4	3,811	19.1
Mother's Education: Under 12 Yrs.		1,705	7.4	1,520	10.2	4,154	9.1	3,527	15.1
Marital Status: Out-of-Wedlock		8,751	37.9	6,213	41.4	18,024	39.5	9,013	38.6
Live Birth Order: 4 or More		2,895	12.6	2,020	13.5	5,920	13.0	3,797	16.3
Birth Spacing: Less than 18 Months		1,446	11.1	1,022	11.8	3,021	11.6	2,048	14.2
Prenatal Care: 1st Trimester		14,935	67.4	10,540	71.4	31,096	70.0	16,604	72.7
Prenatal Care: 2nd Trimester		5,349	24.1	3,227	21.8	9,862	22.2	4,680	20.5
Prenatal Care: 3rd Trimester		1,233	5.6	750	5.1	2,343	5.3	1,175	5.1
Prenatal Care: None		657	3.0	253	1.7	1,144	2.6	376	1.6
Prenatal Care: Inadequate		4,675	21.4	2,972	20.2	9,134	20.7	4,651	20.4
Maternal Utilization: Medicaid		7,206	32.3	5,685	38.4	16,318	36.5	10,333	44.6
Maternal Utilization: WIC		4,849	21.4	3,640	24.6	11,090	24.7	7,988	34.6
Maternal Utilization: Food Stamps		4,504	20.0	2,686	22.0	8,767	20.8	4,580	20.8
Mother's Age: At Delivery	Under 15	12	0.1	7	0.0	23	0.1	17	0.1
	15-17	211	0.0	161	1.1	497	1.1	296	1.3
	18-19	540	2.3	510	3.4	1,404	3.1	1,072	4.6
	20-24	3,296	14.3	2,860	19.1	7,822	17.2	6,403	27.4
	25-29	6,426	27.9	4,579	30.5	13,350	29.3	7,694	33.0
	30-34	8,052	34.9	4,471	29.8	14,420	31.6	5,275	22.6
	35-39	3,799	16.5	1,998	13.3	6,742	14.8	2,170	9.3
	40 and Over	732	3.2	417	2.8	1,329	2.9	423	1.8

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Adair	÷	Andrew	rew	Atchison	ison	Audrain	ain	Barry	≱	Barton	lon	Bates	es
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births			100.0	159	100.0	52	100.0	268	100.0	413	100.0	141	100.0	176	100.0
Birth Weight: Under 2500 Grams		19	6.7	13	8.2	0	0.0	15	5.6	38	9.5	11	7.8	12	6.8
Birth Weight: Above 4499 Grams		2	0.7	2	1.3	0	0.0	3	1.1	9	1.5	4	2.8	2	1.1
Gest. Age: Less than 37 Weeks		25	8.9	18	11.3	2	3.8	17	6.4	4	6.6	15	10.6	17	9.7
APGAR (5 Min.): Less than 8		43	15.3	9	3.8	4	7.7	21	7.9	38	9.2	80	5.7	10	5.7
Infant Care: NICU Admission		7	2.5	20	12.6	2	3.8	29	10.8	39	9.4	4	6.6	15	8.5
Infant Care: Transfer		19	6.7	4	2.5	_	1.9	4	1.5	13	3.1	_	0.7	3	1.7
Place of Birth: At-Home Delivery		15	5.3	2	1.3	_	1.9	10	3.7	6	2.2	8	5.7	9	3.4
Method of Delivery: Cesarean		86	34.9	42	26.4	16	30.8	94	35.1	140	33.9	37	26.4	38	21.7
Infant Care: Breastfed		236	84.3	124	80.5	41	78.8	228	85.4	318	77.9	119	86.9	140	81.4
Mat. Smoking: During Preg.		30	10.8	18	11.5	8	15.4	34	12.8	45	11.0	10	7.1	21	12.1
Quit Smoking During Preg.		4	13.3	9	33.3	-	12.5	10	29.4	12	26.7	3	30.0	4	19.0
Mat. Wt.: Underweight		6	3.2	3	1.9	_	1.9	12	4.6	12	3.0	3	2.2	80	4.5
Mat. Wt.: Obese		94	33.8	48	30.6	15	28.8	78	29.7	161	39.8	47	34.1	29	33.5
Mat. Sing. Wt. Gain: Low		53	21.4	23	16.4	9	12.5	38	15.9	81	22.4	28	23.3	29	18.6
Mat. Sing. Wt. Gain: High		40	16.1	39	27.9	8	16.7	51	21.3	99	18.3	18	15.0	29	18.6
Mother's Education: Under 12 Yrs.		35	12.4	7	4.4	4	7.7	98	32.2	77	18.7	29	20.6	15	8.6
Marital Status: Out-of-Wedlock		108	38.3	09	37.7	17	32.7	100	37.3	154	37.3	42	29.8	29	38.1
Live Birth Order: 4 or More		37	13.2	7	6.9	9	11.5	63	23.5	92	18.4	24	17.0	21	11.9
Birth Spacing: Less than 18 Mos.		23	12.4	80	8.9	9	18.2	26	15.4	39	14.3	10	11.0	10	9.8
Prenatal Care: 1st Trimester		206	73.8	132	84.6	47	90.4	163	63.2	300	73.2	104	77.0	127	73.4
Prenatal Care: 2nd Trimester		48	17.2	21	13.5	4	7.7	62	24.0	81	19.8	21	15.6	38	22.0
Prenatal Care: 3rd Trimester		22	7.9	3	1.9	_	1.9	29	11.2	19	4.6	7	5.2	7	4.0
Prenatal Care: None		က	1.7	0	0.0	0	0.0	4	1.6	10	2.4	က	2.2	_	9.0
Prenatal Care: Inadequate		79	28.2	12	7.6	5	9.6	84	32.6	93	22.9	26	19.4	27	15.7
Maternal Utilization: Medicaid		141	50.0	45	28.5	15	29.4	114	42.5	202	49.6	56	39.7	70	42.2
Maternal Utilization: WIC		107	38.6	38	24.4	15	28.8	78	29.3	164	39.9	44	31.9	50	28.9
Maternal Utilization: FSP		99	21.0	24	16.1	8	22.2	61	23.0	83	22.5	19	15.8	26	22.4
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	_	9.0
	15-17	က	1.	က	1.9	_	1.9	9	2.2	7	1.7	က	2.1	က	1.7
	18-19	7	2.5	9	3.8	_	1.9	12	4.5	23	5.6	4	2.8	7	4.0
	20-24	82	29.1	45	28.3	7	21.2	77	28.7	128	31.0	20	35.5	43	24.4
	25-29	88	31.2	46	28.9	19	36.5	78	29.1	128	31.0	36	25.5	63	35.8
	30-34	64	22.7	41	25.8	18	34.6	22	21.3	83	20.1	31	22.0	44	25.0
	35-39	31	11.0	16	10.1	_	1.9	34	12.7	37	9.0	13	9.2	12	6.8
	40 and Over	7	2.5	2	1.3	_	1.9	4	1.5	7	1.7	4	2.8	3	1.7

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Benton	ton	Bollinger	<u>ıger</u>	Boone	<u>ne</u>	Buchanan	anan	Butler	ler	Caldwell	well	Callaway	way
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births			100.0	134	100.0	2,008	100.0	686	100.0	475	100.0	107	100.0	475	100.0
Birth Weight: Under 2500 Grams		18	10.5	15	11.2	191	9.5	106	10.7	43	9.1	2	4.7	4	9.3
Birth Weight: Above 4499 Grams		က	1.8	_	0.7	20	1.0	5	0.5	3	9.0	_	0.9	9	1.3
Gest. Age: Less than 37 Weeks		17	6.6	13	9.7	201	10.0	114	11.5	64	13.5	6	8.4	52	10.9
APGAR (5 Min.): Less than 8		22	12.9	4	3.0	133	9.9	41	4.1	20	4.2	10	9.3	30	6.3
Infant Care: NICU Admission		14	8.2	7	8.2	263	13.1	98	6.6	20	4.2	5	4.7	62	13.1
Infant Care: Transfer		4	2.3	က	2.2	16	0.8	15	1.5	23	4.8	2	1.9	9	1.3
Place of Birth: At-Home Delivery		2	2.9	3	2.2	34	1.7	5	0.5	3	9.0	2	1.9	5	1.1
Method of Delivery: Cesarean		49	28.7	45	33.6	727	36.2	279	28.2	133	28.0	20	18.7	156	32.8
Infant Care: Breastfed		123	74.1	66	75.0	1,753	88.5	735	75.2	286	60.3	83	79.8	405	86.7
Mat. Smoking: During Preg.		26	15.3	18	13.4	100	2.0	137	14.0	69	14.9	13	12.3	52	11.1
Quit Smoking During Preg.		4	15.4	2	27.8	22	22.0	36	26.3	14	20.3	4	30.8	11	21.2
Mat. Wt.: Underweight		7	4.1	_	0.7	47	2.4	27	2.7	19	4.2	2	1.9	6	1.9
Mat. Wt.: Obese		92	38.2	61	45.5	618	31.7	352	35.8	190	42.2	33	32.0	172	36.9
Mat. Sing. Wt. Gain: Low		27	18.2	23	21.9	283	16.3	129	14.9	89	23.5	7	11.8	92	16.0
Mat. Sing. Wt. Gain: High		33	22.3	23	21.9	358	20.7	219	25.3	06	23.7	22	23.7	85	21.0
Mother's Education: Under 12 Yrs.		30	17.5	10	7.5	138	6.9	177	17.9	83	17.5	4	13.1	72	11.4
Marital Status: Out-of-Wedlock		29	39.2	47	35.1	099	32.9	532	53.8	261	54.9	39	36.4	217	45.7
Live Birth Order: 4 or More		26	15.2	25	18.7	192	9.6	151	15.3	69	14.5	19	17.8	52	10.9
Birth Spacing: Less than 18 Mos.		16	16.7	4	16.5	115	10.2	106	17.1	99	19.0	6	13.0	25	8.7
Prenatal Care: 1st Trimester		114	69.1	112	84.2	1,603	80.8	753	76.8	371	79.3	84	78.5	382	82.3
Prenatal Care: 2nd Trimester		37	22.4	17	12.8	297	15.0	159	16.2	74	15.8	19	17.8	29	14.4
Prenatal Care: 3rd Trimester		10	6.1	က	2.3	72	3.6	48	4.9	17	3.6	4	3.7	15	3.2
Prenatal Care: None		4	2.4	_	0.8	13	0.7	21	2.1	9	1.3	0	0.0	0	0.0
Prenatal Care: Inadequate		38	22.8	16	12.1	298	15.2	164	16.7	79	16.9	16	15.4	28	12.6
Maternal Utilization: Medicaid		82	50.3	61	45.5	632	31.5	536	54.5	376	79.2	45	43.7	201	42.4
Maternal Utilization: WIC		58	34.7	44	33.1	409	20.7	353	36.2	265	29.7	26	24.5	145	30.7
Maternal Utilization: FSP		33	21.0	29	21.8	311	15.8	272	29.5	181	39.1	14	13.2	92	20.4
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	2	0.2	_	0.2	0	0.0	_	0.2
	15-17	4	2.3	2	1.5	16	0.8	18	1.8	14	3.0	2	1.9	5	1.1
	18-19	10	5.8	5	3.7	45	2.2	48	4.9	35	7.4	5	4.7	12	2.5
	20-24	49	28.7	41	30.6	298	14.8	276	27.9	163	34.4	27	25.2	126	26.5
	25-29	52	30.4	37	27.6	682	34.0	306	31.0	141	29.7	43	40.2	157	32.4
	30-34	41	24.0	39	29.1	614	30.6	220	22.3	8	17.1	24	22.4	121	25.5
	35-39	15	8.8	O	6.7	294	14.6	107	10.8	33	7.0	9	5.6	47	9.6
	40 and Over	0	0.0	_	0.7	58	2.9	11	1.1	9	1.3	0	0.0	6	1.9

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Camden	den	Cape Girardeau	ardeau	Carroll	lol	Carter	ter	Cass	SS	Cedar	lar	Cha	Chariton
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births			100.0	927	100.0	81	100.0	75	100.0	1,145	100.0	224	100.0	71	100.0
Birth Weight: Under 2500 Grams		27	7.1	79	8.5	4	4.9	10	13.3	97	8.5	12	5.4	2	2.8
Birth Weight: Above 4499 Grams		2	0.5	6	1.0	0	0.0	0	0.0	6	0.8	9	2.7	~	1.4
Gest. Age: Less than 37 Weeks		35	9.3	87	9.4	4	4.9	11	14.7	114	10.0	25	11.2	4	5.6
APGAR (5 Min.): Less than 8		20	5.3	47	5.1	9	7.4	_	1.3	09	5.2	22	10.0	2	2.8
Infant Care: NICU Admission		29	7.7	77	8.3	4	4.9	5	6.7	134	11.7	15	6.7	6	12.7
Infant Care: Transfer		80	2.1	41	1.5	_	1.2	4	5.3	10	6.0	2	2.2	က	4.2
Place of Birth: At-Home Delivery		7	1.8	10	1.	0	0.0	2	2.7	26	2.3	38	17.0	0	0.0
Method of Delivery: Cesarean		94	24.8	308	33.2	23	28.4	20	26.7	347	30.3	47	21.1	22	31.0
Infant Care: Breastfed		309	82.4	681	73.9	28	77.3	52	70.3	1,018	90.0	188	86.2	22	79.7
Mat. Smoking: During Preg.		29	15.8	83	9.0	10	12.7	19	25.3	54	4.7	21	9.5	9	9.0
Quit Smoking During Preg.		13	22.0	18	21.7	9	0.09	2	26.3	15	27.8	2	9.5	3	50.0
Mat. Wt.: Underweight		16	4.2	21	2.3	2	2.5	2	2.8	30	2.6	2	2.3	_	1.4
Mat. Wt.: Obese		113	29.8	336	36.6	35	44.3	27	38.0	379	33.4	74	33.8	27	38.6
Mat. Sing. Wt. Gain: Low		22	16.8	128	18.5	22	29.3	10	17.2	173	17.1	40	20.7	5	7.6
Mat. Sing. Wt. Gain: High		89	20.1	144	20.8	13	17.3	4	24.1	192	19.0	32	16.6	19	28.8
Mother's Education: Under 12 Yrs.		39	10.3	78	8.4	7	8.6	7	9.3	79	6.9	52	23.4	5	7.0
Marital Status: Out-of-Wedlock		155	40.9	372	40.1	32	39.5	33	44.0	373	32.6	99	29.5	31	43.7
Live Birth Order: 4 or More		58	15.3	123	13.3	6	11.1	14	18.7	162	14.1	53	23.7	6	12.7
Birth Spacing: Less than 18 Mos.		30	13.7	89	11.9	6	19.1	10	17.9	80	11.6	23	14.6	80	17.4
Prenatal Care: 1st Trimester		277	74.3	724	78.6	62	78.5	09	81.1	835	73.6	160	72.4	62	87.3
Prenatal Care: 2nd Trimester		77	20.6	152	16.5	4	17.7	1	14.9	250	22.0	44	19.9	5	7.0
Prenatal Care: 3rd Trimester		14	3.8	37	4.0	က	3.8	က	4.1	39	3.4	12	5.4	4	5.6
Prenatal Care: None		2	1.3	80	6.0	0	0.0	0	0.0	10	0.9	2	2.3	0	0.0
Prenatal Care: Inadequate		89	18.2	122	13.3	13	16.5	13	17.3	169	15.0	99	25.5	10	14.3
Maternal Utilization: Medicaid		238	63.0	345	37.2	30	37.5	56	74.7	318	28.2	26	43.3	31	43.7
Maternal Utilization: WIC		139	37.6	227	24.8	24	29.6	47	63.5	220	19.3	26	25.1	24	34.3
Maternal Utilization: FSP		82	22.8	211	23.1	10	12.7	22	29.3	119	15.8	37	16.9	12	17.4
Mother's Age: At Delivery	Under 15	0	0.0	_	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	15-17	80	2.1	22	2.4	0	0.0	_	1.3	11	1.0	3	4.1	2	2.8
	18-19	14	3.7	34	3.7	က	3.7	_	1.3	47	4.1	7	3.2	5	7.0
	20-24	97	25.6	159	17.2	24	29.6	22	29.3	217	19.0	69	31.1	17	23.9
	25-29	126	33.2	285	30.7	27	33.3	25	33.3	360	31.5	73	32.9	25	35.2
	30-34	78	20.6	292	31.5	20	24.7	17	22.7	349	30.5	51	23.0	17	23.9
	35-39	45	11.9	113	12.2	4	4.9	7	9.3	129	11.3	16	7.2	4	5.6
	40 and Over	11	2.9	21	2.3	3	3.7	2	2.7	31	2.7	3	4.1	_	1.4

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Christian	tian	Clark	뇐	Clay	ak ak	Clinton	ton	Cole	ele ele	Cooper	per	Crawford	ford
		Number Percent	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		1,028	100.0	92	100.0	2,996	100.0	238	100.0	789	100.0	170	100.0	242	100.0
Birth Weight: Under 2500 Grams		83	8.1	7	9.2	253	8.5	15	6.3	88	11.2	7	4.1	36	14.9
Birth Weight: Above 4499 Grams		7	1.	_	1.3	24	0.8	2	0.8	1	4.1	2	1.2	2	0.8
Gest. Age: Less than 37 Weeks		113	11.0	1	14.5	304	10.2	18	7.6	108	13.7	12	7.1	8	14.0
APGAR (5 Min.): Less than 8		48	4.7	5	9.9	195	6.5	17	7.1	52	9.9	13	7.6	23	9.5
Infant Care: NICU Admission		110	10.7	5	9.9	295	9.8	20	8.4	79	10.0	18	10.6	28	11.6
Infant Care: Transfer		9	9.0	_	1.3	37	1.2	3	1.3	15	1.9	_	9.0	13	5.4
Place of Birth: At-Home Delivery		17	1.7	3	3.9	64	2.1	5	2.1	13	1.6	3	1.8	5	2.1
Method of Delivery: Cesarean		285	27.7	28	36.8	847	28.3	28	24.5	246	31.2	20	29.4	64	26.4
Infant Care: Breastfed		871	86.2	63	82.9	2,450	85.9	208	88.9	929	86.4	147	87.5	189	79.7
Mat. Smoking: During Preg.		61	0.9	15	20.0	146	4.9	29	12.2	64	8.2	13	7.7	4	18.5
Quit Smoking During Preg.		6	14.8	_	6.7	46	31.5	4	13.8	16	25.0	2	15.4	9	13.6
Mat. Wt.: Underweight		41	4.1	4	5.3	9/	2.6	7	3.0	13	1.7	9	3.6	10	4.1
Mat. Wt.: Obese		302	30.0	35	46.1	902	31.0	77	32.6	297	37.9	28	34.3	101	41.9
Mat. Sing. Wt. Gain: Low		119	13.4	19	30.6	398	15.5	32	15.1	112	16.8	36	22.8	46	22.2
Mat. Sing. Wt. Gain: High		195	22.0	10	16.1	522	20.4	46	21.7	131	19.7	22	13.9	8	16.4
Mother's Education: Under 12 Yrs.		42	4.1	19	25.0	147	4.9	14	5.9	22	7.2	17	10.0	36	14.9
Marital Status: Out-of-Wedlock		256	24.9	33	43.4	925	30.9	96	40.3	305	38.7	49	28.8	104	43.0
Live Birth Order: 4 or More		140	13.6	16	21.1	342	11.4	41	17.2	92	11.7	21	12.4	29	12.0
Birth Spacing: Less than 18 Mos.		71	10.8	7	14.9	188	1.1	17	11.9	28	13.1	16	14.5	23	16.2
Prenatal Care: 1st Trimester		780	76.5	55	72.4	2,257	76.8	195	83.3	624	81.0	137	81.5	180	75.0
Prenatal Care: 2nd Trimester		176	17.3	17	22.4	524	17.8	29	12.4	120	15.6	23	13.7	4	18.3
Prenatal Care: 3rd Trimester		34	3.3	4	5.3	126	4.3	80	3.4	21	2.7	7	4.2	∞	3.3
Prenatal Care: None		30	2.9	0	0.0	31	<u>L</u>	2	0.9	5	9.0	_	9.0	∞	3.3
Prenatal Care: Inadequate		175	17.2	15	19.7	465	16.0	28	12.0	91	11.8	26	15.7	38	15.8
Maternal Utilization: Medicaid		307	29.9	34	44.7	290	26.8	79	34.1	284	36.1	52	30.6	104	43.3
Maternal Utilization: WIC		193	19.0	28	36.8	462	15.6	53	22.3	208	26.7	36	21.6	87	36.4
Maternal Utilization: FSP		06	8.9	10	25.6	341	13.1	26	11.4	143	18.5	23	13.9	22	24.3
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	3	0.1	0	0.0	_	0.1	0	0.0	0	0.0
	15-17	80	0.8	_	1.3	13	0.4	2	0.8	1	1.4	0	0.0	7	2.9
	18-19	24	2.3	5	9.9	73	2.4	6	3.8	29	3.7	80	4.7	13	5.4
	20-24	172	16.7	18	23.7	475	15.9	54	22.7	151	19.1	33	19.4	29	24.4
	25-29	320	34.0	28	36.8	924	30.8	66	41.6	276	35.0	63	37.1	88	36.8
	30-34	321	31.2	18	23.7	1,004	33.5	20	21.0	214	27.1	45	26.5	52	21.5
	35-39	126	12.3	4	5.3	404	13.5	21	8.8	88	11.2	17	10.0	16	9.9
	40 and Over	27	2.6	2	2.6	100	3.3	3	1.3	19	2.4	4	2.4	9	2.5

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Dade	al de	Dallas	as	Daviess	ess	DeKalb	<u>alb</u>	Dent	됩	Douglas	<u>ilas</u>	Dunklin	klin
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births			100.0	201	100.0	127	100.0	104	100.0	156	100.0	143	100.0	329	100.0
Birth Weight: Under 2500 Grams		9	9.4	14	7.0	8	6.3	5	4.8	13	8.3	10	7.0	33	10.0
Birth Weight: Above 4499 Grams		0	0.0	4	2.0	3	2.4	0	0.0	_	9.0	က	2.1	2	0.0
Gest. Age: Less than 37 Weeks		9	9.4	20	10.0	14	11.1	4	3.8	23	12.1	15	10.6	45	13.8
APGAR (5 Min.): Less than 8		4	6.3	80	4.1	17	13.4	4	3.8	11	7.1	7	4.9	17	5.2
Infant Care: NICU Admission		9	9.4	17	8.5	10	7.9	8	7.7	13	8.3	12	8.4	23	7.0
Infant Care: Transfer		2	3.1	_	0.5	2	1.6	_	1.0	80	5.1	0	0.0	20	6.1
Place of Birth: At-Home Delivery		2	3.1	6	4.5	29	22.8	_	1.0	9	3.8	7	7.7	က	0.9
Method of Delivery: Cesarean		20	31.3	51	25.4	26	20.5	34	32.7	40	25.6	28	19.6	101	30.7
Infant Care: Breastfed		46	74.2	169	85.4	106	86.2	82	80.4	107	6.69	113	81.3	158	48.2
Mat. Smoking: During Preg.		9	9.4	16	8.0	10	7.9	22	21.6	28	18.2	27	18.9	58	18.0
Quit Smoking During Preg.		က	50.0	4	25.0	-	10.0	4	18.2	4	14.3	7	25.9	7	12.1
Mat. Wt.: Underweight		4	6.5	က	1.5	2	2.0	3	2.9	7	4.5	2	1.5	15	4.9
Mat. Wt.: Obese		15	24.2	62	31.8	31	30.7	38	37.3	89	43.9	42	31.1	114	36.9
Mat. Sing. Wt. Gain: Low		9	10.9	25	14.0	16	19.0	1	11.3	27	21.1	21	17.5	55	21.0
Mat. Sing. Wt. Gain: High		13	23.6	36	20.2	12	14.3	32	33.0	20	15.6	20	16.7	52	19.8
Mother's Education: Under 12 Yrs.		13	20.3	62	31.0	58	45.7	16	15.4	26	16.7	27	19.0	72	22.1
Marital Status: Out-of-Wedlock		26	40.6	61	30.3	31	24.4	49	47.1	29	42.9	43	30.1	202	61.4
Live Birth Order: 4 or More		7	17.2	47	23.4	34	26.8	15	14.4	31	19.9	38	26.8	92	20.2
Birth Spacing: Less than 18 Mos.		2	6.7	18	14.6	13	15.3	12	20.7	12	12.5	16	16.2	35	18.5
Prenatal Care: 1st Trimester		45	71.4	123	62.8	92	8.09	82	79.6	86	64.1	88	62.4	233	72.6
Prenatal Care: 2nd Trimester		13	20.6	20	25.5	37	29.6	17	16.5	36	23.5	32	22.7	62	19.3
Prenatal Care: 3rd Trimester		2	3.2	10	5.1	1	8.8	4	3.9	10	6.5	12	8.5	20	6.2
Prenatal Care: None		3	4.8	13	9.9	_	0.8	0	0.0	6	5.9	6	6.4	9	1.9
Prenatal Care: Inadequate		12	19.4	22	28.1	49	39.2	7	10.7	40	26.1	44	31.9	72	22.4
Maternal Utilization: Medicaid		29	46.0	78	38.8	33	26.0	45	44.1	92	59.4	64	45.4	246	75.2
Maternal Utilization: WIC		27	42.9	54	27.6	33	26.2	29	27.9	70	45.8	64	45.1	198	62.1
Maternal Utilization: FSP		16	25.8	34	17.3	10	7.9	17	17.0	20	32.7	30	21.4	123	47.5
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	0.0
	15-17	2	3.1	2	1.0	_	0.8	2	1.9	0	0.0	_	0.7	12	3.6
	18-19	5	7.8	12	0.9	က	2.4	9	5.8	17	7.1	80	5.6	20	6.1
	20-24	20	31.3	52	25.9	41	32.3	28	26.9	41	26.3	38	26.6	108	32.8
1	25-29	15	23.4	29	33.3	42	33.1	34	32.7	99	35.9	36	25.2	26	29.5
	30-34	15	23.4	47	23.4	25	19.7	25	24.0	34	21.8	35	24.5	62	18.8
	35-39	9	9.4	17	8.5	13	10.2	6	8.7	13	8.3	19	13.3	24	7.3
	40 and Over	_	1.6	4	2.0	2	1.6	0	0.0		9.0	9	4.2	3	0.0

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Franklin	klin	Gasconade	nade	Gentry	try	Greene	ane 3ne	Grundy	Vpu	Harrison	ison	위	Henry
		Number Percent	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		1,119	100.0	138	100.0	18	100.0	3,275	100.0	142	100.0	82	100.0	238	100.0
Birth Weight: Under 2500 Grams		94	8.4	13	9.4	5	6.2	295	9.0	6	6.3	7	8.5	25	10.5
Birth Weight: Above 4499 Grams		15	1.3	0	0.0	2	2.5	31	0.9	2	4.1	0	0.0	4	1.7
Gest. Age: Less than 37 Weeks		120	10.7	19	13.8	10	12.3	374	11.4	8	5.7	11	13.4	28	11.8
APGAR (5 Min.): Less than 8		89	6.1	10	7.2	7	9.3	158	4.8	1	7.8	4	5.3	24	10.1
Infant Care: NICU Admission		06	8.0	4	10.1	7	8.6	385	11.8	6	6.3	4	4.9	20	8.4
Infant Care: Transfer		20	8.	_	0.7	3	3.7	20	0.6	4	2.8	2	2.4	4	1.7
Place of Birth: At-Home Delivery		16	4.1	_	0.7	5	6.2	41	1.3	15	10.6	7	8.5	9	2.5
Method of Delivery: Cesarean		390	34.9	4	29.7	28	34.6	939	28.7	36	25.4	19	23.2	62	26.2
Infant Care: Breastfed		957	86.1	108	80.6	99	82.5	2,690	83.9	102	74.5	29	83.8	175	78.5
Mat. Smoking: During Preg.		110	10.0	17	12.5	11	13.8	303	9.3	21	15.2	11	13.4	38	16.0
Quit Smoking During Preg.		22	20.0	_	5.9	_	9.1	80	26.4	4	19.0	3	27.3	9	15.8
Mat. Wt.: Underweight		23	2.1	4	2.9	0	0.0	116	3.6	4	3.5	2	2.7	80	3.4
Mat. Wt.: Obese		414	37.5	51	37.0	36	45.0	1,013	31.6	32	27.8	35	47.3	87	36.9
Mat. Sing. Wt. Gain: Low		188	19.5	25	21.0	10	14.5	396	14.2	16	16.2	80	13.1	33	19.1
Mat. Sing. Wt. Gain: High		187	19.4	20	16.8	12	17.4	299	23.9	18	18.2	80	13.1	29	14.2
Mother's Education: Under 12 Yrs.		102	9.1	15	10.9	13	16.5	361	11.0	45	31.7	29	35.4	32	13.4
Marital Status: Out-of-Wedlock		371	33.2	42	30.4	30	37.0	1,289	39.4	20	35.2	23	28.0	101	42.4
Live Birth Order: 4 or More		145	13.0	16	11.6	14	17.5	453	13.8	38	26.8	13	16.0	36	15.1
Birth Spacing: Less than 18 Mos.		89	12.9	7	8.5	9	10.0	258	13.5	16	16.5	7	15.6	18	12.4
Prenatal Care: 1st Trimester		843	76.8	109	79.6	99	84.6	2,270	70.6	78	56.9	51	63.0	168	71.8
Prenatal Care: 2nd Trimester		204	18.6	22	16.1	6	11.5	909	18.9	38	27.7	15	18.5	51	21.8
Prenatal Care: 3rd Trimester		42	3.8	9	4.4	_	1.3	181	5.6	17	12.4	11	13.6	6	3.8
Prenatal Care: None		80	0.7	0	0.0	2	2.6	157	4.9	4	2.9	4	4.9	9	2.6
Prenatal Care: Inadequate		141	13.0	22	16.2	13	16.5	746	23.4	54	39.4	28	35.0	20	21.7
Maternal Utilization: Medicaid		336	30.5	44	31.9	29	35.8	1,360	41.6	55	39.0	22	27.2	82	40.8
Maternal Utilization: WIC		187	16.8	26	18.8	29	36.3	1,243	38.3	47	33.8	24	30.4	29	27.9
Maternal Utilization: FSP		161	14.5	15	10.9	7	13.9	630	19.5	24	18.5	8	10.7	20	24.0
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	_	0.0	0	0.0	0	0.0	0	0.0
	15-17	19	1.7	5	3.6	0	0.0	48	1.5	2	1.4	0	0.0	_	0.4
	18-19	31	2.8	2	1.4	5	6.2	146	4.5	5	3.5	0	0.0	13	5.5
	20-24	222	19.9	28	20.3	20	24.7	751	22.9	34	23.9	36	43.9	70	29.4
	25-29	365	32.6	51	37.0	27	33.3	1,062	32.4	20	35.2	26	31.7	87	36.6
	30-34	326	29.2	37	26.8	20	24.7	807	24.6	33	23.2	12	14.6	49	20.6
	35-39	134	12.0	13	9.4	0	11.1	391	11.9	4	9.6	7	8.5	16	6.7
	40 and Over	21	1.9	2	1.4	0	0.0	69	2.1	4	2.8	_	1.2	2	0.8

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Hickory	ory	Holt	肖	Howard	ard	Howell	lell	Iron	⊊I	Jackson	son	Jasper	oer.
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		75	100.0	41	100.0	108	100.0	445	100.0	84	100.0	8,558	100.0	1,609	100.0
Birth Weight: Under 2500 Grams		6	12.0	3	7.3	6	8.3	28	6.3	9	7.1	923	10.8	140	8.7
Birth Weight: Above 4499 Grams		_	1.3	0	0.0	-	0.9	2	0.4	0	0.0	64	0.7	15	6.0
Gest. Age: Less than 37 Weeks		10	13.5	5	12.2	17	15.7	32	7.2	7	8.3	666	11.7	198	12.3
APGAR (5 Min.): Less than 8		0	0.0	2	4.9	10	9.3	28	6.3	5	0.9	593	7.0	88	5.5
Infant Care: NICU Admission		5	6.8	3	7.3	23	21.3	29	6.5	80	9.5	1,106	12.9	184	11.4
Infant Care: Transfer		0	0.0	0	0.0	_	6.0	11	2.5	က	3.6	97	1.1	5	0.3
Place of Birth: At-Home Delivery		10	13.3	0	0.0	4	3.7	6	2.0	2	2.4	198	2.3	19	1.2
Method of Delivery: Cesarean		19	25.7	14	34.1	41	38.0	114	25.6	30	35.7	2,498	29.2	539	33.5
Infant Care: Breastfed		99	89.2	32	78.0	92	86.0	359	81.8	55	67.9	6,989	82.8	1,338	84.2
Mat. Smoking: During Preg.		1	14.7	2	4.9	14	13.2	58	13.1	4	16.9	466	5.5	144	9.0
Quit Smoking During Preg.		3	27.3	0	0.0	3	21.4	11	19.0	_	7.1	123	26.4	32	22.2
Mat. Wt.: Underweight		0	0.0	_	2.4	_	0.0	14	3.2	2	0.9	269	3.2	40	2.5
Mat. Wt.: Obese		24	32.9	10	24.4	36	33.3	161	36.5	32	38.1	2,700	32.6	564	35.5
Mat. Sing. Wt. Gain: Low		15	23.8	7	19.4	6	6.6	78	19.3	12	16.2	1,228	16.9	265	19.3
Mat. Sing. Wt. Gain: High		4	6.3	7	30.6	22	24.2	77	19.1	17	23.0	1,474	20.3	249	18.1
Mother's Education: Under 12 Yrs.		17	23.3	2	4.9	8	7.4	56	12.6	4	16.7	1,145	13.4	276	17.2
Marital Status: Out-of-Wedlock		18	24.0	1	26.8	49	45.4	189	42.5	39	46.4	4,139	48.4	727	45.2
Live Birth Order: 4 or More		17	22.7	2	4.9	15	13.9	77	17.3	1	13.1	1,245	14.6	229	14.3
Birth Spacing: Less than 18 Mos.		2	9.4	_	4.0	0	12.3	35	13.3	9	12.5	603	12.2	112	12.0
Prenatal Care: 1st Trimester		45	61.6	34	89.5	85	78.7	313	72.0	61	74.4	5,668	67.4	1,143	72.2
Prenatal Care: 2nd Trimester		21	28.8	4	10.5	21	19.4	87	20.0	1	13.4	2,048	24.3	348	22.0
Prenatal Care: 3rd Trimester		2	6.8	0	0.0	2	1.9	22	5.1	7	8.5	503	0.9	29	4.2
Prenatal Care: None		2	2.7	0	0.0	0	0.0	13	3.0	က	3.7	195	2.3	25	1.6
Prenatal Care: Inadequate		23	31.1	3	7.9	19	17.8	93	21.4	15	18.3	2,021	24.0	286	18.3
Maternal Utilization: Medicaid		43	58.1	18	43.9	43	39.8	281	63.4	20	59.5	3,876	45.6	808	50.8
Maternal Utilization: WIC		29	39.7	7	17.1	34	31.5	223	50.6	43	51.2	2,482	29.4	530	33.4
Maternal Utilization: FSP		7	15.5	9	16.2	15	14.2	135	32.5	24	28.9	1,946	28.2	342	22.2
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	_	0.2	0	0.0	3	0.0	_	0.1
	15-17	0	0.0	0	0.0	2	1.9	7	1.6	2	2.4	123	1.4	29	1.8
	18-19	2	2.7	~	2.4	2	1.9	36	8.1	4	4.8	325	3.8	96	0.9
	20-24	21	28.0	10	24.4	22	20.4	127	28.5	33	39.3	1,751	20.5	489	30.4
	25-29	23	30.7	17	41.5	34	31.5	143	32.1	21	25.0	2,526	29.5	209	31.6
- 1	30-34	23	30.7	10	24.4	35	32.4	89	20.0	14	16.7	2,450	28.6	316	19.6
1	35-39	2	6.7	8	7.3	10	9.3	32	7.2	80	9.5	1,152	13.5	137	8.5
	40 and Over	_	1.3	0	0.0	3	2.8	10	2.2	2	2.4	227	2.7	32	2.0

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Jefferson	uos.	Johnson	son	Knox	ŏ	Laclede	ede	<u>Lafayette</u>	/ette	Lawrence	ence	Lei	Lewis
		Number Percent	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		2,326	100.0	715	100.0	92	100.0	455	100.0	377	100.0	609	100.0	98	100.0
Birth Weight: Under 2500 Grams		183	7.9	22	8.0	2	4.0	54	11.9	39	10.3	33	6.5	2	5.8
Birth Weight: Above 4499 Grams		30	1.3	8	1.1	0	0.0	4	0.9	4	1.1	0	0.0	0	0.0
Gest. Age: Less than 37 Weeks		308	13.2	73	10.2	3	0.9	29	14.8	44	11.7	53	10.4	12	14.0
APGAR (5 Min.): Less than 8		128	5.5	51	7.1	5	10.0	30	9.9	41	10.9	39	7.7	4	4.7
Infant Care: NICU Admission		231	6.6	64	9.0	0	0.0	49	10.8	47	12.5	47	9.2	2	5.8
Infant Care: Transfer		29	1.2	7	1.5	3	0.9	10	2.2	7	1.9	6	4.8	3	3.5
Place of Birth: At-Home Delivery		20	6.0	18	2.5	9	12.0	5	1.1	6	2.4	24	4.7	9	7.0
Method of Delivery: Cesarean		775	33.4	207	29.0	10	20.0	125	27.5	131	34.7	143	28.1	14	16.3
Infant Care: Breastfed		1,810	79.1	529	74.0	46	93.9	344	76.8	313	83.7	436	86.7	29	78.8
Mat. Smoking: During Preg.		208	9.1	46	9.9	5	10.4	88	19.6	35	9.4	63	12.4	6	10.7
Quit Smoking During Preg.		39	18.8	13	28.3	0	0.0	16	18.2	9	17.1	1	17.5	_	11.1
Mat. Wt.: Underweight		91	4.0	18	2.5	0	0.0	20	4.5	1	3.0	13	2.6	2	2.4
Mat. Wt.: Obese		774	34.1	220	31.1	18	36.0	161	36.0	146	39.4	181	36.1	33	38.8
Mat. Sing. Wt. Gain: Low		296	15.3	79	12.5	8	17.0	72	19.1	20	15.5	66	22.1	4	19.2
Mat. Sing. Wt. Gain: High		425	22.0	122	19.4	3	6.4	65	17.3	72	22.3	29	15.0	4	5.5
Mother's Education: Under 12 Yrs.		162	7.0	39	5.5	20	40.0	65	14.3	28	7.5	98	19.3	6	10.5
Marital Status: Out-of-Wedlock		836	35.9	185	25.9	12	24.0	188	41.3	153	40.6	201	39.5	32	37.2
Live Birth Order: 4 or More		292	12.6	66	13.9	16	32.0	77	16.9	43	11.4	95	18.7	7	12.8
Birth Spacing: Less than 18 Mos.		146	10.9	62	15.3	2	5.9	39	13.1	21	9.7	44	13.8	7	14.0
Prenatal Care: 1st Trimester		1,509	6.99	514	73.5	27	55.1	320	71.9	307	82.1	371	73.8	63	74.1
Prenatal Care: 2nd Trimester		622	27.6	142	20.3	17	34.7	92	20.7	22	15.2	92	18.9	18	21.2
Prenatal Care: 3rd Trimester		66	4.4	39	5.6	3	6.1	21	4.7	5	1.3	23	4.6	2	2.4
Prenatal Care: None		26	1.2	4	9.0	2	4.1	12	2.7	5	1.3	14	2.8	2	2.4
Prenatal Care: Inadequate		371	16.6	115	16.5	23	46.9	84	18.9	44	11.8	105	21.0	17	19.8
Maternal Utilization: Medicaid		635	28.3	156	21.9	17	34.0	262	57.7	137	36.4	220	43.3	25	29.1
Maternal Utilization: WIC		401	17.4	178	25.0	16	32.0	182	40.6	66	26.5	194	38.4	22	25.6
Maternal Utilization: FSP		338	14.8	62	9.3	80	16.3	118	26.5	61	17.1	104	20.9	2	16.7
Mother's Age: At Delivery	Under 15	~	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	15-17	17	0.7	4	9.0	0	0.0	2	0.4	4	1.1	3	9.0	0	0.0
	18-19	55	2.4	25	3.5	2	4.0	35	7.7	12	3.2	26	5.1	4	4.7
	20-24	390	16.8	185	25.9	17	34.0	127	27.9	06	23.9	159	31.2	24	27.9
	25-29	773	33.2	247	34.5	17	34.0	146	32.1	131	34.7	164	32.2	27	31.4
	30-34	744	32.0	167	23.4	7	14.0	100	22.0	93	24.7	86	19.3	20	23.3
	35-39	292	12.6	75	10.5	7	14.0	39	8.6	38	10.1	52	10.2	10	11.6
	40 and Over	53	2.3	12	1.7	0	0.0	9	1.3	6	2.4	7	4.1	_	1.2

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Lincoln	olu	Linn	<u>u</u>	Livingston	ston	Macon	uo	Madison	son	Maries	ies	Marion	ioi
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		852	100.0	131	100.0	153	100.0	179	100.0	122	100.0	66	100.0	320	100.0
Birth Weight: Under 2500 Grams		64	7.5	13	6.6	6	5.9	10	5.6	19	15.6	9	6.1	8	10.6
Birth Weight: Above 4499 Grams		9	0.7	2	1.5	2	1.3	5	2.8	_	0.8	-	1.0	_	0.3
Gest. Age: Less than 37 Weeks		06	10.6	15	11.5	19	12.7	15	8.4	22	18.0	8	8.1	47	14.7
APGAR (5 Min.): Less than 8		52	6.1	14	10.8	10	9.9	14	7.9	11	9.0	7	7.1	33	10.3
Infant Care: NICU Admission		73	8.6	7	5.3	17	11.1	18	10.1	18	14.8	7	7.1	22	6.9
Infant Care: Transfer		16	1.9	6	6.9	8	5.2	5	2.8	6	7.4	2	2.0	13	4.1
Place of Birth: At-Home Delivery		15	1.8	2	1.5	2	1.3	4	7.8	0	0.0	2	2.0	_	0.3
Method of Delivery: Cesarean		256	30.0	42	32.3	46	30.7	65	36.3	43	35.2	27	27.3	102	31.9
Infant Care: Breastfed		694	81.9	93	72.1	122	85.9	155	87.1	81	69.2	88	89.9	253	79.6
Mat. Smoking: During Preg.		63	7.5	15	11.6	21	13.8	14	8.0	22	18.2	1	11.1	46	14.8
Quit Smoking During Preg.		8	12.7	2	13.3	9	28.6	4	28.6	7	31.8	2	18.2	10	21.7
Mat. Wt.: Underweight		23	2.7	7	5.4	9	4.1	8	4.5	7	5.9	0	0.0	80	2.5
Mat. Wt.: Obese		292	34.8	46	35.4	48	32.7	58	33.0	53	44.5	38	38.4	122	38.4
Mat. Sing. Wt. Gain: Low		126	17.1	27	23.5	17	13.7	34	21.1	24	25.5	13	14.3	43	16.6
Mat. Sing. Wt. Gain: High		149	20.2	25	21.7	29	23.4	31	19.3	10	10.6	22	24.2	53	20.5
Mother's Education: Under 12 Yrs.		65	7.6	13	6.6	19	12.4	28	15.6	4	11.5	14	14.1	36	11.3
Marital Status: Out-of-Wedlock		284	33.3	56	42.7	09	39.2	61	34.1	44	36.1	28	28.3	125	39.1
Live Birth Order: 4 or More		101	11.9	19	14.5	22	14.4	29	16.2	24	19.7	16	16.2	46	14.4
Birth Spacing: Less than 18 Mos.		29	12.8	8	10.7	8	8.5	16	13.8	10	13.7	0	18.4	25	12.6
Prenatal Care: 1st Trimester		547	70.9	106	82.2	121	80.7	131	74.0	96	79.3	72	75.8	256	80.0
Prenatal Care: 2nd Trimester		185	24.0	20	15.5	22	14.7	28	15.8	22	18.2	23	24.2	51	15.9
Prenatal Care: 3rd Trimester		33	4.3	2	1.6	7	4.7	14	7.9	_	0.8	0	0.0	12	3.8
Prenatal Care: None		9	0.8	_	0.8	0	0.0	4	2.3	2	1.7	0	0.0	_	0.3
Prenatal Care: Inadequate		125	16.4	16	12.6	15	10.2	46	26.1	15	12.8	13	13.7	39	12.2
Maternal Utilization: Medicaid		221	26.4	63	48.8	65	43.0	81	45.3	59	48.8	27	27.3	129	40.3
Maternal Utilization: WIC		160	18.8	46	35.4	51	33.3	62	34.6	09	49.6	21	21.4	98	26.9
Maternal Utilization: FSP		105	12.5	25	19.2	21	14.4	28	15.6	31	26.3	18	18.2	56	23.2
Mother's Age: At Delivery	Under 15	_	0.1	0	0.0	0	0.0	_	9.0	_	0.8	0	0.0	0	0.0
	15-17	2	0.2	0	0.0	2	1.3	3	1.7	4	3.3	0	0.0	2	9.0
	18-19	21	2.5	7	5.3	7	4.6	9	3.4	5	4.1	80	8.1	<u></u>	2.8
	20-24	181	21.2	48	36.6	45	29.4	42	23.6	31	25.4	31	31.3	82	25.7
- 1	25-29	311	36.5	43	32.8	51	33.3	65	36.5	44	36.1	25	25.3	102	32.0
- 1	30-34	251	29.5	21	16.0	35	22.9	40	22.5	21	17.2	22	22.2	82	25.7
1	35-39	71	8.3	10	7.6	8	5.2	18	10.1	15	12.3	-	1.	35	11.0
	40 and Over	14	1.6	2	1.5	5	3.3	3	1.7	_	0.8	2	2.0	7	2.2

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		McDonald	<u>nald</u>	Mercer	cer	Miller	<u>ler</u>	Mississippi	iddis	Moniteau	tean tean	Monroe	roe	Montg	Montgomery
		Number Percent	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		317	100.0	59	100.0	295	100.0	152	100.0	212	100.0	26	100.0	112	100.0
Birth Weight: Under 2500 Grams		29	9.1	4	6.8	24	8.1	18	11.8	17	8.0	10	10.3	13	11.6
Birth Weight: Above 4499 Grams		6	2.8	0	0.0	2	0.7	2	1.3	~	0.5	3	3.1	_	0.9
Gest. Age: Less than 37 Weeks		42	13.2	3	5.1	36	12.2	22	14.5	18	8.5	10	10.3	10	8.9
APGAR (5 Min.): Less than 8		17	5.4	_	1.7	22	7.6	1	7.2	16	7.6	8	8.2	6	8.0
Infant Care: NICU Admission		4	12.9	2	3.4	19	6.4	13	8.6	14	9.9	15	15.5	7	9.8
Infant Care: Transfer		3	6.0	0	0.0	3	1.0	4	2.6	2	0.9	4	4.1	3	2.7
Place of Birth: At-Home Delivery		5	1.6	0	0.0	4	1.4	0	0.0	11	5.2	0	0.0	3	2.7
Method of Delivery: Cesarean		101	31.9	11	19.0	29	22.7	64	42.1	55	25.9	30	30.9	30	26.8
Infant Care: Breastfed		259	83.3	52	91.2	236	81.7	74	50.3	187	89.5	82	85.4	82	73.2
Mat. Smoking: During Preg.		36	11.4	9	10.2	35	11.9	22	15.1	16	7.5	14	14.4	15	13.4
Quit Smoking During Preg.		7	30.6	_	16.7	5	14.3	4	18.2	3	18.8	2	14.3	9	40.0
Mat. Wt.: Underweight		1	3.5	2	4.5	14	4.8	_	0.7	7	3.3	9	6.3	7	6.3
Mat. Wt.: Obese		118	37.8	12	27.3	110	37.9	99	44.3	69	32.9	28	29.2	42	37.5
Mat. Sing. Wt. Gain: Low		22	21.0	7	17.5	42	16.6	22	20.4	37	19.4	10	11.8	26	25.7
Mat. Sing. Wt. Gain: High		20	18.5	80	20.0	32	12.6	21	19.4	21	11.0	13	15.3	20	19.8
Mother's Education: Under 12 Yrs.		89	28.3	25	42.4	43	14.6	30	19.9	62	29.5	14	14.4	14	12.6
Marital Status: Out-of-Wedlock		149	47.0	14	23.7	121	41.0	92	60.5	26	26.4	36	37.1	40	35.7
Live Birth Order: 4 or More		81	25.6	6	15.5	45	15.3	18	11.9	46	21.7	10	10.3	18	16.1
Birth Spacing: Less than 18 Mos.		30	15.0	80	21.6	26	13.9	13	14.0	15	9.8	8	12.5	7	14.7
Prenatal Care: 1st Trimester		177	57.1	35	62.5	233	79.8	120	80.5	153	75.7	70	73.7	70	68.0
Prenatal Care: 2nd Trimester		84	27.1	16	28.6	50	17.1	22	14.8	44	21.8	22	23.2	24	23.3
Prenatal Care: 3rd Trimester		38	12.3	3	5.4	5	1.7	7	4.7	5	2.5	က	3.2	7	6.8
Prenatal Care: None		7	3.5	2	3.6	4	1.4	0	0.0	0	0.0	0	0.0	2	1.9
Prenatal Care: Inadequate		92	29.8	20	35.1	45	15.7	19	12.8	36	17.7	21	22.1	24	23.5
Maternal Utilization: Medicaid		189	60.4	13	22.4	146	49.7	93	61.2	56	26.4	36	37.1	40	36.0
Maternal Utilization: WIC		146	47.4	17	28.8	101	34.6	94	62.7	51	24.3	26	26.8	37	33.3
Maternal Utilization: FSP		74	29.6	5	10.0	52	18.0	70	47.9	17	8.1	15	17.0	19	17.1
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	_	0.7	0	0.0	0	0.0	0	0.0
	15-17	3	0.9	_	1.7	5	1.7	5	3.3	4	1.9	_	1.0	2	1.8
	18-19	25	7.9	3	5.1	17	5.8	6	5.9	5	2.4	9	6.2	5	4.5
1	20-24	06	28.4	17	28.8	77	26.1	44	28.9	48	22.6	32	33.0	24	21.4
1	25-29	86	30.9	21	35.6	06	30.5	09	39.5	64	30.2	25	25.8	40	35.7
	30-34	29	18.6	14	23.7	75	25.4	22	14.5	55	25.9	21	21.6	29	25.9
	35-39	32	10.1	2	3.4	28	9.5	6	5.9	26	12.3	7	7.2	10	8.9
	40 and Over	10	3.2	1	1.7	3	1.0	2	1.3	10	4.7	5	5.2	2	1.8

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Morgan	<u>an</u>	New Madrid	adrid	Newton	ton	Nodaway	way	Oregon	non	Osage	3 <u>de</u>	Ö	<u>Ozark</u>
		Number Percent	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		266	100.0	176	100.0	208	100.0	197	100.0	66	100.0	167	100.0	77	100.0
Birth Weight: Under 2500 Grams		16	0.9	16	9.1	79	11.2	13	9.9	6	9.1	1	9.9	9	7.9
Birth Weight: Above 4499 Grams		7	2.6	2	1.1	3	4.0	2	1.0	~	1.0	_	9.0	0	0.0
Gest. Age: Less than 37 Weeks		19	7.1	24	13.6	92	13.1	19	9.6	8	8.1	15	9.0	2	6.5
APGAR (5 Min.): Less than 8		25	9.5	16	9.1	38	5.4	18	9.2	9	6.1	14	8.4	7	9.1
Infant Care: NICU Admission		15	5.6	12	6.8	82	11.6	18	9.1	10	10.1	1	9.9	2	6.5
Infant Care: Transfer		9	2.3	4	2.3	2	0.3	4	2.0	7	7.1	_	9.0	2	2.6
Place of Birth: At-Home Delivery		28	10.5	0	0.0	15	2.1	5	2.5	5	5.1	3	1.8	2	2.6
Method of Delivery: Cesarean		29	22.2	28	33.0	230	32.5	59	29.9	25	25.3	42	25.1	17	22.1
Infant Care: Breastfed		237	89.1	91	53.2	615	88.0	165	83.8	79	82.3	151	91.5	63	81.8
Mat. Smoking: During Preg.		34	12.8	29	16.8	52	7.4	24	12.3	7	7.1	10	6.1	15	19.5
Quit Smoking During Preg.		2	14.7	2	17.2	10	19.2	5	20.8	3	42.9	3	30.0	4	26.7
Mat. Wt.: Underweight		7	2.7	9	3.5	16	2.3	7	3.6	8	8.2	9	3.6	3	3.9
Mat. Wt.: Obese		95	36.1	74	43.3	242	34.8	85	43.4	31	31.6	57	34.1	32	42.1
Mat. Sing. Wt. Gain: Low		47	19.4	4	29.9	116	19.7	27	15.8	12	13.6	29	19.5	7	15.3
Mat. Sing. Wt. Gain: High		31	12.8	29	21.2	88	15.0	35	20.5	25	28.4	18	12.1	13	18.1
Mother's Education: Under 12 Yrs.		118	44.4	23	13.1	136	19.2	16	8.1	22	22.4	5	3.0	80	10.5
Marital Status: Out-of-Wedlock		29	25.2	98	55.7	277	39.1	63	32.0	31	31.3	34	20.4	29	37.7
Live Birth Order: 4 or More		29	25.2	27	15.4	114	16.1	33	16.8	15	15.2	21	12.6	∞	10.4
Birth Spacing: Less than 18 Mos.		23	12.8	18	15.5	22	13.3	12	10.0	10	16.4	13	11.6	4	9.5
Prenatal Care: 1st Trimester		167	64.7	118	68.2	495	70.7	168	86.2	69	71.1	142	88.2	49	67.1
Prenatal Care: 2nd Trimester		80	31.0	43	24.9	159	22.7	18	9.2	23	23.7	17	10.6	17	23.3
Prenatal Care: 3rd Trimester		7	2.7	6	5.2	35	5.0	9	3.1	4	4.1	2	1.2	5	6.8
Prenatal Care: None		4	1.6	က	1.7	7	1.6	3	1.5	_	1.0	0	0.0	2	2.7
Prenatal Care: Inadequate		55	21.3	36	20.8	139	19.8	23	11.8	22	22.9	16	9.9	19	26.0
Maternal Utilization: Medicaid		101	38.0	117	66.5	361	51.4	53	26.9	61	62.2	35	21.0	29	37.7
Maternal Utilization: WIC		80	30.1	93	53.1	249	35.6	43	22.2	53	53.5	24	14.5	32	42.7
Maternal Utilization: FSP		55	19.9	80	46.8	117	17.2	20	10.8	25	28.1	7	6.7	7	25.6
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	15-17	4	1.5	2	1.1	16	2.3	0	0.0	3	3.0	_	9.0	2	2.6
	18-19	2	1.9	13	7.4	47	9.9	9	3.0	9	6.1	0	0.0	2	6.5
1	20-24	78	29.3	62	35.2	210	29.7	51	25.9	28	28.3	37	22.2	27	35.1
	25-29	84	31.6	24	30.7	220	31.1	64	32.5	36	36.4	09	35.9	19	24.7
	30-34	20	18.8	31	17.6	151	21.3	45	22.8	16	16.2	20	29.9	15	19.5
	35-39	42	15.8	4	8.0	55	7.8	27	13.7	10	10.1	18	10.8	6	11.7
	40 and Over	3	1.1	0	0.0	6	1.3	4	2.0	0	0.0	_	9.0	0	0.0

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Pemiscot	scot	Perry	71.	Pet	Pettis	Phe	Phelps	Pike	91	<u>Platte</u>	tte	Polk	K
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births			100.0	190	100.0	551	100.0	443	100.0	186	100.0	1,167	100.0	373	100.0
Birth Weight: Under 2500 Grams		32	16.2	14	7.4	47	8.5	34	7.7	13	7.0	85	7.3	18	4.8
Birth Weight: Above 4499 Grams		_	0.5	_	0.5	7	1.3	2	1.1	2	1.1	1	0.9	6	2.4
Gest. Age: Less than 37 Weeks		35	17.8	15	7.9	52	9.4	46	10.4	20	10.8	119	10.2	28	7.5
APGAR (5 Min.): Less than 8		16	8.2	13	6.8	53	9.6	27	6.1	13	7.0	73	6.3	27	7.3
Infant Care: NICU Admission		16	8.1	16	8.4	49	8.9	35	7.9	14	7.5	122	10.5	27	7.2
Infant Care: Transfer		9	3.0	5	2.6	9	1.1	12	2.7	8	4.3	7	9.0	10	2.7
Place of Birth: At-Home Delivery		_	0.5	_	0.5	12	2.2	14	3.2	14	7.5	22	1.9	13	3.5
Method of Delivery: Cesarean		80	40.6	99	34.7	156	28.3	131	29.6	51	27.4	363	31.1	132	35.4
Infant Care: Breastfed		80	41.7	147	78.6	392	72.5	328	74.4	149	80.5	971	87.3	314	84.2
Mat. Smoking: During Preg.		25	12.8	19	10.0	71	13.0	44	10.0	26	14.4	40	3.5	49	13.3
Quit Smoking During Preg.		4	16.0	3	15.8	10	14.1	6	20.5	9	23.1	12	30.0	16	32.7
Mat. Wt.: Underweight		12	6.2	2	1.1	20	3.7	21	4.8	8	4.3	29	2.6	6	2.4
Mat. Wt.: Obese		80	41.5	77	41.4	195	35.9	155	35.2	61	33.2	323	28.4	134	36.1
Mat. Sing. Wt. Gain: Low		33	21.9	32	20.0	73	15.0	99	16.8	23	14.7	144	14.4	89	20.2
Mat. Sing. Wt. Gain: High		28	18.5	37	23.1	87	17.9	86	21.9	29	18.6	219	21.9	09	17.9
Mother's Education: Under 12 Yrs.		32	16.2	15	7.9	114	20.8	61	13.8	26	14.0	53	4.6	29	17.3
Marital Status: Out-of-Wedlock		145	73.6	78	41.1	246	44.6	180	40.6	79	42.5	335	28.7	114	30.6
Live Birth Order: 4 or More		35	17.8	21	11.1	120	21.8	48	10.8	37	20.0	116	9.9	70	18.8
Birth Spacing: Less than 18 Mos.		34	27.9	25	20.5	47	13.2	35	13.9	15	12.9	71	10.4	29	12.2
Prenatal Care: 1st Trimester		118	61.1	150	80.2	355	9.99	304	9.69	118	67.4	881	76.3	267	72.8
Prenatal Care: 2nd Trimester		53	27.5	30	16.0	139	26.1	103	23.6	40	22.9	214	18.5	73	19.9
Prenatal Care: 3rd Trimester		12	6.2	9	3.2	34	6.4	25	5.7	15	8.6	52	4.5	20	5.4
Prenatal Care: None		10	5.2	_	0.5	5	0.0	5	1.1	2	1.1	80	0.7	7	1.9
Prenatal Care: Inadequate		63	32.5	24	12.8	152	28.3	88	20.5	53	30.3	170	14.7	29	18.3
Maternal Utilization: Medicaid		121	63.7	63	33.2	309	56.4	223	50.5	69	37.3	288	25.2	187	50.3
Maternal Utilization: WIC		111	56.9	59	31.7	215	40.0	155	35.4	53	28.6	194	16.9	129	35.5
Maternal Utilization: FSP		52	59.8	37	20.1	129	24.8	91	20.8	34	19.3	118	12.8	29	17.5
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	_	0.2	0	0.0	0	0.0	0	0.0	0	0.0
	15-17	က	1.5	0	0.0	10	1.8	9	4.1	_	0.5	2	0.2	ဂ	0.8
	18-19	20	10.2	6	4.7	17	3.1	33	7.4	9	3.2	24	2.1	14	3.8
	20-24	89	34.5	46	24.2	149	27.0	124	28.0	44	23.7	136	11.7	116	31.1
	25-29	59	29.9	72	37.9	164	29.8	147	33.2	09	32.3	347	29.7	121	32.4
1	30-34	29	14.7	46	24.2	122	22.1	06	20.3	20	26.9	397	34.0	78	20.9
1	35-39	15	7.6	15	7.9	74	13.4	29	6.5	23	12.4	219	18.8	30	8.0
	40 and Over	3	1.5	2	1.1	14	2.5	14	3.2	2	1.1	45	3.6	1	2.9

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Pulaski	ski	Putnam	am	Ralls	<u>s</u>	Randolph	hdlo	Ray	×	Reyn	Reynolds	Ric	Ripley
		Number Percent	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		689	100.0	29	100.0	66	100.0	288	100.0	241	100.0	99	100.0	127	100.0
Birth Weight: Under 2500 Grams		22	8.0	5	7.5	8	8.1	19	9.9	20	8.3	9	9.1	16	12.6
Birth Weight: Above 4499 Grams		9	6.0	0	0.0	2	2.0	2	0.7	0	0.0	0	0.0	_	0.8
Gest. Age: Less than 37 Weeks		70	10.2	9	9.0	12	12.1	30	10.4	25	10.4	6	13.6	18	14.2
APGAR (5 Min.): Less than 8		44	6.5	5	7.5	6	9.1	18	6.3	11	4.6	2	3.1	6	7.1
Infant Care: NICU Admission		22	8.3	2	3.0	9	6.1	37	12.8	20	8.3	4	6.1	2	3.9
Infant Care: Transfer		31	4.5	_	1.5	_	1.0	5	1.7	4	1.7	4	6.1	7	5.5
Place of Birth: At-Home Delivery		10	1.5	4	6.0	0	0.0	4	1.4	5	2.1	1	1.5	4	3.1
Method of Delivery: Cesarean		202	29.3	20	29.9	41	41.4	97	33.7	29	27.9	13	19.7	32	25.2
Infant Care: Breastfed		556	81.8	57	86.4	89	91.8	243	84.4	196	83.1	45	68.2	80	63.0
Mat. Smoking: During Preg.		63	9.4	6	13.4	18	18.6	32	11.2	27	11.3	13	20.0	25	19.8
Quit Smoking During Preg.		13	20.6	_	11.1	_	5.6	4	12.5	4	14.8	_	7.7	4	16.0
Mat. Wt.: Underweight		30	4.4	9	9.2	4	4.1	7	2.5	7	2.9	_	1.5	2	1.7
Mat. Wt.: Obese		217	32.0	24	36.9	34	34.7	119	41.8	93	39.1	24	36.9	38	32.2
Mat. Sing. Wt. Gain: Low		110	18.3	12	20.0	16	20.3	40	15.7	32	15.5	6	16.1	22	22.2
Mat. Sing. Wt. Gain: High		136	22.6	9	10.0	13	16.5	51	20.0	33	15.9	10	17.9	25	25.3
Mother's Education: Under 12 Yrs.		47	6.9	13	19.4	5	5.1	37	12.8	25	10.4	9	9.1	19	15.1
Marital Status: Out-of-Wedlock		195	28.3	14	20.9	40	40.4	141	49.0	98	35.7	30	45.5	09	47.2
Live Birth Order: 4 or More		104	15.1	7	16.4	13	13.1	37	12.8	31	12.9	11	16.7	27	21.3
Birth Spacing: Less than 18 Mos.		09	14.4	က	6.4	8	12.3	29	16.6	23	15.0	4	10.5	80	9.6
Prenatal Care: 1st Trimester		473	70.1	46	68.7	82	82.8	210	74.7	186	77.2	47	71.2	97	77.6
Prenatal Care: 2nd Trimester		152	22.5	19	28.4	14	14.1	46	16.4	48	19.9	15	22.7	17	13.6
Prenatal Care: 3rd Trimester		35	5.2	_	1.5	3	3.0	24	8.5	9	2.5	3	4.5	6	7.2
Prenatal Care: None		15	2.2	_	1.5	0	0.0	_	0.4	_	0.4	_	1.5	2	1.6
Prenatal Care: Inadequate		185	27.5	20	29.9	16	16.2	22	20.1	32	13.3	12	18.2	32	25.4
Maternal Utilization: Medicaid		211	30.8	27	40.3	35	35.4	148	51.6	82	34.9	46	70.8	101	79.5
Maternal Utilization: WIC		196	29.1	24	36.9	23	23.5	110	38.5	54	22.8	37	56.1	69	55.2
Maternal Utilization: FSP		92	13.7	3	6.8	18	20.0	62	21.8	35	15.4	20	30.8	45	38.1
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	_	0.8
-	15-17	∞	1.2	0	0.0	_	1.0	3	1.0	_	0.4	0	0.0	2	1.6
-	18-19	29	4.2	2	3.0	_	1.0	15	5.2	8	3.3	2	3.0	10	7.9
	20-24	170	24.7	20	29.9	20	20.2	84	29.2	29	27.8	24	36.4	45	35.7
. • [25-29	231	33.5	27	40.3	41	41.4	106	36.8	86	35.7	21	31.8	33	26.2
31	30-34	174	25.3	15	22.4	25	25.3	26	19.4	09	24.9	13	19.7	25	19.8
	35-39	65	9.4	က	4.5	0	9.1	22	7.6	17	7.1	9	9.1	80	6.3
	40 and Over	12	1.7	0	0.0	2	2.0	2	0.7	2	0.8	0	0.0	2	1.6

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Saline	e <u>l</u>	Schuyler	yler	Scotland	and	Scott	ott ott	Shannon	non	Shelby	lpλ	St. Charles	arles
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		249	100.0	63	100.0	81	100.0	464	100.0	26	100.0	99	100.0	4,252	100.0
Birth Weight: Under 2500 Grams		26	10.4	7	11.1	4	4.9	52	11.2	13	13.4	2	3.0	338	7.9
Birth Weight: Above 4499 Grams		က	1.2	_	1.6	_	1.2	5	1.1	_	1.0	0	0.0	34	0.8
Gest. Age: Less than 37 Weeks		27	10.8	7	11.1	2	2.5	61	13.1	10	10.3	_	1.5	478	11.3
APGAR (5 Min.): Less than 8		22	8.9	5	7.9	5	6.2	31	6.7	9	6.2	2	3.1	190	4.5
Infant Care: NICU Admission		24	9.6	3	4.8	3	3.7	42	9.1	5	5.2	3	4.5	364	8.6
Infant Care: Transfer		12	4.8	2	3.2	4	4.9	7	2.4	2	2.1	0	0.0	28	4.1
Place of Birth: At-Home Delivery		2	0.8	15	23.8	19	23.5	0	0.0	0	0.0	4	6.1	37	6.0
Method of Delivery: Cesarean		92	36.9	14	22.2	12	14.8	154	33.2	24	24.7	21	31.8	1,396	32.9
Infant Care: Breastfed		180	75.6	55	87.3	73	92.4	271	0.09	73	76.0	61	92.4	3,633	86.8
Mat. Smoking: During Preg.		32	13.1	6	14.8	_	1.3	55	11.9	15	16.1	9	9.1	111	2.7
Quit Smoking During Preg.		9	18.8	2	22.2	0	0.0	13	23.6	2	13.3	0	0.0	33	29.7
Mat. Wt.: Underweight		80	3.3	2	3.4	2	2.5	16	3.5	2	2.2	2	3.1	93	2.2
Mat. Wt.: Obese		88	36.3	23	39.7	18	22.8	195	42.5	33	36.7	22	33.8	1,199	28.8
Mat. Sing. Wt. Gain: Low		36	16.7	6	17.6	10	13.0	87	25.1	19	24.1	13	21.7	457	12.6
Mat. Sing. Wt. Gain: High		51	23.6	3	5.9	6	11.7	64	18.5	15	19.0	7	18.3	740	20.4
Mother's Education: Under 12 Yrs.		48	19.3	28	44.4	09	74.1	48	10.4	1	11.3	10	15.2	143	3.4
Marital Status: Out-of-Wedlock		133	53.4	18	28.6	7	8.6	242	52.2	37	38.1	19	28.8	666	23.5
Live Birth Order: 4 or More		33	13.3	17	27.0	36	44.4	69	14.9	15	15.5	1	16.7	406	9.6
Birth Spacing: Less than 18 Mos.		18	11.5	80	17.8	5	8.1	45	16.1	7	10.8	8	8.3	204	8.5
Prenatal Care: 1st Trimester		194	78.9	40	64.5	45	55.6	350	76.6	65	68.4	51	77.3	2,996	73.5
Prenatal Care: 2nd Trimester		38	15.4	10	16.1	31	38.3	85	18.6	18	18.9	6	13.6	884	21.7
Prenatal Care: 3rd Trimester		13	5.3	10	16.1	4	4.9	19	4.2	10	10.5	9	9.1	150	3.7
Prenatal Care: None		_	0.4	2	3.2	_	1.2	3	0.7	2	2.1	0	0.0	45	1.1
Prenatal Care: Inadequate		40	16.4	25	39.7	40	49.4	71	15.6	21	22.1	7	16.7	581	14.5
Maternal Utilization: Medicaid		118	47.4	24	38.1	12	14.8	253	54.5	61	63.5	24	36.4	969	16.9
Maternal Utilization: WIC		115	47.5	17	28.3	6	11.3	218	47.5	48	50.0	17	25.8	503	12.0
Maternal Utilization: FSP		09	25.0	8	15.7	9	7.7	149	32.3	31	33.0	80	12.9	282	6.8
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	15-17	7	2.8	_	1.6	0	0.0	10	2.2	3	3.1	_	1.5	18	0.4
	18-19	7	2.8	4	6.3	2	2.5	26	5.6	4	4.1	2	3.0	99	1.3
	20-24	65	26.1	18	28.6	24	29.6	135	29.1	28	28.9	13	19.7	419	6.6
	25-29	94	37.8	21	33.3	18	22.2	156	33.6	34	35.1	30	45.5	1,246	29.3
	30-34	59	23.7	16	25.4	25	30.9	97	20.9	17	17.5	14	21.2	1,668	39.2
	35-39	17	6.8	2	3.2	10	12.3	36	7.8	0	9.3	4	6.1	718	16.9
	40 and Over	0	0.0	_	1.6	2	2.5	4	0.0	2	2.1	2	3.0	126	3.0

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		St. Clair	air	St. Francois	ncois	St. Louis City	is City	St. Louis	St. Louis County	Ste. Genevieve	nevieve	Stoddard	dard	Stone	ne
		Number Percent	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		116	100.0	651	100.0	3,344	100.0	10,475	100.0	178	100.0	334	100.0	269	100.0
Birth Weight: Under 2500 Grams		2	4.3	54	8.3	388	11.6	1,049	10.0	14	7.9	27	8.1	30	11.2
Birth Weight: Above 4499 Grams		_	6.0	9	0.9	25	0.7	61	9.0	_	9.0	3	0.9	_	0.4
Gest. Age: Less than 37 Weeks		80	6.9	99	10.2	418	12.5	1,274	12.2	15	8.4	48	14.4	35	13.0
APGAR (5 Min.): Less than 8		9	5.3	30	4.6	250	7.5	609	5.8	9	3.4	22	9.9	21	7.9
Infant Care: NICU Admission		Ω	4.3	49	7.5	392	11.7	1,088	10.4	15	8.4	25	7.5	31	11.5
Infant Care: Transfer		_	6.0	28	4.3	173	5.2	251	2.4	10	5.6	14	4.2	9	2.2
Place of Birth: At-Home Delivery		18	15.5	10	1.5	30	0.0	86	0.8	2	2.8	9	1.8	2	1.9
Method of Delivery: Cesarean		21	18.3	206	31.7	942	28.2	3,424	32.8	53	29.8	96	28.7	61	22.7
Infant Care: Breastfed		26	88.2	464	72.5	2,563	77.5	8,490	82.2	131	75.7	207	62.5	219	83.3
Mat. Smoking: During Preg.		16	13.8	91	14.2	223	6.8	399	3.9	19	10.8	54	16.4	51	19.3
Quit Smoking During Preg.		2	31.3	9	9.9	48	21.5	122	30.6	4	21.1	10	18.5	10	19.6
Mat. Wt.: Underweight		4	3.5	24	3.8	109	3.4	265	2.6	5	2.9	13	4.0	80	3.1
Mat. Wt.: Obese		38	33.6	227	35.8	957	29.9	2,973	29.4	47	26.9	140	43.1	9/	29.2
Mat. Sing. Wt. Gain: Low		19	18.1	94	17.3	444	16.4	1,333	15.4	19	12.2	46	18.9	26	11.5
Mat. Sing. Wt. Gain: High		4	13.3	117	21.5	498	18.4	1,711	19.8	34	21.8	45	18.4	45	19.9
Mother's Education: Under 12 Yrs.		33	28.4	72	11.1	491	14.8	699	6.4	80	4.5	44	13.3	40	15.0
Marital Status: Out-of-Wedlock		37	31.9	289	44.4	1,862	55.7	4,137	39.5	09	33.7	155	46.4	110	40.9
Live Birth Order: 4 or More		30	25.9	73	11.2	531	15.9	1,332	12.8	20	11.2	40	12.0	33	12.3
Birth Spacing: Less than 18 Mos.		4	17.9	43	12.3	227	13.5	657	11.1	15	12.4	26	13.2	30	19.2
Prenatal Care: 1st Trimester		77	0.79	447	70.4	1,830	56.7	6,728	8.99	135	77.6	251	76.3	182	6.79
Prenatal Care: 2nd Trimester		29	25.2	143	22.5	811	25.1	2,492	24.7	35	20.1	58	17.6	61	22.8
Prenatal Care: 3rd Trimester		7	6.1	35	5.5	312	9.7	292	5.6	4	2.3	14	4.3	20	7.5
Prenatal Care: None		2	1.7	10	1.6	277	8.6	282	2.8	0	0.0	9	1.8	5	1.9
Prenatal Care: Inadequate		33	28.9	111	17.7	1,141	35.7	2,195	22.2	18	10.4	51	15.4	42	24.0
Maternal Utilization: Medicaid		44	39.3	316	49.4	1,725	52.5	3,356	33.4	51	29.3	187	56.0	44	53.9
Maternal Utilization: WIC		38	33.0	278	43.3	1,160	35.4	2,256	22.1	34	19.2	129	39.4	101	38.1
Maternal Utilization: FSP		25	22.5	147	22.9	1,179	36.1	2,328	22.8	23	13.1	06	27.7	62	23.5
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	4	0.1	9	0.1	_	9.0	_	0.3	0	0.0
	15-17	_	6.0	80	1.2	09	1.8	85	0.8	0	0.0	4	1.2	_	0.4
	18-19	2	4.3	37	5.7	123	3.7	232	2.2	2	2.8	24	7.2	16	5.9
	20-24	26	22.4	197	30.3	538	16.1	1,390	13.3	22	12.4	104	31.1	8	31.2
	25-29	44	37.9	219	33.7	848	25.4	2,636	25.2	79	44.4	113	33.8	78	29.0
	30-34	25	21.6	127	19.5	1,070	32.0	3,803	36.3	51	28.7	55	16.5	09	22.3
	35-39	12	10.3	99	8.6	929	17.2	1,941	18.5	4	7.9	26	7.8	22	8.2
	40 and Over	3	2.6	9	0.9	125	3.7	379	3.6	9	3.4	7	2.1	8	3.0

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Sullivan	van	Taney	eγ	Texas	as	Vernon	uot	Warren	ren	Washington	ngton	Wa	<u>Wayne</u>
		Number Percent	Percent	Number	Percent	Number	Percent								
Live Births		74	100.0	298	100.0	260	100.0	224	100.0	464	100.0	265	100.0	129	100.0
Birth Weight: Under 2500 Grams		4	5.4	52	8.7	15	5.8	13	5.8	31	6.7	28	10.6	41	10.9
Birth Weight: Above 4499 Grams		2	2.7	_	0.2	7	2.7	0	0.0	9	1.3	4	1.5	4	3.1
Gest. Age: Less than 37 Weeks		9	8.1	22	9.5	22	8.5	16	7.1	45	9.7	32	12.1	18	14.0
APGAR (5 Min.): Less than 8		10	13.5	36	6.1	13	5.1	18	8.1	15	3.2	7	2.6	7	5.4
Infant Care: NICU Admission		5	6.8	09	10.0	23	8.8	10	4.5	31	6.7	22	8.3	9	4.7
Infant Care: Transfer		3	4.1	80	1.3	5	1.9	က	1.3	7	1.5	8	3.0	80	6.2
Place of Birth: At-Home Delivery			1.4	13	2.2	6	3.5	11	4.9	10	2.2	3	1.1	3	2.3
Method of Delivery: Cesarean		28	37.8	154	25.8	65	25.1	99	25.6	122	26.3	74	27.9	39	30.2
Infant Care: Breastfed		22	78.1	503	85.7	201	79.4	187	83.5	380	83.5	154	58.8	83	64.8
Mat. Smoking: During Preg.		9	8.2	70	11.7	31	12.1	31	13.9	31	6.8	54	21.0	26	20.3
Quit Smoking During Preg.		0	0.0	18	25.7	8	25.8	4	12.9	80	25.8	2	3.7	2	19.2
Mat. Wt.: Underweight		0	0.0	29	4.9	8	3.1	6	4.1	10	2.2	6	3.5	_	0.8
Mat. Wt.: Obese		29	39.7	159	26.8	86	33.2	82	37.1	160	34.9	108	41.9	48	38.1
Mat. Sing. Wt. Gain: Low		13	19.4	82	15.4	43	18.5	42	20.9	59	14.4	42	19.2	24	24.7
Mat. Sing. Wt. Gain: High		6	13.4	128	24.0	38	16.3	31	15.4	87	21.2	39	17.8	18	18.6
Mother's Education: Under 12 Yrs.		7	9.5	99	11.1	42	16.2	33	14.9	37	8.0	28	10.7	20	15.6
Marital Status: Out-of-Wedlock		30	40.5	243	40.6	89	34.2	116	51.8	158	34.1	142	53.6	45	34.9
Live Birth Order: 4 or More		0	12.2	86	14.4	54	20.8	36	16.1	59	12.7	46	17.4	31	24.0
Birth Spacing: Less than 18 Mos.		9	11.3	09	16.9	30	18.1	18	13.0	33	11.4	29	17.8	16	19.5
Prenatal Care: 1st Trimester		22	77.0	413	69.8	150	58.8	166	76.9	302	69.3	183	70.9	93	72.7
Prenatal Care: 2nd Trimester		4	18.9	141	23.8	74	29.0	43	19.9	107	24.5	58	22.5	24	18.8
Prenatal Care: 3rd Trimester		3	4.1	22	3.7	23	9.0	9	2.8	22	5.0	13	5.0	10	7.8
Prenatal Care: None		0	0.0	16	2.7	80	3.1	_	0.5	5	1.1	4	1.6	_	0.8
Prenatal Care: Inadequate		18	24.3	130	22.0	71	27.7	37	17.5	83	19.3	53	20.8	30	23.6
Maternal Utilization: Medicaid		35	47.3	335	56.1	131	50.4	117	52.5	133	29.3	155	59.4	87	67.4
Maternal Utilization: WIC		34	45.9	232	39.4	126	48.6	88	40.8	92	21.0	156	0.09	22	44.5
Maternal Utilization: FSP		7	15.3	114	19.7	29	23.0	51	25.4	54	12.0	78	30.1	42	32.8
Mother's Age: At Delivery	Under 15	0	0.0	_	0.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	15-17	0	0.0	9	1.0	3	1.2	က	1.3	3	9.0	5	1.9	2	1.6
	18-19	က	4.1	29	4.8	17	6.5	12	5.4	0	1.9	21	7.9	က	2.3
1	20-24	22	29.7	168	28.1	88	34.2	80	35.7	26	20.9	82	30.9	37	28.7
1	25-29	28	37.8	182	30.4	62	23.8	73	32.6	158	34.1	80	30.2	42	32.6
1	30-34	15	20.3	133	22.2	55	21.2	4	18.3	138	29.7	46	17.4	23	17.8
1	35-39	2	6.8	29	11.2	28	10.8	13	5.8	21	11.0	26	9.8	20	15.5
	40 and Over	_	1.4	12	2.0	9	2.3	2	0.9	8	1.7	5	1.9	2	1.6

Table 10C. Resident Live Births by Selected Characteristics by County: Missouri, 2022

		Webster	ster	Worth	rth	Wright	aht
		Number	Percent	Number	Percent	Number	Percent
Live Births		617	100.0	24	100.0	258	100.0
Birth Weight: Under 2500 Grams		44	7.1	_	4.2	22	8.5
Birth Weight: Above 4499 Grams		6	1.5	_	4.2	3	1.2
Gest. Age: Less than 37 Weeks		64	10.4	0	0.0	35	13.6
APGAR (5 Min.): Less than 8		35	9.9	_	4.2	16	6.3
Infant Care: NICU Admission		29	10.9	_	4.2	35	13.6
Infant Care: Transfer		7	1.1	0	0.0	5	1.9
Place of Birth: At-Home Delivery		114	18.5	0	0.0	14	5.4
Method of Delivery: Cesarean		148	24.0	7	29.5	29	26.0
Infant Care: Breastfed		542	88.7	18	75.0	210	83.3
Mat. Smoking: During Preg.		49	8.0	2	8.3	28	10.9
Quit Smoking During Preg.		10	20.4	0	0.0	5	17.9
Mat. Wt.: Underweight		15	2.5	_	4.2	5	2.0
Mat. Wt.: Obese		200	33.3	7	29.5	06	36.1
Mat. Sing. Wt. Gain: Low		78	14.7	4	16.7	35	16.6
Mat. Sing. Wt. Gain: High		92	17.3	9	25.0	34	16.1
Mother's Education: Under 12 Yrs.		206	33.4	_	4.2	22	22.1
Marital Status: Out-of-Wedlock		134	21.7	13	54.2	89	34.5
Live Birth Order: 4 or More		161	26.1	2	8.3	71	27.5
Birth Spacing: Less than 18 Mos.		06	21.8	0	0.0	31	19.7
Prenatal Care: 1st Trimester		343	56.9	20	83.3	157	61.6
Prenatal Care: 2nd Trimester		166	27.5	4	16.7	89	26.7
Prenatal Care: 3rd Trimester		64	10.6	0	0.0	23	9.0
Prenatal Care: None		30	5.0	0	0.0	7	2.7
Prenatal Care: Inadequate		236	39.4	2	8.3	75	29.6
Maternal Utilization: Medicaid		191	31.0	6	37.5	131	50.8
Maternal Utilization: WIC		149	24.3	5	20.8	116	45.8
Maternal Utilization: FSP		89	11.2	4	16.7	29	26.5
Mother's Age: At Delivery	Under 15	-	0.2	0	0.0	0	0.0
	15-17	က	0.5	0	0.0	3	1.2
	18-19	33	5.3	_	4.2	16	6.2
	20-24	193	31.3	80	33.3	71	27.5
	25-29	200	32.4	∞	33.3	88	34.1
	30-34	112	18.2	9	25.0	55	21.3
	35-39	50	8.1	_	4.2	22	8.5
	40 and Over	25	4.1	0	0.0	3	1.2

Table 10D. Resident Live Births by Selected Characteristics by Cities with More than 25,000 Population: Missouri, 2022

		Bally	win	Blue Springs	prings	Cape Gi	Cape Girardeau	Chesterfield	<u>erfield</u>	Colu	Columbia	Flori	Florissant
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		311	100.0	639	100.0	443	100.0	393	100.0	1,322	100.0	628	100.0
Birth Weight: Under 2500 Grams		22	7.1	28	9.1	36	8.1	35	8.9	131	9.9	79	12.6
Birth Weight: Above 4499 Grams		3	1.0	2	0.8	5	1.	3	0.8	7	0.8	က	0.5
Gest. Age: Less than 37 Weeks		34	10.9	80	12.5	44	6.6	30	7.6	133	10.1	92	15.2
APGAR (5 Min.): Less than 8		13	4.2	25	8.5	20	4.5	19	4.8	101	7.7	38	6.1
Infant Care: NICU Admission		22	7.1	73	11.4	33	7.4	22	5.6	180	13.6	74	11.8
Infant Care: Transfer		2	9.0	3	0.5	4	0.0	5	1.3	10	0.8	16	2.5
Place of Birth: At-Home Delivery		_	0.3	13	2.0	4	0.0	9	1.5	21	1.6	7	1.1
Method of Delivery: Cesarean		107	34.4	195	30.5	155	35.0	134	34.2	485	36.7	224	35.7
Infant Care: Breastfed		277	91.4	564	89.1	306	69.2	362	93.1	1,162	89.4	474	77.3
Mat. Smoking: During Preg.		5	1.7	16	2.5	46	10.6	4	1.0	29	4.5	28	4.7
Quit Smoking During Preg.		_	20.0	2	31.3	80	17.4	_	25.0	15	25.4	က	10.7
Mat. Wt.: Underweight		7	2.3	21	3.3	12	2.7	12	3.1	30	2.4	7	1.8
Mat. Wt.: Obese		99	21.6	216	34.1	166	38.0	69	17.8	396	31.1	245	41.0
Mat. Sing. Wt. Gain: Low		23	8.7	87	15.8	61	19.5	33	9.6	189	16.7	114	22.9
Mat. Sing. Wt. Gain: High		47	17.9	126	22.9	09	19.2	48	14.0	230	20.3	95	19.1
Mother's Education: Under 12 Yrs.		4	1.3	33	5.2	52	12.4	5	1.3	88	6.7	34	5.4
Marital Status: Out-of-Wedlock		32	10.3	191	29.9	226	51.0	43	10.9	445	33.7	404	64.3
Live Birth Order: 4 or More		28	9.0	71	11.1	74	16.8	34	8.7	120	9.1	108	17.3
Birth Spacing: Less than 18 Mos.		15	8.1	35	8.8	39	14.1	24	10.2	29	9.4	22	15.4
Prenatal Care: 1st Trimester		233	76.9	490	77.0	323	73.6	281	74.9	1,045	80.0	396	65.2
Prenatal Care: 2nd Trimester		22	18.8	120	18.9	87	19.8	74	19.7	203	15.5	169	27.8
Prenatal Care: 3rd Trimester		12	4.0	21	3.3	27	6.2	-	2.9	51	3.9	24	4.0
Prenatal Care: None		~	0.3	2	0.8	2	0.5	6	2.4	7	0.5	18	3.0
Prenatal Care: Inadequate		41	13.8	74	11.7	78	17.8	54	14.7	202	15.7	159	26.7
Maternal Utilization: Medicaid		31	10.5	161	25.3	212	47.9	41	11.0	433	32.8	281	46.3
Maternal Utilization: WIC		18	5.9	77	12.1	147	33.6	30	7.9	291	22.4	193	31.3
Maternal Utilization: FSP		6	2.9	29	10.4	150	34.5	8	2.1	216	16.7	226	37.0
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	_	0.2
	15-17	0	0.0	4	9.0	12	2.7	_	0.3	6	0.7	9	1.0
	18-19	0	0.0	13	2.0	24	5.4	3	0.8	33	2.5	22	3.5
	20-24	21	6.8	88	13.9	82	18.5	12	3.1	185	14.0	130	20.7
	25-29	29	21.5	228	35.7	118	26.6	89	17.3	426	32.2	179	28.5
	30-34	126	40.5	198	31.0	136	30.7	180	45.9	417	31.6	185	29.5
	35-39	83	26.7	85	13.3	57	12.9	104	26.5	214	16.2	87	13.9
	40 and Over	14	4.5	22	3.4	14	3.2	24	6.1	37	2.8	18	2.9

Table 10D. Resident Live Births by Selected Characteristics by Cities with More than 25,000 Population: Missouri, 2022

		Gladstone	tone	Grandview	view	Hazel	Hazelwood	<u>Independence</u>	ndence	Jeffers	Jefferson City	Joplin	Joplin - Total
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		308	100.0	366	100.0	298	100.0	1,369	100.0	426	100.0	611	100.0
Birth Weight: Under 2500 Grams		25	8.1	30	8.2	40	13.4	145	10.6	20	11.7	49	8.0
Birth Weight: Above 4499 Grams		2	9.0	4	1.	2	0.7	14	1.0	7	1.6	2	0.8
Gest. Age: Less than 37 Weeks		24	7.8	30	8.2	56	18.9	178	13.0	63	14.8	73	12.0
APGAR (5 Min.): Less than 8		21	6.8	20	5.5	24	8.	125	9.2	22	5.2	39	6.4
Infant Care: NICU Admission		26	8.4	41	11.2	45	15.1	184	13.4	35	8.2	89	1.1
Infant Care: Transfer		2	9.0	_	0.3	6	3.0	14	1.0	4	0.0	_	0.2
Place of Birth: At-Home Delivery		5	1.6	23	6.3	4	1.3	26	1.9	7	1.6	3	0.5
Method of Delivery: Cesarean		06	29.2	98	26.8	101	34.0	388	28.4	130	30.5	222	36.3
Infant Care: Breastfed		236	81.4	302	82.7	219	73.7	1,110	82.2	351	83.6	511	84.7
Mat. Smoking: During Preg.		20	6.5	16	4.4	16	5.5	135	6.6	41	9.6	70	11.5
Quit Smoking During Preg.		5	25.0	O	56.3	က	18.8	31	23.0	10	24.4	18	25.7
Mat. Wt.: Underweight		8	2.7	12	3.3	15	5.3	20	3.8	9	1.4	16	2.6
Mat. Wt.: Obese		98	29.1	129	35.7	109	38.2	497	37.5	159	37.7	215	35.6
Mat. Sing. Wt. Gain: Low		52	19.4	99	20.6	45	20.0	208	18.2	69	19.7	107	20.4
Mat. Sing. Wt. Gain: High		43	16.0	89	21.2	48	21.3	258	22.6	65	18.6	94	17.9
Mother's Education: Under 12 Yrs.		21	6.9	62	17.1	20	6.8	222	16.3	37	8.7	94	15.4
Marital Status: Out-of-Wedlock		133	43.2	176	48.1	180	60.4	296	58.1	194	45.5	303	49.6
Live Birth Order: 4 or More		38	12.3	53	14.5	45	15.2	210	15.4	59	13.8	80	13.1
Birth Spacing: Less than 18 Mos.		21	12.4	36	16.7	19	11.9	86	12.4	35	15.6	45	13.5
Prenatal Care: 1st Trimester		206	67.8	235	65.1	172	59.9	920	68.4	330	79.7	418	69.3
Prenatal Care: 2nd Trimester		75	24.7	87	24.1	80	27.9	305	22.7	69	16.7	150	24.9
Prenatal Care: 3rd Trimester		16	5.3	30	8.3	26	9.1	06	6.7	10	2.4	24	4.0
Prenatal Care: None		7	2.3	6	2.5	6	3.1	30	2.2	5	1.2	7	1.8
Prenatal Care: Inadequate		69	22.8	86	27.1	73	26.2	311	23.2	20	12.1	126	21.0
Maternal Utilization: Medicaid		112	37.6	191	52.9	140	49.1	751	55.1	183	43.1	330	54.6
Maternal Utilization: WIC		99	21.4	136	37.9	102	34.7	497	36.7	137	32.5	226	37.7
Maternal Utilization: FSP		49	18.1	19	30.7	66	34.3	349	28.3	105	25.2	160	27.3
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	2	0.1	0	0.0	_	0.2
	15-17	0	0.0	2	0.5	က	1.0	23	1.7	9	4.	10	1.6
	18-19	14	4.5	13	3.6	7	2.3	99	4.8	17	4.0	39	6.4
	20-24	62	20.1	86	26.8	62	20.8	373	27.2	94	22.1	184	30.1
	25-29	88	28.6	105	28.7	92	31.9	424	31.0	134	31.5	182	29.8
	30-34	92	29.9	06	24.6	91	30.5	312	22.8	113	26.5	135	22.1
	35-39	43	14.0	47	12.8	36	12.1	146	10.7	50	11.7	51	8.3
	40 and Over	6	2.9	11	3.0	4	1.3	23	1.7	12	2.8	6	1.5

Table 10D. Resident Live Births by Selected Characteristics by Cities with More than 25,000 Population: Missouri, 2022

		Joplin - Jas County	Jasper nty	Joplin - Newton County	Newton Inty	Kansas City - Total	ity - Total	Kansas City - Jackson County	Kansas City - ackson County	Kansas City County	Kansas City - Clay County	Kansas City - Platte County	ty - Platte
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		549	100.0	62	100.0	6,592	100.0	4,177	100.0	1,792	100.0	623	100.0
Birth Weight: Under 2500 Grams		42	7.7	7	11.3	682	10.3	495	11.9	149	8.3	38	6.1
Birth Weight: Above 4499 Grams		2	0.9	0	0.0	4	9.0	24	0.0	10	9.0	7	1.1
Gest. Age: Less than 37 Weeks		65	11.9	8	13.1	719	10.9	488	11.7	169	9.4	62	10.0
APGAR (5 Min.): Less than 8		31	5.6	8	12.9	418	6.4	266	6.4	113	6.3	39	6.3
Infant Care: NICU Admission		61	1.1	7	11.3	777	11.8	555	13.3	163	9.1	29	9.6
Infant Care: Transfer			0.2	0	0.0	89	1.4	99	1.6	19	1.1	4	9.0
Place of Birth: At-Home Delivery		3	0.5	0	0.0	139	2.1	06	2.2	39	2.2	10	1.6
Method of Delivery: Cesarean		193	35.2	29	46.8	1,918	29.1	1,227	29.4	498	27.8	193	31.0
Infant Care: Breastfed		457	84.5	54	87.1	5,196	81.3	3,224	78.6	1,458	86.0	514	86.7
Mat. Smoking: During Preg.		65	11.9	5	8.1	318	4.9	219	5.3	78	4.4	21	3.4
Quit Smoking During Preg.		18	27.7	0	0.0	93	29.5	59	26.9	27	34.6	7	33.3
Mat. Wt.: Underweight		15	2.8	_	1.6	198	3.1	135	3.4	41	2.3	22	3.6
Mat. Wt.: Obese		195	36.0	20	32.3	1,973	31.1	1,270	31.9	525	30.0	178	29.4
Mat. Sing. Wt. Gain: Low		100	21.1	7	13.7	945	17.0	624	17.9	239	15.4	82	15.4
Mat. Sing. Wt. Gain: High		87	18.4	7	13.7	1,101	19.8	664	19.1	325	20.9	112	21.1
Mother's Education: Under 12 Yrs.		88	16.1	9	9.7	898	13.2	750	18.1	85	4.8	33	5.3
Marital Status: Out-of-Wedlock		277	50.5	26	41.9	3,142	47.7	2,383	57.1	564	31.5	195	31.3
Live Birth Order: 4 or More		73	13.3	7	11.3	928	14.5	704	16.9	189	10.5	65	10.4
Birth Spacing: Less than 18 Mos.		42	14.1	3	8.3	462	12.4	314	13.3	106	10.6	42	11.8
Prenatal Care: 1st Trimester		377	9.69	41	67.2	4,312	8.99	2,512	61.5	1,354	77.1	446	72.3
Prenatal Care: 2nd Trimester		131	24.2	19	31.1	1,557	24.1	1,117	27.4	308	17.5	132	21.4
Prenatal Care: 3rd Trimester		23	4.2	_	1.6	426	9.9	311	7.6	82	4.7	33	5.3
Prenatal Care: None		7	2.0	0	0.0	161	2.5	142	3.5	13	0.7	9	1.0
Prenatal Care: Inadequate		113	21.0	13	21.0	1,643	25.5	1,255	30.8	276	15.8	112	18.1
Maternal Utilization: Medicaid		301	55.4	29	47.5	2,940	45.2	2,274	55.1	488	27.7	178	29.1
Maternal Utilization: WIC		208	38.7	18	29.5	1,913	29.5	1,485	36.2	300	17.0	128	21.0
Maternal Utilization: FSP		150	28.6	10	16.1	1,526	29.1	1,236	38.6	216	14.1	74	14.6
Mother's Age: At Delivery	Under 15	_	0.2	0	0.0	က	0.0	_	0.0	2	0.1	0	0.0
	15-17	80	1.5	2	3.2	93	4.	81	1.9	10	9.0	2	0.3
	18-19	36	9.9	3	4.8	250	3.8	194	4.6	39	2.2	17	2.7
	20-24	168	30.6	16	25.8	1,238	18.8	894	21.4	269	15.0	75	12.0
	25-29	164	29.9	18	29.0	1,883	28.6	1,159	27.8	545	30.4	179	28.7
	30-34	120	21.9	15	24.2	1,994	30.3	1,163	27.8	616	34.4	215	34.5
	35-39	43	7.8	8	12.9	934	14.2	222	13.8	244	13.6	113	18.1
	40 and Over	6	1.6	0	0.0	196	3.0	107	2.6	29	3.7	22	3.5

Table 10D. Resident Live Births by Selected Characteristics by Cities with More than 25,000 Population: Missouri, 2022

		Kansas City - Cass County	ty - Cass	Kirkwood	poo/	Fee's S	Lee's Summit	Liberty	<u>artv</u>	Marylanc	Maryland Heights	<u>O'Fallon</u>	llon
	_	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		0	0.0	292	100.0	962	100.0	302	100.0	407	100.0	937	100.0
Birth Weight: Under 2500 Grams		0	0.0	19	6.5	91	9.1	22	7.3	44	10.8	92	6.9
Birth Weight: Above 4499 Grams		0	0.0	_	0.3	80	0.8	7	2.3	0	0.0	9	9.0
Gest. Age: Less than 37 Weeks		0	0.0	23	7.9	100	10.1	38	12.6	20	12.3	102	10.9
APGAR (5 Min.): Less than 8		0	0.0	15	5.2	48	4.8	16	5.3	26	6.4	37	4.0
Infant Care: NICU Admission		0	0.0	36	12.3	121	12.2	32	10.6	34	8.4	79	8.4
Infant Care: Transfer		0	0.0	9	2.1	4	0.4	5	1.7	8	2.0	15	1.6
Place of Birth: At-Home Delivery		0	0.0	3	1.0	29	2.9	6	3.0	_	0.2	80	6.0
Method of Delivery: Cesarean		0	0.0	85	29.2	275	27.6	98	28.6	138	34.1	307	32.8
Infant Care: Breastfed		0	0.0	268	92.4	206	91.9	254	87.0	347	86.5	813	88.4
Mat. Smoking: During Preg.		0	0.0		0.4	17	1.7	12	4.0	12	3.1	28	3.1
Quit Smoking During Preg.		0	0.0	0	0.0	2	11.8	2	16.7	4	33.3	10	35.7
Mat. Wt.: Underweight		0	0.0	3	1.1	23	2.3	8	2.7	12	3.1	24	2.6
Mat. Wt.: Obese		0	0.0	39	13.7	264	26.8	96	32.5	115	29.6	243	26.6
Mat. Sing. Wt. Gain: Low		0	0.0	17	6.7	103	11.7	39	15.9	61	18.1	109	13.6
Mat. Sing. Wt. Gain: High		0	0.0	49	19.4	169	19.1	20	20.4	48	14.2	152	18.9
Mother's Education: Under 12 Yrs.		0	0.0	0	0.0	18	1.8	10	3.3	17	4.2	35	3.7
Marital Status: Out-of-Wedlock		0	0.0	35	12.0	217	21.8	99	21.9	128	31.4	231	24.7
Live Birth Order: 4 or More		0	0.0	18	6.2	93	9.3	46	15.3	25	6.2	77	8.2
Birth Spacing: Less than 18 Mos.		0	0.0	14	8.1	43	7.6	18	10.3	19	9.4	56	10.3
Prenatal Care: 1st Trimester		0	0.0	232	81.4	747	75.8	235	79.9	267	68.3	629	70.1
Prenatal Care: 2nd Trimester		0	0.0	45	15.8	214	21.7	45	15.3	93	23.8	226	24.8
Prenatal Care: 3rd Trimester		0	0.0	7	2.5	21	2.1	80	2.7	21	5.4	38	4.2
Prenatal Care: None		0	0.0	_	0.4	4	0.4	9	2.0	10	2.6	80	6.0
Prenatal Care: Inadequate		0	0.0	19	6.7	135	13.7	36	12.4	89	17.6	127	14.2
Maternal Utilization: Medicaid		0	0.0	20	7.2	169	17.0	55	18.5	83	21.2	162	17.8
Maternal Utilization: WIC		0	0.0	12	4.2	83	8.4	28	9.4	55	14.4	105	11.5
Maternal Utilization: FSP		0	0.0	7	3.8	72	9.4	26	9.5	41	10.8	20	5.5
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	15-17	0	0.0	0	0.0	က	0.3	0	0.0	_	0.2	9	9.0
	18-19	0	0.0	2	0.7	16	1.6	9	2.0	8	0.7	14	1.5
	20-24	0	0.0	80	2.7	100	10.1	40	13.2	52	12.8	93	9.9
	25-29	0	0.0	51	17.5	283	28.4	101	33.4	128	31.4	269	28.7
	30-34	0	0.0	134	45.9	396	39.8	110	36.4	138	33.9	381	40.7
	35-39	0	0.0	85	29.1	164	16.5	38	12.6	72	17.7	148	15.8
	40 and Over	0	0.0	12	4.1	33	3.3	7	2.3	13	3.2	26	2.8

Table 10D. Resident Live Births by Selected Characteristics by Cities with More than 25,000 Population: Missouri, 2022

		Raytown	<u>uwc</u>	St. Charles	arles	St. Jo	St. Joseph	St. Louis City	is City	St. P	St. Peters	Sprin	Springfield
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Live Births		301	100.0	702	100.0	880	100.0	3,344	100.0	547	100.0	1,860	100.0
Birth Weight: Under 2500 Grams		36	12.0	64	9.1	100	11.4	388	11.6	43	7.9	191	10.3
Birth Weight: Above 4499 Grams		_	0.3	8	1.1	4	0.5	25	0.7	4	0.7	15	0.8
Gest. Age: Less than 37 Weeks		40	13.3	98	12.3	101	11.5	418	12.5	69	12.6	237	12.7
APGAR (5 Min.): Less than 8		16	5.3	35	5.0	37	4.2	250	7.5	25	4.6	06	4.9
Infant Care: NICU Admission		36	12.0	62	8.8	06	10.2	392	11.7	4	7.5	254	13.7
Infant Care: Transfer		3	1.0	8	1.1	4	1.6	173	5.2	5	0.0	14	0.8
Place of Birth: At-Home Delivery		7	2.3	8	1.1	5	9.0	30	0.9	4	0.7	22	1.2
Method of Delivery: Cesarean		93	30.9	240	34.3	238	27.0	942	28.2	182	33.3	557	29.9
Infant Care: Breastfed		249	84.4	604	87.7	645	74.1	2,563	77.5	474	87.5	1,472	81.3
Mat. Smoking: During Preg.		23	7.7	22	3.2	126	14.4	223	6.8	16	3.0	240	13.0
Quit Smoking During Preg.		7	30.4	7	31.8	33	26.2	48	21.5	4	25.0	99	27.5
Mat. Wt.: Underweight		9	2.0	20	2.9	25	2.9	109	3.4	12	2.2	74	4.1
Mat. Wt.: Obese		123	41.4	213	31.0	311	35.6	957	29.9	168	31.5	578	31.9
Mat. Sing. Wt. Gain: Low		24	21.4	29	11.3	119	15.5	444	16.4	59	12.8	238	15.4
Mat. Sing. Wt. Gain: High		46	18.3	127	21.5	192	25.0	498	18.4	66	21.5	389	25.1
Mother's Education: Under 12 Yrs.		24	8.0	39	5.6	170	19.3	491	14.8	21	3.9	272	14.7
Marital Status: Out-of-Wedlock		161	53.5	204	29.1	491	55.8	1,862	55.7	140	25.6	935	50.3
Live Birth Order: 4 or More		37	12.3	55	7.9	139	15.8	531	15.9	45	8.2	262	14.1
Birth Spacing: Less than 18 Mos.		21	12.2	37	10.4	97	17.4	227	13.5	25	8.5	154	14.9
Prenatal Care: 1st Trimester		208	70.3	490	72.9	665	76.1	1,830	56.7	408	77.3	1,219	67.1
Prenatal Care: 2nd Trimester		89	23.0	141	21.0	147	16.8	811	25.1	100	18.9	374	20.6
Prenatal Care: 3rd Trimester		17	5.7	25	3.7	42	4.8	312	9.7	17	3.2	115	6.3
Prenatal Care: None		က	1.0	16	2.4	20	2.3	277	8.6	က	9.0	109	0.9
Prenatal Care: Inadequate		63	21.4	118	17.9	150	17.2	1,141	35.7	29	12.8	499	27.7
Maternal Utilization: Medicaid		141	47.0	158	23.3	498	56.9	1,725	52.5	85	16.0	938	50.6
Maternal Utilization: WIC		94	31.6	106	15.4	333	38.4	1,160	35.4	99	12.3	828	46.8
Maternal Utilization: FSP		80	31.4	61	8.9	260	31.4	1,179	36.1	40	7.4	470	25.7
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	2	0.2	4	0.1	0	0.0	_	0.1
	15-17	4	1.3	4	9.0	17	1.9	09	1.8	3	0.5	33	1.8
	18-19	80	2.7	6	1.3	46	5.2	123	3.7	7	1.3	103	5.5
	20-24	61	20.3	79	11.3	249	28.3	538	16.1	52	9.5	504	27.1
	25-29	114	37.9	235	33.5	268	30.5	848	25.4	167	30.5	574	30.9
	30-34	64	21.3	248	35.4	192	21.8	1,070	32.0	207	37.8	424	22.8
	35-39	38	12.6	108	15.4	92	10.8	576	17.2	93	17.0	193	10.4
	40 and Over	12	4.0	18	2.6	10	<u></u>	125	3.7	18	3.3	28	1.5

Table 10D. Resident Live Births by Selected Characteristics by Cities with More than 25,000 Population: Missouri, 2022

		University City	ity City	Went	Wentzville	Wildwood	hoov
		Number	Percent	Number	Percent	Number	Percent
Live Births		413	100.0	588	100.0	253	100.0
Birth Weight: Under 2500 Grams		28	6.8	53	9.0	16	6.3
Birth Weight: Above 4499 Grams		3	0.7	4	0.7	_	0.4
Gest. Age: Less than 37 Weeks		49	11.9	99	11.2	23	9.1
APGAR (5 Min.): Less than 8		26	6.4	25	4.3	6	3.6
Infant Care: NICU Admission		36	8.7	43	7.3	18	7.1
Infant Care: Transfer		6	2.2	9	1.0	4	1.6
Place of Birth: At-Home Delivery		9	1.5	8	0.5	4	1.6
Method of Delivery: Cesarean		118	28.7	189	32.1	71	28.1
Infant Care: Breastfed		355	87.0	495	85.3	228	91.6
Mat. Smoking: During Preg.		8	2.0	6	1.5	0	0.0
Quit Smoking During Preg.		9	75.0	3	33.3	0	0.0
Mat. Wt.: Underweight		14	3.5	11	1.9	8	3.2
Mat. Wt.: Obese		87	21.5	185	31.7	36	14.5
Mat. Sing. Wt. Gain: Low		39	11.3	89	13.4	13	5.9
Mat. Sing. Wt. Gain: High		61	17.7	108	21.2	50	22.6
Mother's Education: Under 12 Yrs.		19	4.6	6	1.5	_	0.4
Marital Status: Out-of-Wedlock		130	31.5	112	19.0	18	7.1
Live Birth Order: 4 or More		44	10.7	74	12.6	21	8.4
Birth Spacing: Less than 18 Mos.		19	8.9	26	7.2	11	6.9
Prenatal Care: 1st Trimester		288	73.8	419	76.6	179	74.3
Prenatal Care: 2nd Trimester		75	19.2	105	19.2	57	23.7
Prenatal Care: 3rd Trimester		16	4.1	21	3.8	5	2.1
Prenatal Care: None		7	2.8	2	0.4	0	0.0
Prenatal Care: Inadequate		73	19.5	79	14.6	33	13.9
Maternal Utilization: Medicaid		109	27.8	74	12.9	10	4.1
Maternal Utilization: WIC		71	17.7	51	8.8	9	2.4
Maternal Utilization: FSP		78	19.3	38	6.5	7	2.8
Mother's Age: At Delivery	Under 15	0	0.0	0	0.0	0	0.0
	15-17	4	1.0	2	0.3	0	0.0
	18-19	6	2.2	80	1.4	0	0.0
	20-24	42	10.2	53	9.0	5	2.0
	25-29	110	26.6	179	30.4	52	20.6
	30-34	155	37.5	229	38.9	117	46.2
	35-39	78	18.9	106	18.0	70	27.7
	40 and Over	15	3.6	11	1.9	6	3.6

Table 11. Resident Teen-Age Pregnancies and Abortions by Selected Ages by County of Residence: Missouri, 2022

	Total	Total Pregnancies	ncies	ΨI	Abortions	(OI
	Under 20	Under 18	18-19	Under 20	Under 18	18-19
State Total	3,565	883	2,682	256	20	206
Adair	10	3	7	0	0	0
Andrew	11	3	8	2	0	2
Atchison	2	1	1	0	0	0
Audrain	18	9	12	0	0	0
Barry	31	7	24	_	0	_
Barton	8	3	5	_	0	_
Bates	12	4	8		0	_
Benton	14	4	10	0	0	0
Bollinger	7	2	5	0	0	0
Boone	89	19	49	7	က	4
Buchanan	75	21	54	7	_	9
Butler	20	15	35	0	0	0
Caldwell	∞	2	9	_	0	_
Callaway	18	9	12	0	0	0
Camden	23	8	15		0	
Cape Girardeau	25	23	34	0	0	0
Carroll	4	0	4	_	0	_
Carter	2	1	_	0	0	0
Cass	72	13	29	14	2	12
Cedar	10	3	7	0	0	0
Chariton	8	2	9	_	0	1
Christian	33	8	25	_	0	_
Clark	9	1	2	0	0	0
Clay	114	24	06	25	8	17
Clinton	14	က	7	က	_	2
Cole	43	13	30	2	_	_
Cooper	8	0	8	0	0	0
Crawford	20	7	13	0	0	0
Dade	7	2	5	0	0	0


	Total	Total Pregnancies	ncies	۹ı	Abortions	(A)
	Under 20	Under 18	18-19	Under 20	Under 18	18-19
Dallas	14	2	12	0	0	
Daviess	4	_	က	0	0	
Dekalb	6	2	7	_	0	
Dent	1	0	=	0	0	
Douglas	6	_	80	0	0	
Dunklin	36	15	21	_	0	
Franklin	20	19	31	0	0	
Gasconade	7	2	2	0	0	
Gentry	2	0	2	0	0	
Greene	203	49	154	80	0	
Grundy	7	2	5	0	0	
Harrison	2	0	2	2	0	
Henry	14	1	13	0	0	
Hickory	က	0	က	_	0	
Holt		0	_	0	0	
Howard	4	2	2	0	0	
Howell	44	8	36	0	0	
Iron	9	2	4	0	0	
Jackson	589	152	437	138	26	112
Jasper	129	31	96	3	_	
Jefferson	73	18	22	0	0	
Johnson	36	4	32	7	0	
Knox	2	0	2	0	0	
Laclede	37	2	35	0	0	
Lafayette	18	4	14	2	0	
Lawrence	29	3	26	0	0	
Lewis	4	0	4	0	0	
Lincoln	24	3	21	0	0	
Linn	7	0	7	0	0	
Livingston	6	2	7	0	0	

Table 11. Resident Teen-Age Pregnancies and Abortions by Selected Ages by County of Residence: Missouri, 2022

	IOTal	Total Pregnancies	ncies	اله	Abortions	ωl
	Under 20	Under 18	18-19	Under 20	Under 18	18-19
Macon	12	5	7	2	1	1
Madison	10	5	2	0	0	0
Maries	80	0	8	0	0	0
Marion	11	2	6	0	0	0
McDonald	29	က	26	_	0	_
Mercer	4	_	ဇ	0	0	0
Miller	23	5	18		0	_
Mississippi	15	9	6	0	0	0
Moniteau	0	4	5	0	0	0
Monroe	7	_	9	0	0	0
Montgomery	7	2	5	0	0	0
Morgan	10	4	9		0	_
New Madrid	15	2	13	0	0	0
Newton	64	16	48	_	0	_
Nodaway	9	0	9	0	0	0
Oregon	6	3	9	0	0	0
Osage	1	1	0	0	0	0
Ozark	7	2	2	0	0	0
Pemiscot	23	3	20	0	0	0
Perry	6	0	6	0	0	0
Pettis	29	11	18	_	0	_
Phelps	39	9	33	0	0	0
Pike	7	1	9	0	0	0
Platte	32	4	28	9	2	4
Polk	17	3	14	0	0	0
Pulaski	37	8	29	0	0	0
Putnam	2	0	2	0	0	0
Ralls	3	1	2	1	0	1
Randolph	18	3	15	0	0	0
Ray	10	1	6	1	0	1
Reynolds	2	0	2	0	0	0

	Total	Total Pregnancies	ncies	٩ı	Abortions	60 1
	Under 20	Under 18	18-19	Under 20	Under 18	18-19
Ripley	13	3	10	0	0	0
Saline	16	8	80	2	_	_
Schuyler	7	က	4	2	2	0
Scotland	2	0	2	0	0	0
Scott	36	10	26	0	0	0
Shannon	7	က	4	0	0	0
Shelby	က	_	2	0	0	0
St. Charles	75	18	22	_	0	_
St. Clair	9	_	5	0	0	0
St. Francois	45	8	37	0	0	0
St. Louis City	188	29	124	_	0	_
St. Louis County	324	91	233	1	0	_
Ste. Genevieve	9	_	5	0	0	0
Stoddard	29	2	24	0	0	0
Stone	17	_	16	0	0	0
Sullivan	3	0	က	0	0	0
Taney	36	7	29	0	0	0
Texas	20	3	17	0	0	0
Vernon	17	4	13	2	1	1
Warren	12	3	6	0	0	0
Washington	26	2	21	0	0	0
Wayne	5	2	က	0	0	0
Webster	37	4	33	0	0	0
Worth		0	_	0	0	0
Wright	19	က	16	0	0	0

Graph D. Resident Abortion Ratios per 1,000 Live Births: Missouri, 1971-2022



Year	Recorded	Resident	Resident Ratio	Estimated* Resident	Estimated* Resident Ratio	Year	Recorded	Resident	Resident Ratio	Estimated* Resident	Estimated* Resident Ratio
1971	!	4,582	58.5	ł	-	2010	6,163	9,796	127.7	11,823	154.1
1975	10,245	11,077	161.8	-	-	2015	4,765	7,474	9.66	9,083	121.0
1980	19,043	21,671	275.8	-	-	2017	3,903	6,790	93.0	9,029	123.6
1985	19,482	19,210	250.5		-	2018	2,910	6,125	83.6	9,271	126.5
1990	16,366	17,947	226.8	19,582	247.5	2019	1,471	4,660	64.6	9,254	128.3
1995	11,203	13,635	187.3	16,281	223.6	2020	167	3,391	48.9	10,018	144.6
2000	7,884	12,292	161.0	15,710	205.8	2021	150	3,653	52.7	11,185	161.5
2005	7,977	11,619	147.9	14,025	178.6	2022	88	3,012	43.7	10,255	148.7

Source: 1971-1974 Centers for Disease Control; 1975-2022 Missouri Department of Health & Senior Services.

Graph D Abortion Definitions:

Recorded: Abortions performed in a facility located in Missouri.

Resident: Abortions to Missouri residents regardless of where the abortions occurred as indicated on the individual record level data reports.

*Estimated Resident: Resident abortions as defined above plus estimated Missouri resident counts from Illinois for 1988-2022 and Tennessee in 1997-2005, Arkansas 2014-2017, and Oklahoma 2019-2022. See Appendix under Vital Records for more information.

Table 12A. Resident Abortions by Race, Age, and Type of Procedure by Weeks of Gestation: Missouri, 2022

					Wee	Weeks of Gestation	tion			
	Total	Under 9	9-10	11-12	13-14	15-16	17-19	20	21 and Over	Unknown
State Total	3,012	1,792	620	224	141	82	100	28	25	0
Patient's Race										
White, Non-Hispanic	1,428	903	273	82	64	34	45	1	13	0
Black, Non-Hispanic	1,067	584	247	93	55	35	35	13	8	0
Other, Non-Hispanic	293	172	22	26	16	5	13	3	1	0
Unknown, Non-Hispanic	0	0	0	0	0	0	0	0	0	0
Hispanic, Any Race	224	133	43	20	6	8	7	_	3	0
Patient's Age										
Under 15	9	4	1		0	0	0	0	0	0
15	5	7	3	1	0	0	0	0	0	0
16	12	2	3	2	1	0	0	1	0	0
17	27	15	5	2	3	0	-	-	0	0
18	82	47	21	2	4	1	4	0	3	0
19	124	83	17	10	3	5	3	1	2	0
20-24	930	532	222	29	43	29	29	11	5	0
25-29	802	496	152	29	33	24	16	9	8	0
30-34	607	376	114	45	28	12	24	5	3	0
35-39	312	179	62	33	14	7	13	3	_	0
40 and Over	104	54	19	2	12	4	10	0	3	0
Unknown	1	0	1	0	0	0	0	0	0	0
Type of Procedure										
Curettage	915	457	203	194	48	7	2	~	0	0
Intrauterine Instillation	0	0	0	0	0	0	0	0	0	0
Hysterotomy/Hysterectomy	1	0	0	0	0	0	7	0	0	0
Laminaria D & E	246		0	2	92	72	61	11	7	0
Medical/Nonsurgical	1,792	1,334	417	27	1	2	3	2	9	0
Unknown	0	0	0	0	0	0	0	0	0	0
Other	58	0	0		0	1	30	14	12	0

Table 12B. Recorded Abortions by Race, Age, and Type of Procedure by Weeks of Gestation: Missouri, 2022

					Wee	Weeks of Gestation	ion			
	Total	Under 9	9-10	11-12	13-14	15-16	17-19	20	21 and Over	Unknown
State Total	88	13	3	3	6	14	22	6	15	0
Patient's Race										
White, Non-Hispanic	42	2	0	0	2	6	10	4	6	0
Black, Non-Hispanic	36	9	ဇ	က	က	4	7	5	5	0
Other, Non-Hispanic	7	_	0	0	_	_	4	0	0	0
Unknown, Non-Hispanic	0	0	0	0	0	0	0	0	0	0
Hispanic, Any Race	3	_	0	0	0	0	_	0	_	0
Patient's Age										
Under 15	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0
18	3	0	0	1	1	0	1	0	0	0
19		0	0	0	0	0	0	0		0
20-24	18	4	0	0	0	3	4	3	4	0
25-29	21	4	2	1	0	3	4	2	5	0
30-34	20	2	_	0	2	က	8	2	2	0
35-39	15	3	0	1	2	3	3	2	1	0
40 and Over	10	0	0	0	4	2	2	0	2	0
Unknown	0	0	0	0	0	0	0	0	0	0
Type of Procedure										
Curettage	25	13	3	3	4	2	0	0	0	0
Intrauterine Instillation	0	0	0	0	0	0	0	0	0	0
Hysterotomy/Hysterectomy	1	0	0	0	0	0	1	0	0	0
Laminaria D & E	42	0	0	0	5	10	13	8	9	0
Medical/Nonsurgical	16	0	0	0	0	2	9	7	7	0
Unknown	0	0	0	0	0	0	0	0	0	0
Other	4	0	0	0	0	0	2	0	2	0

Table 12C. Post-Abortion Complication Report: Missouri, 2022

	Pro	Procedure Type	ype	
			Not	
	Surgical	Medical	Surgical Medical Specified Total	Total
Total Complications	22	09	0	115
Incomplete Abortion	7	12	0	19
Hemorrhage	17	6	0	26
Endometritis	7	5	0	12
Parametrititis	0	0	0	0
Pyrexia	0	1	0	
Pelvic Abscess	0	0	0	0
Uterine Perforation	9	0	0	9
Failed Abortion, Pregnancy Undisturbed	_	11	0	12
Retained Products	12	16	0	28
Cervical Laceration	3	0	0	3
Psychiatric	0	0	0	0
Other Complication	2	9	0	8
No Complication Reported	0	0	0	0
Total Complication Reports Received	34	31	0	65

Count	36
	Patients Hospitalized

Percent with Complications*	2 2.3	
	Complication Reports for Abortions Recorded in Missouri	

Table 13. Resident Abortions by Age, Marital Status, and Education by Race and Hispanic Origin: Missouri, 2022

			Patient's Race	Race	
	Total	White, Non-Hispanic	Black, Non-Hispanic	Other, Non-Hispanic	Hispanic, Any Race
State Total	3,012	1,428	1,067	293	224
Patient's Age					
Under 15	9	8	8	0	0
15	5	_	2	_	_
16	12	5	2	2	က
17	27	14	6	2	2
18	82	42	28	_	1
19	124	29	35	16	14
20-24	930	423	326	97	84
25-29	805	370	301	77	54
30-34	209	286	229	22	35
35-39	312	161	106	32	13
40 and Over	104	63	26	8	7
Unknown	_	_	0	0	0
Marital Status					
Never Married	38	10	22	4	2
Currently Married	353	216	62	48	27
Formerly Married	2	_	_	0	0
Unmarried, Unspecified	2,619	1,201	982	241	195
Years of Education					
8-0	16	5	4	3	4
9-11	160	81	51	11	17
12	1,066	428	458	96	84
13-15	1,067	536	370	84	77
16 or More	473	297	103	20	23
Unknown	230	81	81	49	19

Table 14. Resident Abortions and Ratios per 1,000 Live Births by County and BRFSS Region of Residence: Missouri, 2022

8.6

2

St. Charles

Shelby

St. Clair

Ratio 0.0 0.0 1.2

Number

Counties

0

Shannon

3.2 5.6

33

St. Louis County Ste. Genevieve

St. Louis City St. Francois

3.0

3.1

2 10 11.2

0.0 26.8

Sullivan

Stone

6.0

2 က 0 16 _ 6 0

Stoddard

3.8

40.2 0.0 3.8

Washington

Webster

Wright

Worth

Wayne

Warren

Vernon

Texas

Taney

0.0 3.2 0.0 0.0

0 7 0 0

Counties	Number	Ratio	Counties
State Total	3.012	43.7	DeKalb
Adair	. "	. 07	tuo C
Androw	ο	2 0	
Mainie M	э .	5. (Douglas
Atchison	_	19.2	Dunklin
Audrain	_	3.7	Franklin
Barry	6	21.8	Gasconade
Barton	2	14.2	Gentry
Bates	4	22.7	Greene
Benton	8	46.8	Grundy
Bollinger	0	0.0	Harrison
Boone	25	28.4	Henry
Buchanan	61	61.7	Hickory
Butler	0	0.0	Holt
Caldwell	2	46.7	Howard
Callaway	4	8.4	Howell
Camden	7	18.5	Iron
Cape Girardeau	2	2.2	Jackson
Carroll	3	37.0	Jasper
Carter	0	0.0	Jefferson
Cass	108	94.3	Johnson
Cedar	2	8.9	Knox
Chariton	2	28.2	Laclede
Christian	19	18.5	Lafayette
Clark	_	13.2	Lawrence
Clay	322	107.5	Lewis
Clinton	12	50.4	Lincoln
Cole	14	17.7	Linn
Cooper	3	17.6	Livingston
Crawford	0	0.0	Macon
Dade	0	0.0	Madison
Dallas	_	5.0	Maries
Daviess	2	15.7	Marion

Counties	Number	Ratio
DeKalh	e	28.8
Denails	2 (0.07
Dent	0	0.0
Douglas	0	0.0
Dunklin	9	18.2
Franklin	1	0.9
Gasconade	-	7.2
Gentry	3	37.0
Greene	86	29.9
Grundy	2	35.2
Harrison	2	61.0
Henry	9	25.2
Hickory	26	346.7
Holt		24.4
Howard	2	18.5
Howell	2	4.5
Iron	0	0.0
Jackson	1,686	197.0
Jasper	09	37.3
Jefferson	3	1.3
Johnson	62	86.7
Knox	0	0.0
Laclede	_	2.2
Lafayette	14	37.1
Lawrence	7	13.8
Lewis	0	0.0
Lincoln	0	0.0
Linn	2	15.3
Livingston	4	26.1
Macon	3	16.8
Madison	_	8.2
Maries	_	10.1
Marion	_	3.1

Counties	Number	Ratio
McDonald	10	31.5
Mercer	-	16.9
Miller	4	13.6
Mississippi	0	0.0
Moniteau	-	4.7
Monroe	_	10.3
Montgomery	_	8.9
Morgan	4	15.0
New Madrid	4	22.7
Newton	11	15.5
Nodaway	8	40.6
Oregon	0	0.0
Osage	_	6.0
Ozark	0	0.0
Pemiscot	3	15.2
Perry	0	0.0
Pettis	28	50.8
Phelps	2	4.5
Pike	0	0.0
Platte	129	110.5
Polk	5	13.4
Pulaski	5	7.3
Putnam	0	0.0
Ralls	2	20.2
Randolph	9	20.8
Ray	41	58.1
Reynolds	0	0.0
Ripley	-	7.9
Saline	7	28.1
Schuyler	2	31.7
Scotland	0	0.0
Scott	_	2.2

BRFSS Regions	Number	Ratio
Northeast	40	14.2
Northwest	157	59.2
Central	137	17.1
Southeast	26	4.2
Southwest	295	26.4
St. Louis Region	53	2.3
Kansas City Region	2,294	152.9
Urban	2,618	57.4
Rural	384	16.4

_	_	
	٠,	

Table 15. Resident Abortions by Marital Status, Number of Living Children, and Number of Previous Abortions by Age of Patient: Missouri, 2022

						Pati	Patient's Age	흼			
	Total	Under 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Unknown
State Total	3,012	9	44	206	930	802	209	312	96	8	1
Marital Status											
Never Married	38	0	0	2	12	80	8	4		0	0
Currently Married	353	0	0	2	43	91	117	72	25	3	0
Formerly Married	2	0	0	0	0	0	0	0	2	0	0
Unmarried, Unspecified	2,619	9	44	199	875	703	482	236	89	5	_
Number of Living Children											
0	1,168	9	42	171	511	263	122	34	17	1	_
-	708	0	2	31	232	223	146	52	21		0
2	648	0	0	4	139	195	165	113	28	4	0
က	282	0	0	0	36	82	94	26	13	_	0
4	119	0	0	0	10	27	47	28	9	_	0
5	55	0	0	0		10	23	14	4	0	0
+9	35	0	0	0	_	2	10	15	7	0	0
Number of Previous Abortions											
0	1,934	9	41	182	689	467	324	171	47	9	_
1	683	0	3	23	191	209	164	99	25	2	0
2	259	0	0	_	41	83	83	39	12	0	0
က	91	0	0	0	6	27	25	22	8	0	0
4	26	0	0	0	0	12	5	5	4	0	0
5	6	0	0	0	0	က	3	3	0	0	0
+9	10	0	0	0	0	_	3	9	0	0	0

Table 16A. Resident and Recorded Live Births, Deaths, and Natural Increase w/Rates per 1,000 Pop by County: Missouri, 2022

Counties	Population	Resident Live Births	Resident Deaths	Natural Increase	Recorded Live Births	Recorded Deaths	Resident Birth Rate	Resident Death Rate	Natural Inc. Rate
State Total	6,177,957	68,954	71,776	-2,822	69,390	73,938	11.2	11.6	-0.5
Adair	25,165	282	249	33	501	217	11.2	6.6	1.3
Andrew	18,003	159	184	-25	2	130	8.8	10.2	4.1-
Atchison	5,182	52	92	-40	35	62	10.0	17.8	7.7-
Audrain	24,434	268	336	-68	62	240	11.0	13.8	-2.8
Barry	34,926	413	209	96-	293	354	11.8	14.6	-2.7
Barton	11,694	141	164	-23	8	115	12.1	14.0	-2.0
Bates	16,177	176	250	-74	2	191	10.9	15.5	4.6
Benton	20,224	171	370	-199	2	234	8.5	18.3	-9.8
Bollinger	10,518	134	153	-19	4	82	12.7	14.5	-1.8
Boone	187,690	2,008	1,415	593	3,982	2,460	10.7	7.5	3.2
Buchanan	82,911	686	1,045	-56	1,318	1,266	11.9	12.6	-0.7
Butler	42,179	475	672	-197	1,230	862	11.3	15.9	7.4-
Caldwell	8,933	107	121	-14	4	72	12.0	13.5	-1.6
Callaway	44,762	475	200	-25	9	286	10.6	11.2	9.0-
Camden	43,768	379	602	-223	628	969	8.7	13.8	-5.1
Cape Girardeau	82,899	927	902	22	1,968	1,395	11.2	10.9	0.3
Carroll	8,423	81	126	-45	~	98	9.6	15.0	-5.3
Carter	5,268	75	74	~	2	62	14.2	14.0	0.2
Cass	110,394	1,145	1,236	-91	28	937	10.4	11.2	-0.8
Cedar	14,601	224	218	9	53	143	15.3	14.9	4.0
Chariton	7,386	7.1	125	-54	0	118	9.6	16.9	-7.3
Christian	93,114	1,028	902	123	16	536	11.0	9.7	1.3
Clark	6,723	92	85	6-	3	29	11.3	12.6	-1.3
Clay	257,033	2,996	2,256	740	3,550	2,679	11.7	8.8	2.9
Clinton	21,328	238	277	-39	109	280	11.2	13.0	-1.8
Cole	76,969	789	798	6-	1,424	696	10.3	10.4	-0.1
Cooper	16,772	170	199	-29	4	151	10.1	11.9	-1.7
Crawford	22,659	242	376	-134	228	336	10.7	16.6	-5.9
Dade	7,660	64	141	-77	2	96	8.4	18.4	-10
Dallas	17,626	201	243	-42	6	179	4.11	13.8	-2.4
Daviess	8,435	127	108	19	02	28	15.1	12.8	2.3
DeKalb	11,336	104	148	-44	~	98	9.5	13.1	-3.9
Dent	14,467	156	248	-92	9	192	10.8	17.1	-6.4
Douglas	11,975	143	207	-64	12	122	11.9	17.3	-5.3
Dunklin	27,406	329	480	-151	3	287	12.0	17.5	-5.5
Franklin	105,879	1,119	1,358	-239	735	1,102	10.6	12.8	-2.3
Gasconade	14,768	138	237	66-	2	197	9.3	16.0	-6.7
Gentry	6,253	81	88	φ-	11	72	13.0	14.2	-1.3

Table 16A. Resident and Recorded Live Births, Deaths, and Natural Increase w/Rates per 1,000 Pop by County: Missouri, 2022

Counties	Population	Resident Live Births	Resident Deaths	Natural Increase	Recorded Live Births	Recorded Deaths	Resident Birth Rate	Resident Death Rate	Natural Inc. Rate
Greene	303,293	3,275	3,482	-207	6,688	5,213	10.8	11.5	-0.7
Grundy	9,838	142	161	-19	17	119	14.4	16.4	-1.9
Harrison	8,199	82	116	-34	∞	82	10.0	14.1	4.
Henry	22,438	238	368	-130	298	257	10.6	16.4	-5.8
Hickory	8,630	75	186	-111	1-	115	8.7	21.6	-13
Holt	4,262	14	69	-28	0	53	9.6	16.2	-6.6
Howard	10,168	108	17	ဇှ	3	81	10.6	10.9	-0.3
Howell	40,631	445	653	-208	220	654	11.0	16.1	-5.1
Iron	9,414	84	182	-98	2	148	8.9	19.3	-10
Jackson	716,531	8,558	7,660	868	9,495	9,249	11.9	10.7	1.3
Jasper	124,075	1,609	1,528	81	18	1,013	13.0	12.3	0.7
Jefferson	229,336	2,326	2,553	-227	539	1,807	10.1	1.1	-1.0
Johnson	54,368	715	490	225	645	377	13.2	9.0	4.1
Knox	3,776	90	51	7	26	28	13.2	13.5	-0.3
Laclede	36,313	455	498	-43	168	361	12.5	13.7	-1.2
Lafayette	32,961	377	439	-62	6	300	11.4	13.3	-1.9
Lawrence	38,683	509	537	-28	144	388	13.2	13.9	-0.7
Lewis	9,891	98	131	-45	9	96	8.7	13.2	4.5
Lincoln	63,155	852	623	229	41	401	13.5	6.6	3.6
Linn	11,820	131	175	-44	2	124	1.1	14.8	-3.7
Livingston	14,402	153	214	-61	283	181	10.6	14.9	-4.2
Macon	15,049	179	217	-38	41	171	11.9	14.4	-2.5
Madison	12,753	122	193	-71	2	136	9.6	15.1	-5.6
Maries	8,431	66	132	-33	~	29	11.7	15.7	-3.9
Marion	28,438	320	402	-82	563	463	11.3	1.4	-2.9
McDonald	23,588	317	299	18	4	181	13.4	12.7	0.8
Mercer	3,437	59	46	13	23	30	17.2	13.4	3.8
Miller	25,403	295	320	-25	5	242	11.6	12.6	-1.0
Mississippi	11,688	152	208	-56	_	137	13.0	17.8	4.8
Moniteau	15,220	212	191	21	6	118	13.9	12.5	4.
Monroe	8,652	26	123	-26	~	77	11.2	14.2	-3.0
Montgomery	11,470	112	191	-79	2	164	9.6	16.7	-6.9
Morgan	21,785	266	340	-74	119	217	12.2	15.6	-3.4
New Madrid	15,695	176	308	-132	0	222	11.2	19.6	-8.4
Newton	60,011	708	764	-56	3,052	1,815	11.8	12.7	6.0-
Nodaway	20,670	197	201	4	200	155	9.5	9.7	-0.2
Oregon	8,732	66	190	-91	8	119	11.3	21.8	-10
Osage	13,399	167	149	18	3	93	12.5	1.1	1.3
Ozark	8,940	77	152	-75	3	95	8.6	17.0	-8.4

Table 16A. Resident and Recorded Live Births, Deaths, and Natural Increase w/Rates per 1,000 Pop by County: Missouri, 2022

Counties	Population	Resident Live Births	Resident Deaths	Natural Increase	Recorded Live Births	Recorded Deaths	Resident Birth Rate	Resident Death Rate	Natural Inc. Rate
Pemiscot	14,841	197	276	6/-	7	205	13.3	18.6	-5.3
Perry	18,858	190	230	-40	109	181	10.1	12.2	-2.1
Pettis	43,353	551	515	36	433	485	12.7	11.9	0.8
Phelps	45,313	443	540	-97	743	644	9.6	11.9	-2.1
Pike	17,664	186	235	-49	16	183	10.5	13.3	-2.8
Platte	110,534	1,167	925	242	495	705	10.6	8.4	2.2
Polk	32,693	373	405	-32	511	417	4.11	12.4	-1.0
Pulaski	53,941	689	425	264	268	274	12.8	7.9	6.4
Putnam	4,666	29	85	-18	20	02	4.41	18.2	-3.9
Ralls	10,420	66	133	-34	~	25	9.5	12.8	-3.3
Randolph	24,622	288	327	-39	5	267	11.7	13.3	-1.6
Ray	23,107	241	342	-101	9	225	10.4	14.8	4.4
Reynolds	900'9	99	96	-30		51	11.0	16.0	-5.0
Ripley	10,703	127	208	-81	4	116	11.9	19.4	-7.6
Saline	23,007	249	286	-37	266	244	10.8	12.4	-1.6
Schuyler	4,002	63	52	11	10	33	15.7	13.0	2.7
Scotland	4,643	8	49	32	110	8	17.4	10.6	6.9
Scott	37,840	464	520	-56	450	434	12.3	13.7	-1.5
Shannon	7,193	26	129	-32	0	85	13.5	17.9	4.4
Shelby	5,982	99	100	-34	4	88	11.0	16.7	-5.7
St. Charles	413,803	4,252	3,601	651	2,334	3,278	10.3	8.7	1.6
St. Clair	9,576	116	152	-36	18	109	12.1	15.9	-3.8
St. Francois	696'99	651	916	-265	478	962	2.6	13.7	-4.0
St. Louis City	286,578	3,344	3,303	41	3,541	5,127	11.7	11.5	0.1
St. Louis County	990,414	10,475	11,283	-808	19,003	13,624	10.6	11.4	-0.8
Ste. Genevieve	18,644	178	228	-50	135	174	9.5	12.2	-2.7
Stoddard	28,377	334	464	-130	9	322	11.8	16.4	-4.6
Stone	32,136	269	464	-195	2	246	8.4	14.4	-6.1
Sullivan	5,840	74	73	_	_	20	12.7	12.5	0.2
Taney	56,821	298	742	-144	517	755	10.5	13.1	-2.5
Texas	25,336	260	387	-127	411	296	10.3	15.3	-5.0
Vernon	19,651	224	311	-87	342	225	4.11	15.8	4.4
Warren	37,260	464	433	31	-	246	12.5	11.6	0.8
Washington	23,441	265	367	-102	2	240	11.3	15.7	4.4
Wayne	10,792	129	206	-77	4	126	12.0	19.1	-7.1
Webster	40,335	617	459	158	133	291	15.3	11.4	3.9
Worth	1,955	24	90	-26	0	45	12.3	25.6	-13
Wright	19,156	258	303	-45	15	211	13.5	15.8	-2.3

Table 16B. Resident and Recorded Live Births, Deaths, and Natural Increase with Rates by Cities with Over 25,000 Population: Missouri, 2022

Cities with Population 25,000+	Population	Resident Live Births	Resident Deaths	Natural Increase	Recorded Live Births	Recorded Deaths	Resident Birth Rate	Resident Death Rate	Natural Inc. Rate
Ballwin	30,622	311	269	42	0	300	10.2	8.8	1.4
Blue Springs	59,518	629	535	104		513	10.7	9.0	1.7
Cape Girardeau	40,377	443	492	-49	1,964	1,208	11.0	12.2	-1.2
Chesterfield	49,327	393	604	-211	1,420	1,092	8.0	12.2	-4.3
Columbia	128,555	1,322	882	440	3,972	2,306	10.3	6.9	3.4
Florissant	51,506	628	699	41		683	12.2	13.0	-0.8
Gladstone	26,907	308	323	-15	3	145	11.4	12.0	9.0-
Grandview	25,610	366	271	95	25	131	14.3	10.6	3.7
Hazelwood	25,047	298	229	69	2	84	11.9	9.1	2.8
Independence	121,202	1,369	1,664	-295	1,111	1,802	11.3	13.7	-2.4
Jefferson City	42,528	426	499	-73	1,410	937	10.0	11.7	-1.7
Kirkwood	29,279	292	309	-17	2	127	10.0	10.6	9.0-
Lee's Summit	102,781	966	881	114	1,913	1,041	9.7	8.6	1.
Liberty	30,775	302	268	34	1,581	292	9.8	8.7	1.
Maryland Heights	27,769	407	279	128	1	222	14.7	10.0	4.6
O'Fallon	93,663	937	710	227	1,003	292	10.0	7.6	2.4
Raytown	29,312	301	401	-100	9	188	10.3	13.7	-3.4
St. Charles	71,184	702	778	-76	0	1,083	9.6	10.9	-1.1
St. Joseph	70,656	880	882	-5	1,313	1,233	12.5	12.5	-0.1
St. Louis City	286,578	3,344	3,303	41	3,541	5,127	11.7	11.5	0.1
St. Peters	58,523	547	511	36	0	701	9.3	8.7	9.0
Springfield	170,067	1,860	2,185	-325	6,673	4,810	10.9	12.8	-1.9
University City	34,355	413	355	58	2	137	12.0	10.3	1.7
Wentzville	47,197	288	323	265	4	234	12.5	8.9	5.6
Wildwood	34,954	253	208	45	8	83	7.2	0.9	1.3

Table 16C. Resident and Recorded Live Births, Deaths, and Natural Increase with Rates by Multi-County Cities: Missouri, 2022

Multi-County Cities Population	Population	Resident Live Births	Resident Deaths	Natural Increase	Recorded Live Births	Recorded Deaths	Resident Birth Rate	Resident Death Rate	Natural Inc. Rate
Joplin	52,518	611	623	-12	3,031	1,912	11.6	11.9	-0.2
Jasper Co. Part	45,015	549	539	10	0	480	12.2	12.0	0.2
Newton Co. Part	7,503	62	8	-22	3,031	1,432	8.3	11.2	-2.9
Kansas City	509,297	6,592	4,818	1,774	6,889	6,366	12.9	9.5	3.5
Jackson Co. Part	314,654	4,177	3,279	868	6,360	5,284	13.3	10.4	2.9
Clay Co. Part	140,205	1,792	1,032	760	42	583	12.8	7.4	5.4
Platte Co. Part	54,341	623	202	116	487	498	11.5	9.3	2.1
Cass Co. Part	26	0	0	0	0	~	0.0	0.0	0.0

Table 17A. Resident Live Births and Deaths by Cities with 10,000 to 24,999 Population: Missouri, 2022

Cities with 10,000 to 24,999 Population	Resident Live Births	Resident Deaths
Arnold	208	286
Bellefontaine Neighbors	96	131
Belton	310	270
Bolivar	145	134
Branson	133	191
Bridgeton	130	163
Carthage	249	210
Clayton	62	06
Crestwood	144	135
Creve Coeur	160	252
Dardenne Prairie	85	88
Ellisville	69	149
Eureka	120	129
Excelsior Springs	110	170
Farmington	167	265
Ferguson	298	230
Festus	135	177
Fulton	127	144
Grain Valley	190	119
Hannibal	193	273
Harrisonville	108	183
Jackson	191	142
Jennings	149	209
Kearney	126	72
Kennett	136	191
Kirksville	202	161
Lake St. Louis	141	157
Lebanon	228	238
Manchester	207	148
Marshall	165	160
Maryville	84	06
Mexico	121	174
Moberly	158	198
Neosho	210	162
Nixa	306	250
Overland	181	191

Cities with 10,000 to 24,999 Population	Resident Live Births	Resident Deaths
Ozark	273	221
Poplar Bluff	222	295
Raymore	218	238
Republic	290	161
Rolla	207	204
St. Ann	148	157
Sedalia	300	279
Sikeston	213	247
Smithville	118	78
Town and Country	50	181
Troy	197	162
Union	157	168
Warrensburg	229	135
Washington	151	211
Webb City	173	182
Webster Groves	216	262
West Plains	168	217

Table 17B. Resident Live Births and Deaths by Cities with 2,500 to 9,999 Population: Missouri, 2022

O. 000(I	Resident	Resident
9,999 Population	Live Births	Deaths
Ashland	09	40
Aurora	66	108
Ava	36	59
Battlefield	62	39
Berkeley	117	111
Bethany	27	29
Black Jack	58	107
Bonne Terre	56	77
Boonville	64	96
Bowling Green	90	58
Breckenridge Hills	70	46
Brentwood	86	61
Brookfield	45	78
Buckner	36	30
Buffalo	33	9/
Butler	20	77
Byrnes Mill	23	29
California	54	73
Camdenton	51	54
Cameron	94	126
Canton	15	29
Carl Junction	115	69
Carrollton	25	89
Caruthersville	70	82
Cassville	40	55
Centralia	62	58
Chaffee	50	53
Charleston	52	70
Chillicothe	97	158
Clarkson Valley	10	21
Clever	52	18
Clinton	92	174
Cottleville	25	37
Crystal City	6	5
Cuba	36	62
Dellwood	57	58

Cities with 2,500 to 9,999 Population	Resident Live Births	Resident Deaths
Deslodge	51	69
De Soto	83	123
Des Peres	75	81
Dexter	105	135
East Prairie	48	59
Eldon	58	79
El Dorado Springs	52	09
Fayette	22	23
Fenton	51	42
Forsyth	25	47
Fredricktown	47	78
Frontenac	20	34
Glendale	64	33
Green Park	27	46
Greenwood	71	26
Herculaneum	51	59
Higginsville	69	72
Hillsboro	35	32
Hollister	09	61
Holts Summit	43	51
Knob Noster	51	27
Ladue	87	56
Lamar	59	77
Lawson	31	41
Lexington	52	65
Licking	17	37
Louisiana	40	59
Macon	64	104
Malden	44	70
Maplewood	88	61
Marshfield	108	100
Monett	139	127
Monroe City	26	34
Montgomery City	23	51
Moscow Mills	63	22
Mountain Grove	65	102

Table 17B. Resident Live Births and Deaths by Cities with 2,500 to 9,999 Population: Missouri, 2022

9,999 Population	Resident Live Births	Resident Deaths
Mountain View	35	55
Mount Vernon	53	95
Nevada	104	159
New Madrid	30	53
Normandy	44	09
North Kansas City	49	09
Northwoods	51	71
Oak Grove	66	115
Odessa	92	61
Olivette	63	62
Oronogo	42	27
Osage Beach	34	85
Owensville	28	63
Pacific	02	83
Pagedale	24	45
Palmyra	41	49
Park Hills	104	130
Parkville	81	42
Peculiar	85	28
Perryville	105	143
Pevely	75	73
Pine Lawn	34	51
Platte City	52	46
Pleasant Hill	108	97
Pleasant Valley	30	39
Portageville	38	55
Potosi	46	53
Richmond	88	112
Richmond Heights	16	98
Riverside	29	50
Rock Hill	29	36
Rogersville	87	38
St. Clair	09	72
Ste. Genevieve	46	89
St. James	51	78
St. John	62	76

Cities with 2,500 to 9,999 Population	Resident Live Births	Resident Deaths
St. Paul	22	16
St. Robert	06	24
Salem	56	92
Savannah	25	29
Scott City	63	48
Shrewsbury	63	125
Strafford	26	34
Sugar Creek	30	37
Sullivan	98	135
Sunset Hills	83	157
Tipton	26	36
Trenton	72	111
Valley Park	75	100
Vandalia	21	33
Versailles	36	54
Warrenton	1-1-1	116
Waynesville	96	64
Weldon Spring	34	91
Willard	88	52
Windsor	49	55
Woodson Terrace	45	44
Wright City	120	4

Table 18A. Twelve Leading Causes of Death and Death Rates per 100,000 Residents: Missouri, 2022

Race		Causes of Death	Number	Crude Rate	Age- Adjusted Rate	Percent Of Total
Total (All Races)	۲.	Diseases of heart	16,118	260.9	199.4	22.5
	7	Malignant neoplasms	13,065	211.5	159.5	18.2
	რ.	Unintentional injuries	4,922	79.7	75.3	6.9
	4.	COVID-19	4,316	6.69	53.8	0.9
	5.	Chronic lower respiratory disease	3,809	61.7	45.9	5.3
	9	Cerebrovascular diseases	3,148	51.0	39.0	4.4
	7.	Alzheimer's disease	2,619	42.4	32.5	3.6
	<u>φ</u>	Diabetes mellitus	1,877	30.4	23.4	2.6
	6	Nephritis and nephrosis	1,683	27.2	20.9	2.3
	10.	. Suicide	1,214	19.7	19.0	1.7
	7.	. Influenza and pneumonia	1,097	17.8	13.7	1.5
	12.	. Chronic liver disease and cirrhosis	1,046	16.9	14.2	1.5
	₹	All other causes	16,862	272.9	218.9	23.5
	Tot	Total (All Causes)	71,776	1161.8	915.6	100.0

Table 18B. Twelve Leading Causes of Resident Death and Percentages by Race: Missouri, 2022

S S S S S S S S S S S S S S S S S S S		Causes of Death	Nimber	Percent Of Total
White,	1. D	Diseases of heart	14,036	22.7
Non-Hispanic	2. Mg	Malignant neoplasms	11,433	18.5
	3. U	Unintentional injuries	3,812	6.2
	4. C	COVID-19	3,738	6.1
	5. C	Chronic lower respiratory disease	3,558	5.8
	9	Cerebrovascular diseases	2,664	4.3
	7. A	Alzheimer's disease	2,381	3.9
	8. D	Diabetes mellitus	1,556	2.5
	9. N	Nephritis and nephrosis	1,388	2.2
	10. S	Suicide	1,059	1.7
	1.	Influenza and pneumonia	985	1.6
	15.	Chronic liver disease and cirrhosis	806	1.5
	All oth	All other causes	14,216	23.0
	Total	Total (All Causes)	61,734	100.0

Black,	-	Diseases of heart	1,756	21.7
Non-Hispanic	7	Malignant neoplasms	1,295	16.0
	က်	Unintentional injuries	886	10.9
	4	Homicide	479	5.9
	5.	COVID-19	439	5.4
	9	Cerebrovascular diseases	371	4.6
	7.	Diabetes mellitus	261	3.2
	ω̈	Nephritis and nephrosis	250	3.1
	<u>ю</u>	Chronic lower respiratory disease	206	2.5
	10.	Alzheimer's disease	197	2.4
	7.	Septicemia	128	1.6
	12.	Chronic liver disease and cirrhosis	88	1.1
	12.	Influenza and pneumonia	89	1.1
	₹	All other causes	1,660	20.5
	Þ	Total (All Causes)	8,106	100.0

Race		Causes of Death	Number	Percent Of Total
Other Races	1. Ma	Malignant neoplasms	189	18.5
	2. Dis	Diseases of heart	175	17.1
	3. Un	Unintentional injuries	114	11.1
	4. CC	COVID-19	85	8.3
	5. Ce	Cerebrovascular diseases	65	6.3
	6. Su	Suicide	37	3.6
	7. Ch	Chronic lower respiratory disease	32	3.1
	8. Di	Diabetes mellitus	28	2.7
	9. Ne	Nephritis and nephrosis	24	2.3
	10. A	Alzheimer's disease	20	2.0
	11. S	Septicemia	18	1.8
	12. C	Chronic liver disease and cirrhosis	17	1.7
	All oth	All other causes	220	21.5
	Total (Total (All Causes)	1,024	100.0

Hispanic, Any	1.	Malignant neoplasms	139	16.5
Race	7	Diseases of heart	133	15.8
	က်	Unintentional injuries	104	12.3
	4	COVID-19	51	0.9
	5.	Cerebrovascular diseases	42	5.0
	6	Suicide	33	3.9
	7.	Diabetes mellitus	32	3.8
	ωi	Chronic liver disease and cirrhosis	30	3.6
	တ်	Homicide	25	3.0
	10.	. Alzheimer's disease	21	2.5
	17.	. Conditions orig. in perinatal period	19	2.3
	12.	. Nephritis and nephrosis	18	2.1
	₹	All other causes	196	23.3
	P	Total (All Causes)	843	100.0

Table 19. Five Leading Causes of Death and Percentages for Selected Resident Age Groups: Missouri, 2022

Percent Of Total	45.6	16.7	16.4	2.9	1.3	100.0	37.6	17.8	6.6	4.0	4.0	100.0	30.8	10.5	9.8	8.3	4.5	100.0	41.9	23.6	16.1	2.5	2.4	100.0	44.9	12.2	10.4	4.3	4.2	100.0	31.8	12.8	8.5	8.3	5.6	100.0
Number	202	75	74	13	9	450	38	18	10	4	4	101	41	41	13	11	9	133	385	217	148	23	22	918	727	197	169	69	89	1,619	774	312	207	203	137	2,434
Causes of Death	1. Conditions orig. in perinatal period	2. Unintentional injuries	3. Congenital anomalies	4. Homicide	5. Diseases of heart	Total (All Causes)	1. Unintentional injuries	2. Homicide	3. Congenital anomalies	4. COVID-19	4. Diseases of heart	Total (All Causes)	1. Unintentional injuries	2. Malignant neoplasms	3. Homicide	4. Suicide	5. Congenital anomalies	Total (All Causes)	1. Unintentional injuries	2. Homicide	3. Suicide	4. Malignant neoplasms	5. Diseases of heart	Total (All Causes)	1. Unintentional injuries	2. Suicide	3. Homicide	4. Diseases of heart	5. Malignant neoplasms	Total (All Causes)	1. Unintentional injuries	2. Diseases of heart	3. Suicide	4. Malignant neoplasms	5. Homicide	Total (All Causes)
Age Group	Under 1						4						5-14						15-24						25-34						35-44					

Age Group		Causes of Death	Number	Percent Of Total
45-54	÷	Diseases of heart	759	19.5
	6	Malignant neoplasms	734	18.9
	က်	Unintentional injuries	601	15.4
	4	COVID-19	234	0.9
	Ŋ.	Suicide	193	5.0
	P	Total (All Causes)	3,890	100.0
55-64	÷	Malignant neoplasms	2,455	24.9
	7	Diseases of heart	2,310	23.4
	က်	Unintentional injuries	661	6.7
	4	COVID-19	650	9.9
	5.	Chronic lower respiratory disease	524	5.3
	P	Total (All Causes)	9,872	100.0
65-74	- :	Malignant neoplasms	3,831	25.5
	6	Diseases of heart	3,425	22.8
	က	Chronic lower respiratory disease	1,028	6.8
	4	COVID-19	066	9.9
	5.	Cerebrovascular diseases	610	4.1
	P	Total (All Causes)	15,038	100.0
75-84	÷	Diseases of heart	4,096	22.6
	7	Malignant neoplasms	3,629	20.0
	က်	Chronic lower respiratory disease	1,250	6.9
	4	COVID-19	1,182	6.5
	5.	Cerebrovascular diseases	910	5.0
	٤	Total (All Causes)	18,151	100.0
85 and Over	÷	Diseases of heart	5,112	26.7
	7	Malignant neoplasms	2,105	11.0
	က	Alzheimer's disease	1,615	8.4
	4.	Cerebrovas cular diseases	1,160	6.1
	5.	COVID-19	1,106	5.8
	P	Total (All Causes)	19,168	100.0

Table 20. Resident Deaths with Age-Specific Rates per 1,000 Residents By Age Groups By Sex and Race: Missouri, 2022

	Age	Age-Specific F	Rate		All Races		White	White, Non-Hispanic	anic	Black	Black, Non-Hispanic	anic
Age at Death	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female
All Ages	11.6	12.3	11.0	71,776	37,457	34,319	61,734	31,955	29,779	8,106	4,412	3,694
Under 1	6.5	7.0	0.9	450	246	204	273	145	128	121	70	51
4	0.4	0.4	0.3	101	09	41	49	26	23	41	29	12
5-9	0.1	0.2	0.1	99	31	25	34	18	16	41	8	9
10-14	0.2	0.2	0.2	77	47	30	38	20	18	29	19	10
15-19	0.0	1.3	0.4	355	269	98	215	157	58	113	93	20
20-24	1.3	1.9	0.8	563	407	156	350	244	106	163	126	37
25-29	1.7	2.4	1.1	694	488	206	461	317	144	175	122	53
30-34	2.2	3.0	1.5	925	621	304	625	420	205	240	158	82
35-39	2.7	3.6	1.7	1,070	723	347	775	522	253	233	159	74
40-44	3.5	4.3	2.7	1,364	838	526	1,005	614	391	287	176	111
45-49	4.4	5.4	3.4	1,530	945	585	1,171	718	453	286	177	109
50-54	6.4	7.8	5.0	2,360	1,443	917	1,865	1,146	719	407	241	166
55-59	10.2	12.6	7.8	3,950	2,412	1,538	3,170	1,931	1,239	655	398	257
60-64	14.3	17.7	11.1	5,922	3,581	2,341	4,880	2,941	1,939	895	549	346
69-69	19.5	24.0	15.5	7,064	4,135	2,929	5,909	3,457	2,452	964	292	399
70-74	27.5	32.8	23.0	7,974	4,404	3,570	6,924	3,855	3,069	872	452	420
75-79	43.5	51.5	36.9	8,987	4,787	4,200	8,029	4,299	3,730	754	380	374
80-84	70.8	84.4	61.0	9,164	4,587	4,577	8,343	4,225	4,118	655	289	366
85 and Over	151.0	170.8	140.7	19,168	7,431	11,737	17,618	6,900	10,718	1,202	401	801
Unknown Age	0.0	0.0	0.0	2	2	0	0	0	0	0	0	0

Table 21A. Resident Deaths by Selected Causes by Age Groups: Missouri, 2022

	All Ages	Under 1	4	6-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
All causes	71,776	450	101	26	22	355	263	694	922	1,070	1,364
COVID-19	4,316	4	4	~	-	8	10	13	23	38	57
Septicemia	1,024	4	_	_	_	0	_	4	7	6	13
HIV / AIDS	52	0	0	0	0	0	~	2	4	2	4
Malignant neoplasms	13,065	2	~	80	9	10	13	22	46	73	130
Colon, rectum, and anus	1,218	0	0	0	0	0	0	_	2	13	20
Pancreas	948	~	0	0	0	0	~	0	0	2	10
Trachea, bronchus, and lung	3,375	0	0	0	0	0	0	0	_	က	15
Breast	932	0	0	0	0	0	0	0	9	13	15
Cervix uteri, corpus uteri, and ovary	542	0	0	0	0	0	_	_	9	9	15
Prostate	631	0	0	0	0	0	0	0	0	0	0
Urinary tract	889	0	0	0	0	0	0	_	2	က	4
Non-Hodgkin's lymphoma	442	0	0	0	0	0	-	က	2	2	2
Leukemia	487	0	0	0		3	2	4	8	3	2
Other malignant neoplasms	3,802	_	_	8	2	7	8	12	19	28	47
Diabetes mellitus	1,877	0	0	0	~	2	9	6	13	30	36
Alzheimer's disease	2,619	0	0	0	0	0	0	0	0	0	0
Parkinson's disease	818	0	0	0	0	0	0	0	0	0	_
Diseases of heart	16,118	9	4	0	2	9	16	32	37	112	200
Essential hypertension	553	0	0	0	0	0		0	0	4	5
Cerebrovascular diseases	3,148	0	2	_	0	_	က	3	8	18	25
Influenza and pneumonia	1,097	5	0	2		0	2	3	8	10	12
Chronic lower respiratory disease	3,809	0	_	0	က	0	2	4	9	1	80
Pneumonitis due to solids and liquids	208	0	0	0	0		0	2	3		2
Chronic liver disease and cirrhosis	1,046	0	0	0	0	0	0	6	19	44	68
Nephritis and nephrosis	1,683	0	0	_	0	0	_	4	4	16	20
Perinatal conditions	208	205	2	0		0	0	0	0	0	0
Congenital anomalies	188	74	10	2	4	4	က	ဇ	7	7	5
Symptoms and ill-defined conditions	430	29	4		2	2	3	7	4	15	10
All other diseases	12,170	30	12	15	10	21	39	80	109	122	180
Unintentional injuries	4,922	75	38	19	22	151	234	333	394	368	406
Motor vehicle crashes	1,105	2	6	8	6	92	82	80	97	81	62
Falls	895	0	0	0	2	က	0	2	က	2	80
Accidental poisoning	2,083	2	6	0	5	42	131	228	271	256	298
Other unintentional injuries	839	89	20	11	9	14	21	23	23	26	21
Suicide	1,214	0	0	0	1	48	100	72	125	66	108
Homicide	740	13	18	ဇ	10	101	116	75	94	62	58
All other external causes	171	3	4	2	2	5	6	14	41	12	16

Table 21A. Resident Deaths by Selected Causes by Age Groups: Missouri, 2022

	45-49	50-54	55-59	60-64	69-59	70-74	75-79	80-84	85+	Unknown
All causes	1,530	2,360	3,950	5,922	7,064	7,974	8,987	9,164	19,168	2
COVID-19	80	154	269	381	471	519	576	909	1,106	0
Septicemia	56	34	62	89	116	152	145	149	210	0
HIV / AIDS	9	7	9	6	4	2	2	0	0	0
Malignant neoplasms	255	479	906	1,549	1,900	1,931	1,997	1,632	2,105	0
Colon, rectum, and anus	22	63	66	164	164	135	156	112	234	0
Pancreas	17	40	75	108	128	154	156	127	129	0
Trachea, bronchus, and lung	41	26	263	460	573	266	580	405	371	0
Breast	30	48	88	102	112	113	124	109	172	0
Cervix uteri, corpus uteri, and ovary	13	29	32	65	84	62	69	65	77	0
Prostate	0	4	15	20	80	77	96	113	197	0
Urinary tract	9	20	33	73	06	103	102	96	156	0
Non-Hodgkin's lymphoma	9		21	33	29	55	82	62	86	0
Leukemia	6	16	16	25	47	28	83	84	126	0
Other malignant neoplasms	82	151	264	469	563	591	220	443	222	0
Diabetes mellitus	42	69	139	200	238	252	273	208	359	0
Alzheimer's disease	0	4	10	19	22	138	287	491	1,615	0
Parkinson's disease	0	1	4	18	52	66	151	222	270	0
Diseases of heart	279	480	919	1,391	1,601	1,824	1,994	2,102	5,112	_
Essential hypertension	4	-	17	37	09	55	28	09	241	0
Cerebrovascular diseases	33	78	107	189	283	327	408	502	1,160	0
Influenza and pneumonia	17	18	34	62	115	111	156	151	373	0
Chronic lower respiratory disease	24	22	167	357	456	572	652	298	890	0
Pneumonitis due to solids and liquids	0	8	15	29	41	55	99	87	198	0
Chronic liver disease and cirrhosis	70	100	146	160	138	106	101	43	42	0
Nephritis and nephrosis	29	47	92	127	163	200	241	254	200	0
Perinatal conditions	0	0	0	0	0	0	0	0	0	0
Congenital anomalies	7	7	15	12	7	8	ဇ	5	5	0
Symptoms and ill-defined conditions	8	18	21	35	32	28	40	47	94	0
All other diseases	210	326	225	783	945	1,227	1,536	1,701	4,271	_
Unintentional injuries	291	310	342	319	289	258	242	256	575	0
Motor vehicle crashes	64	74	87	85	73	20	53	41	39	0
Falls	6	13	19	41	58	86	120	138	376	0
Accidental poisoning	196	187	189	133	88	26	11	2	3	0
Other unintentional injuries	22	36	47	09	20	84	28	72	157	0
Suicide	93	100	95	104	71	20	46	14	8	0
Homicide	42	42	35	24	16	5	2	_	3	0
All other external causes	14	12	16	11	1	5	8	8	5	0

Table 21B. Male Resident Deaths by Selected Causes by Age Groups: Missouri, 2022

	All Ages	Under 1	4	6-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
All causes	37,457	246	09	31	47	592	407	488	621	723	838
COVID-19	2,322	က	2	0	_	ო	9	4	10	22	29
Septicemia	479	က	0	0	_	0	0	3	4	9	က
HIV / AIDS	41	0	0	0	0	0	~	2	4	~	2
Malignant neoplasms	6,923	~	0	_	2	9	6	16	19	27	09
Colon, rectum, and anus	089	0	0	0	0	0	0	_	2	9	6
Pancreas	488	0	0	0	0	0	_	0	0	2	4
Trachea, bronchus, and lung	1,796	0	0	0	0	0	0	0	0	2	8
Breast	12	0	0	0	0	0	0	0	0	0	0
Cervix uteri, corpus uteri, and ovary	_	0	0	0	0	0	0	0	0	0	0
Prostate	631	0	0	0	0	0	0	0	0	0	0
Urinary tract	499	0	0	0	0	0	0	_	~	2	က
Non-Hodgkin's lymphoma	254	0	0	0	0	0	_	3	0	~	2
Leukemia	264	0	0	0	0	_	2	2	3	~	2
Other malignant neoplasms	2,298	~	0	-	2	2	2	6	13	13	32
Diabetes mellitus	1,041	0	0	0	0	2	3	4	10	20	16
Alzheimer's disease	292	0	0	0	0	0	0	0	0	0	0
Parkinson's disease	512	0	0	0	0	0	0	0	0	0	0
Diseases of heart	8,852	4	2	0	2	3	6	23	26	69	131
Essential hypertension	218	0	0	0	0	0		0	0	2	3
Cerebrovascular diseases	1,413	0	2	0	0			2	5	6	12
Influenza and pneumonia	564	_	0	2	0	0	_	2	5	6	9
Chronic lower respiratory disease	1,762	0	_	0	0	0	က	3	3	8	က
Pneumonitis due to solids and liquids	290	0	0	0	0	~	0	2	_	0	_
Chronic liver disease and cirrhosis	643	0	0	0	0	0	0	2	13	26	41
Nephritis and nephrosis	861	0	0	_	0	0	_	2	3	10	13
Perinatal conditions	114	113		0	0	0	0	0	0	0	0
Congenital anomalies	85	29	3	2	3	2		0	2	3	4
Symptoms and ill-defined conditions	214	15	3		_		_	3	3	13	9
All other diseases	5,473	17	7	10	5	8	23	55	48	74	105
Unintentional injuries	3,217	49	26	10	15	110	163	245	275	279	270
Motor vehicle crashes	792	0	7	7	4	71	22	09	63	62	59
Falls	439	0	0	0	2	2	0	2	2	4	8
Accidental poisoning	1,438	3	8	0	4	27	06	165	191	190	193
Other unintentional injuries	248	46	11	3	5	10	16	18	19	23	10
Suicide	981	0	0	0	5	40	87	69	102	62	81
Homicide	581	8	11	2	10	87	06	54	78	61	44
All other external causes	108	3	2	2	2	5	7	7	10	10	8

Table 21B. Male Resident Deaths by Selected Causes by Age Groups: Missouri, 2022

	45-49	50-54	55-59	60-64	69-59	70-74	15-79	80-84	85+	Unknown
All causes	945	1,443	2,412	3,581	4,135	4,404	4,787	4,587	7,431	2
COVID-19	46	96	161	227	257	280	321	343	511	0
Septicemia	14	14	35	40	51	80	69	75	81	0
HIV / AIDS	9	9	9	9	4	2	_	0	0	0
Malignant neoplasms	121	244	488	851	1,064	1,058	1,080	860	1,016	0
Colon, rectum, and anus	98	34	09	95	100	62	82	64	112	0
Pancreas	6	27	42	48	62	84	83	64	45	0
Trachea, bronchus, and lung	18	55	147	252	298	301	313	218	184	0
Breast	~	0	0	2	2	_	2	0	4	0
Cervix uteri, corpus uteri, and ovary	0	0	0	0	0	0	0	0	_	0
Prostate	0	4	15	20	80	77	95	113	197	0
Urinary tract	2	41	26	61	65	69	92	20	106	0
Non-Hodgkin's lymphoma	4	9		21	41	32	46	46	40	0
Leukemia	2	7	1	16	25	32	49	47	61	0
Other malignant neoplasms	43	26	176	306	374	383	334	238	266	0
Diabetes mellitus	31	40	88	118	149	138	152	106	163	0
Alzheimer's disease	0	2	4	7	21	45	105	176	403	0
Parkinson's disease	0	0	4	13	36	99	108	149	136	0
Diseases of heart	185	325	282	953	1,019	1,089	1,182	1,135	2,107	_
Essential hypertension	4	2	8	18	37	35	21	32	52	0
Cerebrovascular diseases	17	45	69	111	171	168	211	200	389	0
Influenza and pneumonia	8	10	20	55	09	89	89	89	163	0
Chronic lower respiratory disease	7	18	62	174	247	281	318	276	342	0
Pneumonitis due to solids and liquids	0	9	8	16	30	33	41	09	91	0
Chronic liver disease and cirrhosis	45	63	86	102	93	64	48	25	20	0
Nephritis and nephrosis	17	24	44	29	92	103	119	126	239	0
Perinatal conditions	0	0	0	0	0	0	0	0	0	0
Congenital anomalies	4	5	7	7	ဇ	2	_	2	2	0
Symptoms and ill-defined conditions	7	13	15	18	19	30	17	20	28	0
All other diseases	111	192	331	461	515	623	717	746	1,427	1
Unintentional injuries	203	212	245	234	195	172	139	144	231	0
Motor vehicle crashes	45	53	73	29	51	33	31	27	25	0
Falls	8	6	41	31	32	29	63	7.1	132	0
Accidental poisoning	133	122	126	91	63	23	9	3	0	0
Other unintentional injuries	20	28	32	45	49	22	39	43	74	0
Suicide	92	92	71	87	25	09	40	38	28	0
Homicide	34	37	28	18	12	4	က	0	0	0
All other external causes	5	10	15	_	8	0	5	9	2	0


Table 21C. Female Resident Deaths by Selected Causes by Age Groups: Missouri, 2022

	All Ages	Under 1	4	2-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
All causes	34,319	204	41	25	30	98	156	206	304	347	526
COVID-19	1,994	_	2	~	0	0	4	6	13	16	28
Septicemia	545	_	_	_	0	0	~	_	3	3	10
HIV / AIDS	1	0	0	0	0	0	0	8	0	~	2
Malignant neoplasms	6,142	_	_	7	4	4	4	9	27	46	70
Colon, rectum, and anus	538	0	0	0	0	0	0	0	0	7	
Pancreas	460	_	0	0	0	0	0	0	0	0	9
Trachea, bronchus, and lung	1,579	0	0	0	0	0	0	0	_	~	7
Breast	920	0	0	0	0	0	0	0	9	13	15
Cervix uteri, corpus uteri, and ovary	541	0	0	0	0	0	_		9	9	15
Prostate	0	0	0	0	0	0	0	0	0	0	0
Urinary tract	189	0	0	0	0	0	0	0	_	~	_
Non-Hodgkin's lymphoma	188	0	0	0	0	0	0	0	2	~	0
Leukemia	223	0	0	0	_	2	0	2	5	2	0
Other malignant neoplasms	1,504	0	_	7	က	2	3	က	9	15	15
Diabetes mellitus	836	0	0	0	_	0	3	5	3	10	20
Alzheimer's disease	1,856	0	0	0	0	0	0	0	0	0	0
Parkinson's disease	306	0	0	0	0	0	0	0	0	0	_
Diseases of heart	7,266	2	2	0	0	က	7	6	11	43	69
Essential hypertension	335	0	0	0	0	0	0	0	0	2	2
Cerebrovascular diseases	1,735	0	0	1	0	0	2	1	3	6	13
Influenza and pneumonia	533	4	0	0		0	_		3	_	9
Chronic lower respiratory disease	2,047	0	0	0	3	0	2		3	8	5
Pneumonitis due to solids and liquids	218	0	0	0	0	0	0	0	2	~	_
Chronic liver disease and cirrhosis	403	0	0	0	0	0	0	4	9	18	27
Nephritis and nephrosis	822	0	0	0	0	0	0	2	_	9	7
Perinatal conditions	94	92		0	_	0	0	0	0	0	0
Congenital anomalies	103	45	7	0		2	2	3	5	4	_
Symptoms and ill-defined conditions	216	14		0		_	2	4	_	2	4
All other diseases	269'9	13	5	5	5	13	16	28	61	48	75
Unintentional injuries	1,705	26	12	6	7	41	71	88	119	88	136
Motor vehicle crashes	313	2	2	1	5	21	25	20	34	19	20
Falls	456	0	0	0	0	_	0	0	_	_	0
Accidental poisoning	645	2	_	0	_	15	41	63	80	99	105
Other unintentional injuries	291	22	6	8	_	4	2	2	4	3	1
Suicide	233	0	0	0	9	80	13	13	23	20	27
Homicide	159	2	7	_	0	41	26	21	16	18	14
All other external causes	63	0	2	0	0	0	2	7	4	2	8

Table 21C. Female Resident Deaths by Selected Causes by Age Groups: Missouri, 2022

	45-49	50-54	55-59	60-64	69-59	70-74	62-52	80-84	85+	Unknown
All causes	282	917	1,538	2,341	2,929	3,570	4,200	4,577	11,737	0
COVID-19	8	28	108	154	214	239	255	263	292	0
Septicemia	12	20	27	49	65	72	92	74	129	0
HIV / AIDS	0		0	3	0	0		0	0	0
Malignant neoplasms	134	235	418	869	836	873	917	772	1,089	0
Colon, rectum, and anus	19	29	39	69	64	26	74	48	122	0
Pancreas	8	13	33	09	49	02	73	63	28	0
Trachea, bronchus, and lung	23	42	116	208	275	265	267	187	187	0
Breast	29	48	88	100	110	112	122	109	168	0
Cervix uteri, corpus uteri, and ovary	13	29	32	65	84	19	69	65	92	0
Prostate	0	0	0	0	0	0	0	0	0	0
Urinary tract	~	9	7	12	25	34	26	25	20	0
Non-Hodgkin's lymphoma	2	2	10	12	18	23	36	33	46	0
Leukemia	4	6	2	6	22	26	34	37	92	0
Other malignant neoplasms	35	54	88	163	189	208	216	205	291	0
Diabetes mellitus	-	29	20	82	88	114	121	102	196	0
Alzheimer's disease	0	2	9	12	34	93	182	315	1,212	0
Parkinson's disease	0	_	0	2	16	33	43	73	134	0
Diseases of heart	96	155	332	438	582	735	812	296	3,005	0
Essential hypertension	0	9	6	19	23	20	37	28	189	0
Cerebrovascular diseases	16	33	38	78	112	159	197	302	771	0
Influenza and pneumonia	6	8	14	27	22	43	29	83	210	0
Chronic lower respiratory disease	13	37	88	183	209	291	334	322	248	0
Pneumonitis due to solids and liquids	0	2	7	13	11	22	25	27	107	0
Chronic liver disease and cirrhosis	25	37	48	28	45	42	53	18	22	0
Nephritis and nephrosis	12	23	32	09	71	26	122	128	261	0
Perinatal conditions	0	0	0	0	0	0	0	0	0	0
Congenital anomalies	3	2	8	5	4	က	2	က	3	0
Symptoms and ill-defined conditions	_	5	9	17	13	28	23	27	99	0
All other diseases	66	134	221	322	430	604	819	922	2,844	0
Unintentional injuries	88	86	97	85	94	86	103	112	344	0
Motor vehicle crashes	22	21	14	18	22	17	22	14	14	0
Falls	~	4	5	10	26	39	25	29	244	0
Accidental poisoning	63	65	63	42	25	3	5	2	3	0
Other unintentional injuries	2	8	15	15	21	27	19	29	83	0
Suicide	17	24	21	17	19	10	9	3	9	0
Homicide	8	2	7	9	4	_	2	_	3	0
All other external causes	6	2	_	10	3	5	3	2	3	0

Graph E. Resident Infant Deaths per 1,000 Live Births: Missouri, 1960-2022



700	Infant	4		Infant	-1-0		Infant	- +-0	700	Infant	2,70
Tear	Deaths	Kate	rear	Deaths	Rate	Tear	Deaths	Rate	Tear	Deaths	Rate
1960	2,414	24.7	1985	784	10.2	2010	504	9.9	2018	459	6.3
1965	2,060	25.4	1990	746	9.4	2013	488	6.5	2019	432	0.9
1970	1,580	19.6	1995	539	7.4	2014	456	6.1	2020	392	5.7
1975	1,123	16.4	2000	547	7.2	2015	489	6.5	2021	393	5.7
1980	970	12.3	2005	588	7.5	2017	455	6.2	2022	450	6.5

Table 22A. Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by County and Cities w/25,000 or More Population: Missouri, 2022

	Perinatal Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths	Maternal Deaths
State Total	627	450	365	262	188	23
Counties						
Adair	4	2	2	2	0	0
Andrew	0	~	0	0	_	0
Atchison	~	_	0	_	0	0
Audrain	2	3	0	2	_	_
Barry	ო	4	0	3	_	0
Barton	_	2	0	_	_	0
Bates	_	0	_	0	0	0
Benton	2	က	5	0	3	0
Bollinger	0	2	0	0	2	0
Boone	19	15	8	7	4	_
Buchanan	12	9	6	3	က	0
Butler	_	7	5	2	5	0
Caldwell	_	0	_	0	0	0
Callaway	2	3	3	2	_	0
Camden	4	2	4	0	2	0
Cape Girardeau	6	80	5	4	4	0
Carroll	2	2	0	2	0	0
Carter	2	2	0	2	0	0
Cass	9	3	4	2	_	0
Cedar	4	က	_	3	0	0
Chariton	0	0	0	0	0	0
Christian	7	7	7	4	က	0
Clark	0	0	0	0	0	0
Clay	24	15	15	6	9	0
Clinton	_	0	_	0	0	0
Cole	6	2	9	3	2	0
Cooper		_		0	_	0
Crawford	3	5	0	3	2	0
Dade	2	2	0	2	0	0
Dallas	_	0	_	0	0	0
Daviess	0	_	0	0	1	0
Dekalb	0	0	0	0	0	0
Dent	2	2	0	2	0	0
Douglas	_	2	0	_	_	0
Dunklin	4	2	2	2	3	0
Franklin	4	3	4	0	3	0

	Perinatal	Infant	Fetal	Neonatal	Post- Neonatal	Maternal
	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths
Gasconade	4	2	2	2	0	0
Gentry	_	0	_	0	0	0
Greene	33	23	23	10	13	2
Grundy	2	2	0	2	0	0
Harrison	0	0	0	0	0	0
Henry	2	0	2	0	0	0
Hickory	0	0	0	0	0	0
Holt	_	0	_	0	0	0
Howard	0	0	0	0	0	0
Howell	2	5	2	3	2	-
Iron	2	3	_	_	2	0
Jackson	92	63	28	8	29	3
Jasper	14	7	7	7	4	
Jefferson	14	7	10	4	က	0
Johnson	2	2	2	0	2	0
Knox	0	0	0	0	0	0
Laclede	9	9	က	က	3	_
Lafayette	2	2	_	_	_	0
Lawrence	4	4	4	0	4	0
Lewis	0	0	0	0	0	0
Lincoln	7	9	5	2	4	0
Linn	0	0	0	0	0	0
Livingston	0	0	0	0	0	0
Macon	_	0	_	0	0	0
Madison	2	0	2	0	0	0
Maries	0	0	0	0	0	0
Marion	2	3	_	_	2	0
McDonald	7	3	5	2	-	2
Mercer	0	0	0	0	0	0
Miller	9	4	2	4	0	0
Mississippi	4	2	3	_	_	0
Moniteau	2	2	0	2	0	0
Monroe	_	0	1	0	0	0
Montgomery	_	0	_	0	0	0
Morgan	2	_			0	0
New Madrid	2	_	_	_	0	0
Newton	4	5	_	3	2	0
Nodaway	0	0	0	0	0	0

Table 22A. Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by County and Cities w/25,000 or More Population: Missouri, 2022

	Perinatal	Infant	Fetal	Neonatal	Post- Neonatal	Maternal
Oregon	Dearins	Dearins	Deathis	Deaths	Dearins	Deaths
Osage	_	0		0	0	0
Ozark	_	0		0	0	0
Pemiscot	က	4	0	3	_	0
Perry	က	2	2	_	_	0
Pettis	က	2	2	_	_	0
Phelps	4	4	3	_	8	_
Pike	_	0	_	0	0	0
Platte	7	9	9	5	_	0
Polk	0	0	0	0	0	0
Pulaski	4	_	4	0	_	_
Putnam	_	_	0	_	0	0
Ralls	_	0	_	0	0	0
Randolph	_	0	_	0	0	0
Ray	က	2	2	_	_	0
Reynolds	0	0	0	0	0	0
Ripley	2	2	0	2	0	0
Saline	4	3	2	2	_	0
Schuyler	3	_	2	_	0	0
Scotland	0	0	0	0	0	0
Scott	4	4	_	3	_	0
Shannon	0	0	0	0	0	0
Shelby	0	0	0	0	0	0
St. Charles	25	22	14	1	7	2
St. Clair	0	0	0	0	0	0
St. Francois	80	5	က	5	0	0
St. Louis City	44	33	25	19	14	_
St. Louis County	88	28	48	40	18	5
Ste. Genevieve	2	_	_	_	0	0
Stoddard	0	2	0	0	2	0
Stone	4	_	3	_	0	0
Sullivan	0	0	0	0	0	0
Tanev) (C	ייי	o cr	o cr	2	0 0
Texas	က	_	2		0	0
Vernon	2	0	2	0	0	_
Warren	2	9	2	က	3	0
Washington	0	_	0	0	_	0
Wayne	2	_	_	-	0	0
Webster	9	3	3	3	0	0

	Perinatal	Infant	Fetal	Neonatal	Post- Neonatal	Maternal
	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths
Worth	0	0	0	0	0	0
Wright	4	4	_	3	_	0
Unknown	2	0	2	0	0	0
Cities w/25k Pop.	2	_	_	_	0	0
Ballwin	2	_	_	_	0	0
Blue Springs	က	2	2	_	_	0
Cape Girardeau	3	က	2	_	2	0
Chesterfield	0	0	0	0	0	0
Columbia	15	12	5	10	2	0
Florissant	4	က	2	2	_	0
Gladstone	က	_	2	_	0	0
Grandview	2	2	_	_	_	0
Hazelwood	_	က	0	_	2	0
Independence	14	7	10	4	7	0
Jefferson City	7	4	5	2	2	0
Kirkwood	2	0	2	0	0	0
Lee's Summit	9	4	4	2	2	0
Liberty	-	2	0	_	_	0
Maryland Heights	3	_	2	_	0	0
O'Fallon	5	4	4	1	3	2
Raytown	7	3	4	3	0	0
St. Charles	7	5	4	က	2	0
St. Joseph	1	9	∞	3	က	0
St. Louis City	44	33	25	19	14	
St. Peters	3	က	2	_	2	0
Springfield	21	20	12	6	7	0
University City	_	_	0	-	0	0
Wentzville	_	4	0	-	3	0
Wildwood	3	2	_	2	0	0
Multi-County Cities	6	5	2	4	_	0
Joplin	6	5	5	4	_	0
Jasper Co. Part	8	5	4	4	_	0
Newton Co. Part	_	0	_	0	0	0
Kansas City	77	47	20	27	20	_
Jackson Co. Part	99	37	35	21	16	1
Clay Co. Part	14	7	10	4	3	0
Platte Co. Part	7	3	2	2	_	0
Cass Co. Part	0	0	0	0	0	0

Table 22B. White Non-Hispanic Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by County and Cities w/25,000 or More Population: Missouri, 2022

Maternal Deaths

Post-Neonatal Deaths

ıtal ıs

	Perinatal Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths	Maternal Deaths
State Total	383	273	217	166	107	14
Counties						
Adair	4	2	2	2	0	0
Andrew	0	_	0	0	_	0
Atchison	_	_	0	_	0	0
Audrain	_	2	0	_	_	_
Barry	2	က	0	2	_	0
Barton	_	_	0	_	0	0
Bates	_	0	_	0	0	0
Benton	22	2	5	0	2	0
Bollinger	0	2	0	0	2	0
Boone	7	0	4	7	2	_
Buchanan	7	3	2	2	_	0
Butler	9	5	4	2	က	0
Caldwell	_	0	_	0	0	0
Callaway	22	က	3	2	_	0
Camden	4	2	4	0	2	0
Cape Girardeau	9	က	4	2	_	0
Carroll	2	2	0	2	0	0
Carter	2	2	0	2	0	0
Cass	9	3	4	2	_	0
Cedar	4	3	_	3	0	0
Chariton	0	0	0	0	0	0
Christian	o	9	9	က	က	0
Clark	0	0	0	0	0	0
Clay	14	13	7	7	9	0
Clinton	_	0	_	0	0	0
Cole	80	4	5	3	_	0
Cooper	_	_	_	0	_	0
Crawford	က	5	0	3	2	0
Dade	7	2	0	2	0	0
Dallas	_	0	_	0	0	0
Daviess	0	_	0	0	_	0
Dekalb	0	0	0	0	0	0
Dent	2	2	0	2	0	0
Douglas	_	2	0	1	_	0
Dunklin	က	2	_	2	3	0
Franklin	4	3	4	0	3	0

Neonat Death																																						
Fetal Deaths	2	-	17	0	0	-	0	-	0	2	-	19	4	9	2	0	က	-	8	0	က	0	0	-	2	0	0	2	0	2	_	0	0	-	_	-	0	0
Infant Deaths	_	0	16	2	0	0	0	0	0	5	က	19	6	2	-	0	9	-	4	0	9	0	0	0	0	0	က	2	0	4	_	2	0	0	_	-	4	0
Perinatal Deaths	3	_	25	2	0	_	0	_	0	2	2	29	19	13	2	0	9	2	က	0	2	0	0	~	2	0	~	က	0	9	2	2	0	_	2	2	က	0
	Gasconade	Gentry	Greene	Grundy	Harrison	Henry	Hickory	Holt	Howard	Howell	Iron	Jackson	Jasper	Jefferson	Johnson	Knox	Laclede	Lafayette	Lawrence	Lewis	Lincoln	Linn	Livingston	Macon	Madison	Maries	Marion	McDonald	Mercer	Miller	Mississippi	Moniteau	Monroe	Montgomery	Morgan	New Madrid	Newton	Nodaway
nal Sr	41		0	0	0	~	0	0	0	0	0	_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
I Maternal Deaths																																						
. <u>e</u> s			0 0	0	0 0	_	1 0	0 0	0 0	2 0		2	1 0	3	0 0	1 0	2 0	0 1	0 0	0 0	0 0			3	0 0		0 0	0 0		2 0	0 0	0 0	1 0	0 0	0 0	1 0		3 0
	3 107		0								2						2		0	0		0	0		0			-	-	2								
Post- Neonatal Deaths	, 166 107		2 0	_	0	_		0	0	2	2	2		8	0	_	2		0	0	-	0	0	3	0	9	0	-	-	2	0	0		0	0	_	က	3
Post- Neonatal Neonatal Deaths Deaths	166 107		2 0	0 1	0	0 1	2 1	1 0	0	0 2	0 2	7 2	2 1	2 3	0 0	3 2 1	0 2	4 2 1	2 0	0 2 0	2 2	1 3 0	0 0 0	3	0 0 0	9 2 2	0 0	3	0 0	0 3 2	2 0	0 0	0 1	0 0 0	2 0	1	1 2 3	0 3

0

0

7 0 8 7

0 0

0

က 0 4 0 0 0 0 0 7 -0 0 0 0 0

4 0

0000000000000000000

0

Table 22B. White Non-Hispanic Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by County and Cities w/25,000 or More Population: Missouri, 2022

	Perinatal Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths	Maternal Deaths
Oregon	0	7	0	0	_	0
Osage	_	0	1	0	0	0
Ozark	0	0	0	0	0	0
Pemiscot	_	_	0	1	0	0
Perry	2	0	2	0	0	0
Pettis	2	_	_	_	0	0
Phelps	က	က	က	0	က	_
Pike	_	0		0	0	0
Platte	9	4	3	က	_	0
Polk	0	0	0	0	0	0
Pulaski	2	_	2	0	_	
Putnam	~	_	0	_	0	0
Ralls	~	0	_	0	0	0
Randolph	~	0	_	0	0	0
Ray	ო	2	2	_	_	0
Reynolds	0	0	0	0	0	0
Ripley	2	2	0	2	0	0
Saline	2	3	0	2	-	0
Schuyler	က	_	2	_	0	0
Scotland	0	0	0	0	0	0
Scott	4	4	_	3	_	0
Shannon	0	0	0	0	0	0
Shelby	0	0	0	0	0	0
St. Charles	18	15	10	80	7	2
St. Clair	0	0	0	0	0	0
St. Francois	9	5	_	5	0	0
St. Louis City	6	9	5	4	2	0
St. Louis County	32	15	18	14	_	_
Ste. Genevieve	_	0	_	0	0	0
Stoddard	0	_	0	0	_	0
Stone	4	_	က	_	0	0
Sullivan	0	0	0	0	0	0
Taney	5	5	2	3	2	0
Texas	2	0	2	0	0	0
Vernon	2	0	2	0	0	_
Warren	2	5	2	3	2	0
Washington	0	_	0	0	_	0
Wayne	_	_	0	_	0	0
Webster	9	3	3	3	0	0

	Perinatal	Infant	Fetal	Neonatal	Post- Neonatal	Maternal
	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths
Worth	0	0	0	0	0	0
Wright	2	2	_	_	_	0
Unknown	2	0	2	0	0	0
Cities w/25k Pop.						
Ballwin	2	_	_	_	0	0
Blue Springs	_	_	_	0	_	0
Cape Girardeau	2	0	2	0	0	0
Chesterfield	0	0	0	0	0	0
Columbia	80	7	-	7	0	0
Florissant	2	က	0	2	_	0
Gladstone	_	_	0	_	0	0
Grandview	_	_	0	_	0	0
Hazelwood	0	0	0	0	0	0
Independence	7	5	9	_	4	0
Jefferson City	9	က	4	2	-	0
Kirkwood	2	0	2	0	0	0
Lee's Summit	2	2	_	_	-	0
Liberty	_	2	0	_	-	0
Maryland Heights	2	_	_	_	0	0
O'Fallon	3	2	3	0	2	2
Raytown	_	_	0	_	0	0
St. Charles	2	3	3	2	_	0
St. Joseph	9	3	4	2	_	0
St. Louis City	6	9	5	4	2	0
St. Peters	2	3	_	_	2	0
Springfield	15	13	8	7	9	0
University City	_	_	0	_	0	0
Wentzville	0	2	0	0	2	0
Wildwood	2	_	_	_	0	0
Multi-County Cities						
Joplin	9	4	3	3	_	0
Jasper Co. Part	9	4	3	3	_	0
Newton Co. Part	0	0	0	0	0	0
Kansas City	24	13	16	8	2	_
Jackson Co. Part	13	5	6	4	_	1
Clay Co. Part	80	9	5	3	3	0
Platte Co. Part	3	2	2	_	_	0
Cass Co. Part	0	0	0	0	0	0

Table 22C. Black Non-Hispanic Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by County and Cities w/25,000 or More Population: Missouri, 2022

	Perinatal Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths	Maternal Deaths
State Total	154	121	91	63	28	7
Counties						
Adair	0	0	0	0	0	0
Andrew	0	0	0	0	0	0
Atchison	0	0	0	0	0	0
Audrain	0	0	0	0	0	0
Barry	0	0	0	0	0	0
Barton	0	0	0	0	0	0
Bates	0	0	0	0	0	0
Benton	0	0	0	0	0	0
Bollinger	0	0	0	0	0	0
Boone	2	8	3	2	_	0
Buchanan	_	2	0	_	_	0
Butler	0	2	0	0	2	0
Caldwell	0	0	0	0	0	0
Callaway	0	0	0	0	0	0
Camden	0	0	0	0	0	0
Cape Girardeau	_	2	0	_	_	0
Carroll	0	0	0	0	0	0
Carter	0	0	0	0	0	0
Cass	0	0	0	0	0	0
Cedar	0	0	0	0	0	0
Chariton	0	0	0	0	0	0
Christian	0	0	0	0	0	0
Clark	0	0	0	0	0	0
Clay	4	1	3	_	0	0
Clinton	0	0	0	0	0	0
Cole	_	_	_	0	_	0
Cooper	0	0	0	0	0	0
Crawford	0	0	0	0	0	0
Dade	0	0	0	0	0	0
Dallas	0	0	0	0	0	0
Daviess	0	0	0	0	0	0
Dekalb	0	0	0	0	0	0
Dent	0	0	0	0	0	0
Douglas	0	0	0	0	0	0
Dunklin	0	0	0	0	0	0
Franklin	0	0	0	0	0	0

Mater Deat																																						
Post- Neonatal Deaths	0	0	က	0	0	0	0	0	0	0	0	17	0	0	0	0	0	_	0	0	0	0	0	0	0	0	0	0	0	0	_	0	0	0	0	0	0	0
Neonatal Deaths	0	0	2	0	0	0	0	0	0	0	0	16	_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Fetal Deaths	0	0	2	0	0	0	0	0	0	0	0	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	_	0	0	0	_	0
Infant Deaths	0	0	5	0	0	0	0	0	0	0	0	33	_	0	0	0	0	_	0	0	0	0	0	0	0	0	0	0	0	0	_	0	0	0	0	0	0	0
s Ia	0	0	4	0	0	0	0	0	0	0	0	40	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	-	0	0	0	-	0
Perinatal Deaths																																						
Perinal Death	Gasconade	Gentry	Greene	Grundy	Harrison	Henry	Hickory	Holt	Howard	Howell	Iron	Jackson	Jasper	Jefferson	Johnson	Knox	Laclede	Lafayette	Lawrence	Lewis	Lincoln	Linn	Livingston	Macon	Madison	Maries	Marion	McDonald	Mercer	Miller	Mississippi	Moniteau	Monroe	Montgomery	Morgan	New Madrid	Newton	Nodaway
Perinal Death	Gasconade	Gentry	Greene	Grundy	Harrison	Henry	Hickory	Holt	Howard	Howell	Iron	Jackson	Jasper	Jefferson	Johnson	Knox	Laclede	Lafayette	Lawrence	Lewis	Lincoln	Linn	Livingston	Macon	Madison	Maries	Marion	McDonald	Mercer	Miller	Mississippi	Moniteau	Monroe	Montgomery	Morgan	New Madrid	Newton	Nodaway
Maternal Perinal Death	7 Gasconade	Gentry			0 Harrison		0 Hickory	O Holt				0 Jackson	0 Jasper	0 Jefferson	O	Nuox (Vuox	0 Laclede		0 Lawrence									0 McDonald						0 Montgomery	Morgan	0 New Madrid		0 Nodaway

0 0 0 0 0

0

Table 22C. Black Non-Hispanic Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by County and Cities w/25,000 or More Population: Missouri, 2022

Oregon Deaths Deaths Osage 0 Ozark 0 Perry 0 Pettis 0 Phelps 1 Pike 0 Polk 0 Pulaski 1 Putnam 0 Ralls 0 Ray 0 Ray 0 Reynolds 0 Ripley 0	Deaths 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0	Deaths 0	Deaths 0	Deaths 0
7 L	0 0 0 0 0 0 0 0 0 0	0 0 0	0	0	0
7 L	0 0 0 0 0 0 0 0 0	0 0 0			_
to u	0 0 0 0 0 0 0 0 0	0	0	0	0
7 - C 27	0 0 0 0 0 0 0	0	0	0	0
- G 97	0 0 0 0 0 0 0 0		0	0	0
	0 - 0 0 0 0	0	0	0	0
	T 0 0 0 0 0	0	0	0	0
u de sp	0 0 0 0	0	_	0	0
i c dd sp	0 0 0	0	0	0	0
u dd sp	0 0 0	0	0	0	0
hgh ds	0 0	0	0	0	0
u dd. sp	0	_	0	0	0
yd. sp		0	0	0	0
hq	0	0	0	0	0
sp	0	0	0	0	0
Sp	0	0	0	0	0
	0	0	0	0	0
	0	0	0	0	0
Saline 0	0	0	0	0	0
Schuyler 0	0	0	0	0	0
Scotland 0	0	0	0	0	0
Scott 0	0	0	0	0	0
Shannon 0	0	0	0	0	0
Shelby 0	0	0	0	0	0
St. Charles 3	က	က	0	3	0
St. Clair 0	0	0	0	0	0
St. Francois	0	_	0	0	0
St. Louis City 33	25	20	13	12	_
St. Louis County 53	39	28	25	14	4
Ste. Genevieve 0	0	0	0	0	0
Stoddard 0	_	0	0	_	0
Stone 0	0	0	0	0	0
Sullivan 0	0	0	0	0	0
Taney 1	0	_	0	0	0
Texas	0	0	0	0	0
Vernon 0	0	0	0	0	0
Warren 0	0	0	0	0	0
Washington 0	0	0	0	0	0
Wayne 0	0	0	0	0	0
Webster 0	0	0	0	0	0

	Perinatal	Infant	Fetal	Neonatal	Post- Neonatal	Maternal
Worth	0	0	0	0	0	0
Wright	0	0	0	0	0	0
Unknown	0	0	0	0	0	0
Cities w/25k Pop.	C	C	C	C	C	
Blue Springs	0 0	0 0		5 6	5 6	0 0
Cane Girardeau	7	0 0		· -	7	
Chesterfield	0	0	0	0	0	0
Columbia	5	3	3	2	_	0
Florissant	2	0	2	0	0	0
Gladstone	_	0	_	0	0	0
Grandview	_	_	_	0	_	0
Hazelwood	_	3	0	_	2	0
Independence	4	က	2	2	_	0
Jefferson City	_	-	_	0	_	0
Kirkwood	0	0	0	0	0	0
Lee's Summit	က	-	2	_	0	0
Liberty	0	0	0	0	0	0
Maryland Heights	0	0	0	0	0	0
O'Fallon	0	0	0	0	0	0
Raytown	9	2	4	2	0	0
St. Charles	_	_	_	0	_	0
St. Joseph	_	2	0	_	_	0
St. Louis City	33	25	20	13	12	_
St. Peters	_	0	_	0	0	0
Springfield	4	5	2	2	3	0
University City	0	0	0	0	0	0
Wentzville	0	_	0	0	_	0
Wildwood	0	0	0	0	0	0
Multi-County Cities						
Joplin	2	~	_	~	0	0
Jasper Co. Part	_	_	0	_	0	0
Newton Co. Part	_	0	_	0	0	0
Kansas City	28	26	17	=	15	0
Jackson Co. Part	26	26	15	7	15	0
Clay Co. Part	2	0	2	0	0	0
Platte Co. Part	0	0	0	0	0	0
Cass Co. Part	0	0	0	0	0	0

Table 22D. Resident Perinatal, Infant, Fetal, Neonatal, and Post-Neonatal Deaths by Resident BRFSS Region with Rates per 1,000 Live Births: Missouri, 2022

			Number					Rates		
	Perinatal Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths	Perinatal Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths
State Total	279	450	365	262	188	1.6	6.5	5.3	3.8	2.7
BRFSS Regions										
Northeast	21	12	12	0	3	7.4	4.3*	4.3*	3.2*	*.
Northwest	19	13	13	9	7	7.2*	4.9*	4.9*	2.3*	2.6*
Central	75	54	41	34	20	9.3	6.7	5.1	4.2	2.5
Southeast	02	64	33	37	27	11.3	10.3	5.3	0.9	4.4
Southwest	109	92	29	42	34	9.6	6.8	0.9	3.8	3.0
St. Louis Metro	190	140	108	82	58	8.2	6.1	4.7	3.6	2.5
Kansas City Metro	141	91	89	52	39	9.4	6.1	5.9	3.5	2.6
Urban	415	287	246	169	118	9.1	6.3	5.4	3.7	2.6
Rural	210	163	117	93	70	9.0	7.0	5.0	4.0	3.0
Unknown	2	0	2	0	0	*0.0	*0.0	*0.0	*0.0	0.0*

Table 22E. White Non-Hispanic and Black Non-Hispanic Resident Perinatal, Infant, Fetal, Neonatal, Post-Neonatal, and Maternal Deaths by Resident BRFSS Region: Missouri, 2022

			White Non	Von-Hispanic					Black Nor	Black Non-Hispanic		
	Perinatal Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths	Maternal Deaths	Perinatal Deaths	Infant Deaths	Fetal Deaths	Neonatal Deaths	Post- Neonatal Deaths	Maternal Deaths
State Total	283	273	217	166	107	14	154	121	91	63	28	7
BRFSS Regions												
Northeast	17	12	80	6	က	0	~	0	_	0	0	0
Northwest	14	6	6	5	4	0	~	2	0	_	~	0
Central	09	43	33	27	16	5	8	5	5	က	2	0
Southeast	55	46	24	28	18	_	4	9	ဧ	_	5	0
Southwest	98	61	20	36	25	4	7	9	4	3	3	0
St. Louis Metro	88	09	55	37	23	3	88	29	51	38	29	5
Kansas City Metro	63	42	39	24	18	_	44	35	27	17	18	2
Urban	206	134	121	85	49	9	147	115	85	62	53	7
Rural	175	139	94	81	28	8	7	9	9		5	0
Unknown	2	0	2	0	0	0	0	0	0	0	0	0

Table 23. Resident Infant Deaths and Rates per 1,000 Live Births by Cause of Death by Race and by Age at Death: Missouri, 2022

		N reducing	Rate	Neonatal Deaths	Post- Neonatal	Under 1	Over 1 Hour, < 1 Day	Over 1 Day, < 7 Days	Over 7 Days, < 28 Days	Over 28 Days, < 3 Months	Over 3 Months,	Over 6 Months,
All Causes	White	273	5.5	166	107	24	62	42	38	44	34	29
	Black	121	13.2	63	58	6	21	18	15	22	20	16
	Total	450	6.5	262	188	36	92	74	09	75	19	52
Infectious Diseases	White	4	0.3	10	4	0	0	4	9	2	_	_
(A00-B99, P35-P39)	Black	6	1.0	80	_	0	0	2	9	_	0	0
	Total	28	4.0	19	6	0	0	7	12	9	_	2
Nervous System Diseases	White	4	0.1	2	2	0	0	_	_	-	0	_
(865-005)	Black	2	0.2	_	_	0	0	_	0	0	_	0
	Total	7	0.1	3	4	0	0	2	_	2	1	7
Circulatory System Diseases	White	9	0.1	0	9	0	0	0	0	2		3
(661-001)	Black	0	0.0	0	0	0	0	0	0	0	0	0
	Total	9	0.1	0	9	0	0	0	0	2	_	3
Respiratory System Diseases	White	9	0.1	0	9	0	0	0	0	3	_	2
(66C-00F)	Black	9	0.7	_	2	0	0	0	_	3	_	_
	Total	12	0.2	_	-	0	0	0	_	9	2	က
Perinatal Conditions	White	111	2.2	104	7	19	37	29	19	4	2	_
(P00-P34, P40-P96)	Black	51	5.5	45	9	8	20	12	5	4	1	7
	Total	187	2.7	173	14	30	99	51	27	8	3	3
Congenital Anomalies	White	54	1.1	41	13	2	24	7	5	7	4	2
(<u>CO00-000</u>)	Black	12	1.3	4	8	1	1	2	0	_	2	5
	Total	74	1.1	51	23	9	26	12	7	8	7	8
Sudden Infant Death Syndrome	White	3	0.1	0	3	0	0	0	0	2	1	0
(R95)	Black	5	0.5	0	5	0	0	0	0	3	2	0
	Total	10	0.1	0	10	0	0	0	0	9	4	0
Unintentional Injuries	White	48	1.0	3	45	0	0	0	3	15	17	13
<u>(V01-X59)</u>	Black	19	2.1	2	17	0	0	0	2	7	9	4
	Total	75	1.1	5	70	0	0	0	5	26	27	17
Homicide	White	3	0.1	0	3	0	0	0	0	_		_
(X85-Y09)	Black	9	0.7	1	5	0	0	0		2	2	_
	Total	13	0.2	2	11	0	0	0	2	3	3	5
All Other Causes	White	24	0.5	9	18	0	_	_	4	7	9	5
	Black	11	1.2	1	10	0	0	_	0	_	2	4
	Total	38	9.0	8	30	0	7	2	5	8	12	10

Table 24. Resident Infant Deaths and Rates per 1,000 Live Births by Age of Mother by Birth Order: Missouri, 2022

		Ш	Birth Order					Rates		
	All Orders	1st	2nd or 3rd	4th or 5th	6th or More	All	1st	2nd or 3rd	4th or 5th	6th or More
All Ages	121	125	167	95	29	6.5	6.1	5.3	7.8	12.5
Under 18	12	7	~	0	0	*4.4	14.9*	1.1.	*0.0	0
18-19	27	15	10	~	_	10.9	8.4*	15.7*	27.0*	11.1
20-24	110	44	51	13	2	7.7	7.0	7.8	10.9*	9.1*
25-29	130	30	55	28	17	6.2	4.7	5.5	8.0	14.8*
30-34	107	19	28	32	28	5.4	4.7*	2.9	7.6	14.5
35-39	49	5	19	13	12	5.5	4.4*	*6.4	5.6*	7.7*
40 and Over	16		3	5	7	9.1*	5.7*	4.8*	10.8*	14.1*

Table 25. Resident Infant Deaths and Rates per 1,000 Live Births by Birth Weight by Race of Mother: Missouri, 2022

)M	Mother's Race	9.		Rates	
Birth Weight (Grams)	All	White	Black	All	White	Black
All Weights	127	282	110	6.5	2.2	12.0
Under 500	06	46	30	769.2	851.9	750.0
200-999	74	46	19	210.2	247.3	169.6*
1,000-1,499	22	18	2	40.7	53.6*	14.8*
1,500-1,999	39	23	10	31.1	30.0	32.5*
2,000-2,499	40	24	10	6.6	9.5	10.8*
2,500-2,999	92	37	20	4.9	4.4	7.4
3,000-3,499	20	49	15	2.7	2.6	4.5*
3,500-3,999	45	34	4	2.5	2.4	2.9*
4,000 or More	9	5	0	1.2*	1.2*	0.0*

Table 26A. Resident Deaths by Selected Causes of Death by Race and Hispanic Origin With Rates per 100,000 Residents: Missouri, 2022

All causes	Total Crude	Ane-Adiusted					
All causes	Rate	Rate	All Races	White, Non-Hisp.	Black, Non-Hisp.	Hispanic, Any Race	Other Races
97 0700	1,161.8	915.6	71,776	61,734	8,106	843	1,024
	6.69	53.8	4,316	3,738	439	51	85
Septicemia	16.6	12.8	1,024	998	128		18
HIV / AIDS	0.8	0.8	52	27	21	_	3
Malignant neoplasms	211.5	159.5	13,065	11,433	1,295	139	189
Colon, rectum, and anus	19.7	15.3	1,218	1,040	151	80	18
Pancreas	15.3	11.6	948	814	66	14	21
Trachea, bronchus, and lung	54.6	40.1	3,375	3,006	303	25	38
Breast	15.1	11.7	932	780	127	12	12
Cervix uteri, corpus uteri, and ovary	8.8	6.8	542	456	89	8	10
Prostate	10.2	9.7	631	538	81	4	8
Urinary tract	1.1.	8.3	889	624	49	7	80
Non-Hodgkin's lymphoma	7.2	5.4	442	404	22	2	
Leukemia	7.9	6.2	487	446	28	5	7
Other malignant neoplasms	61.5	46.6	3,802	3,325	367	51	56
Diabetes mellitus	30.4	23.4	1,877	1,556	261	32	28
Alzheimer's disease	42.4	32.5	2,619	2,381	197	21	20
Parkinson's disease	13.2	10.1	818	772	32	9	8
Diseases of heart	260.9	199.4	16,118	14,036	1,756	133	175
Essential hypertension	0.6	8.9	553	456	85	5	9
Cerebrovascular diseases	21.0	39.0	3,148	2,664	371	42	65
Influenza and pneumonia	17.8	13.7	1,097	982	88	6	14
Chronic lower respiratory disease	61.7	45.9	3,809	3,558	206	8	32
Pneumonitis due to solids and liquids	8.2	6.2	208	460	36	7	5
Chronic liver disease and cirrhosis	16.9	14.2	1,046	806	89	30	17
Nephritis and nephrosis	27.2	20.9	1,683	1,388	250	18	24
Conditions orig. in perinatal period	3.4	4.2	208	122	59	19	7
Congenital anomalies	3.0	3.2	188	146	30	ဇ	6
Symptoms and ill-defined conditions	7.0	5.8	430	353	58	10	8
All other diseases	197.0	153.7	12,170	10,653	1,230	134	142
Unintentional injuries	7.67	75.3	4,922	3,812	886	104	114
Motor vehicle crashes	17.9	17.2	1,105	877	173	28	27
Falls	14.5	11.1	895	827	46	12	10
Accidental poisoning	33.7	35.1	2,083	1,420	561	20	47
Other unintentional injuries	13.6	11.9	839	889	106	41	30
Suicide	19.7	19.0	1,214	1,059	83	33	37
Homicide	12.0	12.7	740	220	479	25	16
All other external causes	2.8	2.7	171	141	26	2	2

*United States 2000 population distribution used as the standard for age-adjusted death rates.

Table 26B. Resident Deaths by Selected Causes of Death by BRFSS Region and Urban/Rural Area: Missouri, 2022

				IOIDAN COLVO					
	Central	Kansas City	Northeast	Northwest	St. Louis	Southeast	Southwest	Urban	Rural
All causes	8,114	13,506	3,319	2,718	23,530	8,340	12,247	43,659	28,115
COVID-19	499	901	223	146	1,323	487	737	2,467	1,849
Septicemia	129	157	99	48	340	116	168	623	401
HIV / AIDS	2	41	3	_	20	5	2	43	6
Malignant neoplasms	1,540	2,432	641	512	4,257	1,528	2,155	7,803	5,262
Colon, rectum, and anus	146	213	09	51	405	136	207	745	473
Pancreas	112	184	54	43	295	107	153	292	383
Trachea, bronchus, and lung	422	591	169	137	1,049	463	544	1,892	1,483
Breast	93	174	38	36	348	86	145	298	334
Cervix uteri, corpus uteri, and ovary	92	107	30	18	194	45	72	357	185
Prostate	92	66	25	18	209	92	128	380	251
Urinary tract	72	137	39	22	212	92	130	406	282
Non-Hodgkin's lymphoma	51	85	26	22	134	51	73	263	179
Leukemia	49	93	21	25	158	22	84	284	203
Other malignant neoplasms	443	749	179	140	1,253	419	619	2,313	1,489
Diabetes mellitus	291	332	120	65	601	174	294	1,025	852
Alzheimer's disease	181	331	111	96	1,107	353	440	1,691	928
Parkinson's disease	87	162	28	27	293	62	142	545	273
Diseases of heart	1,723	2,763	725	662	5,185	2,035	3,024	089'6	6,537
Essential hypertension	142	82	36	14	178	58	43	292	261
Cerebrovascular diseases	347	609	134	115	1,084	360	499	1,969	1,179
Influenza and pneumonia	123	175	72	51	318	182	176	209	490
Chronic lower respiratory disease	483	618	220	179	917	628	764	1,950	1,859
Pneumonitis due to solids and liquids	69	78	21	38	189	52	71	310	198
Chronic liver disease and cirrhosis	105	182	41	29	337	113	239	657	389
Nephritis and nephrosis	184	317	73	99	553	213	287	1,064	619
Conditions orig. in perinatal period	26	43	9	9	89	28	31	140	89
Congenital anomalies	24	46	7	7	54	22	28	124	64
Symptoms and ill-defined conditions	92	83	36	-	111	56	89	231	199
All other diseases	1,399	2,657	532	444	3,867	1,219	2,052	7,728	4,442
Unintentional injuries	502	686	162	159	1,910	453	746	3,265	1,656
Motor vehicle crashes	142	188	42	51	322	147	213	585	520
Falls	64	213	35	24	377	20	132	643	252
Accidental poisoning	185	431	41	52	974	146	253	1,569	513
Other unintentional injuries	111	157	44	32	237	110	148	468	371
Suicide	151	275	52	37	381	115	203	062	424
Homicide	37	225	8	10	375	40	45	645	95
All other external causes	15	35	2	5	62	24	28	110	61

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Adair	Andrew	Atchison	Audrain	Barry	Barton	Bates
All causes	249	184	95	336	209	164	250
COVID-19	13	10	4	25	33	6	29
Septicemia	5	9	0	4	O	4	8
HIV / AIDS	0	0	0	0	0	0	0
Malignant neoplasms	52	42	17	64	66	27	35
Colon, rectum, and anus	6	7	2	9	9	2	က
Pancreas	2	2	_	3	O	~	4
Trachea, bronchus, and lung	12	15	4	21	33	4	8
Breast	3		0	4	9	3	2
Cervix uteri, corpus uteri, and ovary	_	0	0	2	4	~	2
Prostate	2	2	0	3	5	0	0
Urinary tract	2	~	2	9	7	3	0
Non-Hodgkin's lymphoma	2	~	0	2	2	~	2
Leukemia	2	2	ಣ	2	2	~	_
Other malignant neoplasms	14	8	2	15	25	1	13
Diabetes mellitus	11	8	9	10	8	2	9
Alzheimer's disease	15	10	2	7	41	8	∞
Parkinson's disease	_	~	_	9	2	2	6
Diseases of heart	39	44	15	62	128	38	61
Essential hypertension	5	2	0	13	ဇ	0	က
Cerebrovascular diseases	6	9	7	13	21	11	16
Influenza and pneumonia	8		2		12	3	_
Chronic lower respiratory disease	16	12	7	16	35	7	18
Pneumonitis due to solids and liquids	_	~	0	4	ဇ	~	0
Chronic liver disease and cirrhosis	2	_	0	9	10	4	2
Nephritis and nephrosis	7	2	0	6	10	9	က
Conditions orig. in perinatal period	_			2	2	0	0
Congenital anomalies	0	~	_	_	~	~	0
Symptoms and ill-defined conditions	2	~	_	4	2	0	_
All other diseases	36	31	26	62	62	29	35
Unintentional injuries	6	7	2	22	32	8	17
Motor vehicle crashes	9	2	_	4	11	3	2
Falls	2	0	0	4	3	0	4
Accidental poisoning	0	4	_	7	7	2	7
Other unintentional injuries	_		0	7	11	3	4
Suicide	6	2	0	4	4		3
Homicide	2	0	0	1	2	0	0
All other external causes	0	0	0	0	0	0	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Benton	Bollinger	Boone	Buchanan	Butler	Caldwell	Callaway
All causes	370	153	1,415	1,045	672	121	200
COVID-19	25	10	47	43	36	10	35
Septicemia	2	7	22	22	12	_	-
HIV / AIDS	0	0	2	0	0	0	0
Malignant neoplasms	73	24	284	178	125	16	26
Colon, rectum, and anus	7	က	34	16	18	0	80
Pancreas	S	~	26	12	2	2	4
Trachea, bronchus, and lung	23	2	22	90	48	5	23
Breast	5	0	21	14	9	3	8
Cervix uteri, corpus uteri, and ovary	2	_	17	9	3	0	9
Prostate	8	_	17	5	2	0	3
Urinary tract	2	_	41	7	4	_	8
Non-Hodgkin's lymphoma	0	က	6	O	2	2	9
Leukemia	က	0	13	6	3	_	2
Other malignant neoplasms	23	6	92	20	37	2	31
Diabetes mellitus	6	0	34	12	32	4	16
Alzheimer's disease	8	2	51	39	38	3	4
Parkinson's disease	2	ಣ	22	1-	2	2	7
Diseases of heart	83	43	275	265	132	22	66
Essential hypertension	0	0	13	ဇ	8	2	10
Cerebrovascular diseases	19	က	62	44	22	5	25
Influenza and pneumonia	5	4	27	23	22	3	10
Chronic lower respiratory disease	35	-	99	77	53	1	26
Pneumonitis due to solids and liquids	2	2	8	10			3
Chronic liver disease and cirrhosis	13	~	23	13	8	0	9
Nephritis and nephrosis	9	9	22	21	24	7	10
Conditions orig. in perinatal period	0	0	7	3	2	0	2
Congenital anomalies	0	0	6	3		0	0
Symptoms and ill-defined conditions		_	8	9	4	3	5
All other diseases	49	19	282	168	86	24	93
Unintentional injuries	24	11	107	77	33	3	30
Motor vehicle crashes	12	9	21	16	6		9
Falls		_	14	12		1	2
Accidental poisoning	3	2	12	38	16	_	13
Other unintentional injuries	8	2	21	11	7	0	6
Suicide	9	2	28	18	12	2	6
Homicide	0		14	9	9	2	2
All other external causes	2	0	2	8	8	0	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Camden	Cape Girardeau	Carroll	Carter	Cass	Cedar	Chariton
All causes	602	902	126	74	1,236	218	125
COVID-19	30	46	7	4	78	16	9
Septicemia	65	-	~	_	12	ಣ	3
HIV / AIDS	0	_	0	0	0	0	0
Malignant neoplasms	130	159	24	21	233	41	21
Colon, rectum, and anus	8		3	2	19	2	2
Pancreas	2	15	4	2	13	4	8
Trachea, bronchus, and lung	43	4	7	8	64	80	9
Breast	8		~	0	21	2	0
Cervix uteri, corpus uteri, and ovary	7	6	0	_	7	_	2
Prostate	8	-	0	2	12	೮	0
Urinary tract	5	4	~	0	16	ಣ	_
Non-Hodgkin's lymphoma	3	-	~	0	7	_	_
Leukemia	3	80	~	0	-	ಣ	0
Other malignant neoplasms	40	38	9	9	63	-	9
Diabetes mellitus	17	19	4	0	29	10	4
Alzheimer's disease	10	99	9	4	26	O	_
Parkinson's disease	9	10	0	0	20	0	2
Diseases of heart	138	194	28	6	262	90	31
Essential hypertension	4	. 13	0	0	11	_	0
Cerebrovascular diseases	21	40	8	4	28	12	5
Influenza and pneumonia	6	21		1	17	5	2
Chronic lower respiratory disease	33	182	9	7	99	-	1
Pneumonitis due to solids and liquids	4	7	3	0	3	0	3
Chronic liver disease and cirrhosis	4	. 13	0	_	17	5	2
Nephritis and nephrosis	17	43	4	_	25	6	3
Conditions orig. in perinatal period	0	3			2	2	0
Congenital anomalies	0	_		0	4	2	0
Symptoms and ill-defined conditions	2	6	7	1	6	_	_
All other diseases	126	121	23	15	248	31	23
Unintentional injuries	32	30	7	4	73	7	4
Motor vehicle crashes	11	10		2	17	2	
Falls	9	9	5		17	_	_
Accidental poisoning	4	7		_	27	2	~
Other unintentional injuries	11	7	0	0	12	2	~
Suicide	10	12	~	0	34	3	2
Homicide	0	9	0	0	7	0	~
All other external causes	0	3	0	0	2	0	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Christian	Clark	Clay	Clinton	Cole	Cooper	Crawford
All causes	906	82	2,256	277	862	199	376
COVID-19	09	13	158	28	46	6	31
Septicemia	7	2	21	_	19	4	9
HIV / AIDS	~	0	2	0	0	0	0
Malignant neoplasms	189	17	452	44	125	48	48
Colon, rectum, and anus	20	0	40	3	6	4	7
Pancreas	16	3	32	0	13	2	_
Trachea, bronchus, and lung	43	9	115	10	37	15	19
Breast	13	2	35	_	4	2	8
Cervix uteri, corpus uteri, and ovary	7	0	29	_	7	_	2
Prostate	10	_	13	2	2	_	_
Urinary tract	8	0	27	2	က	3	4
Non-Hodgkin's lymphoma	8	0	15	3	4	2	0
Leukemia	7	_	15	4	4	0	0
Other malignant neoplasms	25	4	131	18	39	18	
Diabetes mellitus	21	2	54	13	23	4	7
Alzheimer's disease	37	5	72	19	13	4	17
Parkinson's disease	12	0	59	5	3	3	
Diseases of heart	188	15	441	54	200	52	89
Essential hypertension	က	_	15	2	16	_	4
Cerebrovascular diseases	38	2	108	10	31	6	20
Influenza and pneumonia	11		24	2	14	2	6
Chronic lower respiratory disease	46	4	96	20	45	7	22
Pneumonitis due to solids and liquids	6	0	19	_	1-	_	3
Chronic liver disease and cirrhosis	19	_	20	4	6	_	12
Nephritis and nephrosis	22	5	53	3	30	3	3
Conditions orig. in perinatal period	က	0	9	0	_	0	4
Congenital anomalies	2	_	10	0	3	_	0
Symptoms and ill-defined conditions	က	2	15	0	8	0	5
All other diseases	151	12	453	49	140	33	63
Unintentional injuries	62	2	144	18	40	10	24
Motor vehicle crashes	17	0	24	2	6	2	5
Falls	14		41	3	7	2	2
Accidental poisoning	24	0	61	2	12	4	12
Other unintentional injuries	7	~	18	2	12	2	5
Suicide	13	0	49	_	15	7	7
Homicide	2	0	10	0	9	0	~
All other external causes	2	0	9	0	0	0	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Dade	Dallas	Daviess	Dekalb	Dent	Douglas	Dunklin
All causes	141	243	108	148	248	207	480
COVID-19	4	23		6	26	15	23
Septicemia	2	က	2	3	က	3	3
HIV / AIDS	0	0	0	0	0	0	_
Malignant neoplasms	25	40	14	34	48	41	88
Colon, rectum, and anus	3	4	~	3	ဇ	9	7
Pancreas	4	0	2	~	က	8	8
Trachea, bronchus, and lung	6	11	4	12	17	7	31
Breast	2	3			2	1	3
Cervix uteri, corpus uteri, and ovary	_	0	0	~	2	3	3
Prostate	0	0	_	3	_	2	4
Urinary tract	0	4	0	~	က	3	3
Non-Hodgkin's lymphoma	2	ဇ	_	~	0	2	2
Leukemia	_	ဇ	0	~	2	0	_
Other malignant neoplasms	8	12	4	10	15	41	26
Diabetes mellitus	5	13	2	9	12	5	10
Alzheimer's disease	9	O	4	2	7	9	27
Parkinson's disease	3	3	0	3	0	4	8
Diseases of heart	40	99	31	32	45	65	114
Essential hypertension		0	0	3	10		0
Cerebrovascular diseases	7	6	4	2	7	8	30
Influenza and pneumonia	3	5	2	2	2	3	15
Chronic lower respiratory disease	9	20	10	11	12	13	51
Pneumonitis due to solids and liquids	0	2	0	_	2	0	2
Chronic liver disease and cirrhosis	_	4	0	3	5	0	9
Nephritis and nephrosis	0	4		3	8	4	13
Conditions orig. in perinatal period	2	0	0	0	2	1	2
Congenital anomalies	0	0	0	0	0	0	3
Symptoms and ill-defined conditions	3	2	0	0		0	3
All other diseases	22	33	17	17	42	21	58
Unintentional injuries	80	12	7	6	41	12	21
Motor vehicle crashes	3	9	3	4	9	4	2
Falls	2	0	0	0		0	5
Accidental poisoning		3		2	5	4	4
Other unintentional injuries	2	3	3	8	2	4	10
Suicide	က	J.	2	2	2	2	_
Homicide	0	0	0	0	0	0	_
All other external causes	0	0	~	0	0	0	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Franklin	Gasconade	Gentry	Greene	Grundy	Harrison	Henry
All causes	1,358	237	68	3,482	161	116	368
COVID-19	88	41	2	189	1	12	29
Septicemia	17	2	0	54	4	2	3
HIV / AIDS	0	0	0	3	~	0	0
Malignant neoplasms	263	38	23	541	39	28	69
Colon, rectum, and anus	19	7	က	99	_	2	10
Pancreas	21	8	2	36	2	4	10
Trachea, bronchus, and lung	73	7	4	132	16	5	12
Breast	21	2		31	3	4	2
Cervix uteri, corpus uteri, and ovary	9	0	က	20	2	2	2
Prostate	6	_	~	25	_	0	2
Urinary tract	12	_	2	27	2	~	3
Non-Hodgkin's lymphoma	18	2	_	27	0	0	
Leukemia	17	0	2	25	0	0	2
Other malignant neoplasms	29	15	4	152	12	10	25
Diabetes mellitus	48	-	0	54	4	2	7
Alzheimer's disease	62	9	2	144	က	0	13
Parkinson's disease	7	4	က	46	~	0	2
Diseases of heart	319	61	31	806	27	34	92
Essential hypertension	7-	_	0	6	0	0	9
Cerebrovascular diseases	49	15	4	131	10	5	10
Influenza and pneumonia	16	3	0	49	3	5	2
Chronic lower respiratory disease	29	19	5	158	7	6	24
Pneumonitis due to solids and liquids	16	2		22	3		
Chronic liver disease and cirrhosis	17	3	~	62	8	0	7
Nephritis and nephrosis	21	3	~	72	2	2	7
Conditions orig. in perinatal period	0	2	0	6		0	0
Congenital anomalies		1	0	12		0	0
Symptoms and ill-defined conditions	9	4	0	16	3	0	1
All other diseases	196	27	1	625	28	11	61
Unintentional injuries	115	16		257	7	3	24
Motor vehicle crashes	24	9		40			11
Falls	34	2	0	22	3	0	5
Accidental poisoning	47	4	0	124		0	4
Other unintentional injuries	10	4	0	36	2	2	4
Suicide	23	4		79	2		4
Homicide	5	0	0	18	_	~	4
All other external causes	9	_	0	7	0	0	2

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Hickory	Holt	Howard	Howell	Iron	Jackson	Jasper
All causes	186	69	111	653	182	2,660	1,528
COVID-19	8	6	8	37	41	481	88
Septicemia	2	2	0	9	2	104	25
HIV / AIDS	0	0	0	0	0	-	_
Malignant neoplasms	28	8	22	111	35	1,329	282
Colon, rectum, and anus	_	0	2	12	2	120	29
Pancreas	_	0	2	8	2	106	14
Trachea, bronchus, and lung	8	8	7	34	13	313	77
Breast	3	_	0	7	_	66	22
Cervix uteri, corpus uteri, and ovary	0	0	_	4	_	63	14
Prostate	4	2	2	2	8	54	41
Urinary tract	4	0	8	S	2	71	17
Non-Hodgkin's lymphoma	0	0	0	က	_	42	8
Leukemia	_	0	0	rC	က	47	9
Other malignant neoplasms	9	2	Ŋ	28	7	420	8
Diabetes mellitus	2	8	8	13	2	192	51
Alzheimer's disease	3	2	_	21	4	129	72
Parkinson's disease	0	0	2	4	0	71	17
Diseases of heart	43	17	27	159	46	1,562	350
Essential hypertension		7		5		41	5
Cerebrovascular diseases	10	9	2	34	9	339	55
Influenza and pneumonia	2	0	2	8	4	66	19
Chronic lower respiratory disease	16	5	80	40	12	322	121
Pneumonitis due to solids and liquids	0	0		9		42	9
Chronic liver disease and cirrhosis	2	_	2	8	9	120	26
Nephritis and nephrosis	8	_	2	10	_	178	49
Conditions orig. in perinatal period	0	0	0	0		31	5
Congenital anomalies	0	0	0	4	0	27	4
Symptoms and ill-defined conditions	2	0	0	4		45	10
All other diseases	40	10	18	139	28	1,528	233
Unintentional injuries	13	3	10	32	17	628	75
Motor vehicle crashes	5	2	3	6	5	109	20
Falls	2	0	0	4		127	9
Accidental poisoning	3	0	3	5	8	292	31
Other unintentional injuries	က	~	4	4	က	100	18
Suicide	4	_	_	7	0	163	22
Homicide	0	0	_	2	0	196	10
All other external causes		0	0	3	~	22	2

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Jefferson	Johnson	Knox	Laclede	Lafayette	Lawrence	Lewis
All causes	2,553	490	51	498	439	537	131
COVID-19	185	26	7	33	38	30	9
Septicemia	31	80	0	-	೮	8	4
HIV / AIDS	~	~	0	0	0	0	0
Malignant neoplasms	488	85	7	85	84	96	24
Colon, rectum, and anus	35	C)	_	12	O	9	_
Pancreas	22	8	~	8	8	6	0
Trachea, bronchus, and lung	151	25	2	24	17	23	9
Breast	38	5	0	4	9	10	2
Cervix uteri, corpus uteri, and ovary	23	5	_	_	က	0	0
Prostate	23	က	0	2	8	6	_
Urinary tract	27	2	0	8	4	7	က
Non-Hodgkin's lymphoma	13	9	0	_	೮	2	_
Leukemia	20	2	0	_	5	2	0
Other malignant neoplasms	136	21	2	21	21	28	10
Diabetes mellitus	72	17	3	6	12	19	0
Alzheimer's disease	96	14	3	9	19	26	2
Parkinson's disease	38	9	0	2	7	6	ന
Diseases of heart	524	111	13	117	86	106	32
Essential hypertension	12	3	0	3	_	2	2
Cerebrovascular diseases	83	18	3	30	18	23	5
Influenza and pneumonia	29	6	4	7	5	6	~
Chronic lower respiratory disease	141	18	9	45	27	31	5
Pneumonitis due to solids and liquids	26	18	0	0	5	~	0
Chronic liver disease and cirrhosis	39	7	0	2	4	7	_
Nephritis and nephrosis	99	13	0	18	12	-	80
Conditions orig. in perinatal period	4	0	0	2	0	0	0
Congenital anomalies			0	2	2	2	0
Symptoms and ill-defined conditions	13	2	0	7	4	7	ന
All other diseases	415	06	2	72	64	101	31
Unintentional injuries	201	30	0	34	28	37	က
Motor vehicle crashes	37	14	0	16	8	17	_
Falls	43	4	0	9	9	12	0
Accidental poisoning	86	4	0	3	8	4	~
Other unintentional injuries	23	8	0	6	9	4	~
Suicide	28	6	3	9	9	6	~
Homicide	12	3	0	3		2	0
All other external causes	6	~	0	~	~		0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Lincoln	Linn	Livingston	Macon	Madison	Maries	Marion
All causes	623	175	214	217	193	132	402
COVID-19	43	6	20	24	12	16	21
Septicemia	9	4	8	4	0	4	12
HIV / AIDS	0	0	0	_	0	0	
Malignant neoplasms	137	35	37	46	42	30	72
Colon, rectum, and anus	14	5	2	5	2	0	9
Pancreas	8	_	8	5	2	2	7
Trachea, bronchus, and lung	39	6	6	1	17	13	19
Breast	4		4	2	2		3
Cervix uteri, corpus uteri, and ovary	10	_	2	2	~	3	5
Prostate	4	2	0	0	_	_	2
Urinary tract	3	4	3	0	0	_	3
Non-Hodgkin's lymphoma	4	2	3	2	2	0	4
Leukemia	8	0	3	_	3	_	5
Other malignant neoplasms	43	10	8	18	12	8	18
Diabetes mellitus	19	2	7	_	4	4	18
Alzheimer's disease	27	4	9	5	10	_	24
Parkinson's disease	3	0	2	2	2	2	3
Diseases of heart	117	35	38	49	54	27	93
Essential hypertension	9	_	3	_	2	3	_
Cerebrovascular diseases	22	7	10	10	3	3	17
Influenza and pneumonia	13	4	4	2	3		6
Chronic lower respiratory disease	26	21	6	-	19	11	29
Pneumonitis due to solids and liquids	5	0	_	0	2	3	2
Chronic liver disease and cirrhosis	15	4	2	2	4	0	5
Nephritis and nephrosis	7	4	က	8	4	3	7
Conditions orig. in perinatal period	_	0	0	0	0	0	_
Congenital anomalies	4	0	0	0	0	0	3
Symptoms and ill-defined conditions	3	0	0	4	3	1	9
All other diseases	16	32	41	32	17	18	52
Unintentional injuries	25	10	25		7	2	20
Motor vehicle crashes	14	_	8	4	4	0	5
Falls	8	3	12	3	_	0	0
Accidental poisoning	28	_	7	_	5	_	8
Other unintentional injuries	7	5	3	3	_	_	7
Suicide	10	0	က	4	_	3	5
Homicide	4	0	0	0	0	0	
All other external causes	3	0	0	0	0	0	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	McDonald	Mercer	Miller	Mississippi	Moniteau	Monroe	Montgomery
All causes	586	46	320	208	191	123	191
COVID-19	10	2	16	6	13	10	16
Septicemia	0	2	7	_	0	_	0
HIV / AIDS	~	0	0	0	0	0	0
Malignant neoplasms	49	12	70	30	38	22	37
Colon, rectum, and anus	0	_	5	2	4	2	5
Pancreas	0	0	8	3	~	~	2
Trachea, bronchus, and lung	17	2	15	5	14	9	O
Breast	22	~	2	က	2	_	2
Cervix uteri, corpus uteri, and ovary	0	0	က	_	2	_	_
Prostate	6	2	2	0	0	0	2
Urinary tract	_	က	2	2	0	0	~
Non-Hodgkin's lymphoma	0	~	2	~	~	က	9
Leukemia	2	0	_	~	2	~	~
Other malignant neoplasms	15	2	29	12	12	7	8
Diabetes mellitus	10	_	10	_	4	7	9
Alzheimer's disease	14	3	2	10	_	9	7
Parkinson's disease	4	0	2	ဇ	3	_	2
Diseases of heart	61	14	63	89	41	40	51
Essential hypertension	_	0	6	2	7	2	2
Cerebrovascular diseases	10	~	17	13	14	5	7
Influenza and pneumonia	2	2	7	ဇ	2	_	~
Chronic lower respiratory disease	42	0	20	-	-	5	10
Pneumonitis due to solids and liquids	_	0	1	3	2	1	-
Chronic liver disease and cirrhosis	2	0	7	2	_	2	0
Nephritis and nephrosis	7	2	7	4	_	2	2
Conditions orig. in perinatal period	_	0	4	_	_	0	0
Congenital anomalies	_	0	0	_	~	0	~
Symptoms and ill-defined conditions	2	0	2	_	3	_	~
All other diseases	45	2	51	29	29	12	31
Unintentional injuries	17	2	14	10	12	4	6
Motor vehicle crashes	6	0	7	2	7	_	_
Falls	ဇ	0	3	5	~	0	~
Accidental poisoning	_		3	2		1	4
Other unintentional injuries	4		1		3	2	3
Suicide	4	0	7	3	5		7
Homicide	2	0	0		2	0	0
All other external causes	0	0	_	2	0	0	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Morgan	New Madrid	Newton	Nodaway	Oregon	Osage	Ozark
All causes	340	308	764	201	190	149	152
COVID-19	26	41	45	10	8	80	2
Septicemia	5	3		_	_	2	9
HIV / AIDS	0	_	_	0	0	0	_
Malignant neoplasms	02	28	129	20	32	31	36
Colon, rectum, and anus	9	2	13	6	2	3	_
Pancreas	4	4	8	S	2	4	2
Trachea, bronchus, and lung	23	18	31	7	6	6	14
Breast	5	2		9	_	_	3
Cervix uteri, corpus uteri, and ovary	5	_	4	_	_	0	0
Prostate	4	3	11	_	_	3	0
Urinary tract	2	7	10	2	2	_	_
Non-Hodgkin's lymphoma	_	2	9	2	_	_	2
Leukemia	_	2	5	2	2	0	0
Other malignant neoplasms	19	14	30	15	8	6	10
Diabetes mellitus	14	4	15	9	_	9	5
Alzheimer's disease	_	16	27	10	2	2	4
Parkinson's disease	_	_	14	2	2	3	_
Diseases of heart	78	29	185	47	54	30	40
Essential hypertension	10	5	ဇ	0	0	_	0
Cerebrovascular diseases	17	20	41	8	12	3	9
Influenza and pneumonia	7	9	13	5	9		4
Chronic lower respiratory disease	16	31	22	14	8	3	9
Pneumonitis due to solids and liquids		2	2	3	2	4	0
Chronic liver disease and cirrhosis	3	4	16	2	3	3	2
Nephritis and nephrosis	9	7	16	7	2	6	3
Conditions orig. in perinatal period	_	_	4	0	0	0	0
Congenital anomalies	0	2	0	0	0	0	0
Symptoms and ill-defined conditions	5	_	ဇ	0	7	_	4
All other diseases	53	41	127	28	39	33	15
Unintentional injuries	22	17	36	8	3	2	8
Motor vehicle crashes	6	8	15	3		_	3
Falls	3		4	3	0		0
Accidental poisoning	2	4	7	0	2	3	3
Other unintentional injuries	8	4	10	2	0	0	2
Suicide	8	9	12	0	2	4	5
Homicide	~	0	~	0	0	0	_
All other external causes	_	~	9	0	0	0	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Pemiscot	Perry	Pettis	Phelps	Pike	Platte	Polk
All causes	276	230	515	540	235	952	405
COVID-19	19	80	35	45	10	52	28
Septicemia	2	2	2	6	2	10	3
HIV / AIDS	0	0	0	0	0	~	0
Malignant neoplasms	38	43	66	78	40	172	59
Colon, rectum, and anus	9	2	7	9	4	13	2
Pancreas	8	က		7	7	13	2
Trachea, bronchus, and lung	8	10	27	19	10	38	6
Breast	3	3	7	10	2	11	7
Cervix uteri, corpus uteri, and ovary	~	2	5	5	_	~	_
Prostate	4	7	4	3	က	6	3
Urinary tract	_	~	2	2	2	12	4
Non-Hodgkin's lymphoma	2	0	4	2	0	O	2
Leukemia	0	5	_	3	ന	5	2
Other malignant neoplasms	10	10	28	21	80	61	18
Diabetes mellitus	2	_	20	38	8	2	10
Alzheimer's disease	9	20	29	15	6	41	16
Parkinson's disease	0	2	8	9	4	15	9
Diseases of heart	101	62	129	26	49	190	96
Essential hypertension	0	0	2	15	2	4	2
Cerebrovascular diseases	9	8	21	21	10	42	22
Influenza and pneumonia	2	8	9	5	5	12	8
Chronic lower respiratory disease	18	26	26	46	17	46	24
Pneumonitis due to solids and liquids		0	2	2	3	9	7
Chronic liver disease and cirrhosis	0	4	8	80	4	13	2
Nephritis and nephrosis	8	5	-	10	က	25	16
Conditions orig. in perinatal period	2	0	1		0	4	0
Congenital anomalies		2	2	1	0	2	0
Symptoms and ill-defined conditions	0		2	4	4	5	_
All other diseases	40	19	73	87	34	202	73
Unintentional injuries	16	10	25	38	20	22	23
Motor vehicle crashes	2	9	5	12	4	14	8
Falls		0	10	1	4	11	3
Accidental poisoning	2	_	9	21	o	22	3
Other unintentional injuries	9	3	4	4	3	8	6
Suicide	3	5	9	6	5	10	7
Homicide	4	4	1	2	2	9	2
All other external causes	_	0	~	0		2	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Pulaski	Putnam	Ralls	Randolph	Ray	Reynolds	Ripley
All causes	425	82	133	327	342	96	208
COVID-19	18	2	6	21	27	8	13
Septicemia	9	0	9	2	2	2	9
HIV / AIDS	0	0	0	0	0	0	0
Malignant neoplasms	74	13	28	29	29	22	33
Colon, rectum, and anus	10	0	5	2	9	_	2
Pancreas	3	_	4	5	9	2	_
Trachea, bronchus, and lung	17	2	3	16	21	3	12
Breast	2	0	_	9	2	0	4
Cervix uteri, corpus uteri, and ovary	4	0	2	2	_	_	2
Prostate	7	0	3	2	_	2	0
Urinary tract	2	8	3	2	4	4	4
Non-Hodgkin's lymphoma	2	0	0	2	2	_	0
Leukemia	4	0	0	2	4	2	_
Other malignant neoplasms	17	4	7	41	20	9	7
Diabetes mellitus	21	_	9	17	15	4	4
Alzheimer's disease	7	9	4	4	14	3	5
Parkinson's disease	3	0	_	0	4	0	0
Diseases of heart	29	13	39	69	73	20	43
Essential hypertension	19	2	5	9	3	0	_
Cerebrovascular diseases	18		9	6	13	4	4
Influenza and pneumonia	6		1	6	6	2	5
Chronic lower respiratory disease	37	13	7	25	13	5	18
Pneumonitis due to solids and liquids	0	0	0	4	1	0	0
Chronic liver disease and cirrhosis	8	0	_	4	2	_	3
Nephritis and nephrosis	9	2	8	2	1	2	2
Conditions orig. in perinatal period	0		0	0	0	0	2
Congenital anomalies	0	_	0	~	_	0	0
Symptoms and ill-defined conditions	2	0	2	5	_	3	0
All other diseases	77	18	8	64	51	12	53
Unintentional injuries	39	3	5	17	23	8	8
Motor vehicle crashes	9	_	2	9	8	5	3
Falls	0	0		~	3	0	
Accidental poisoning	29	_	0	5	8	0	2
Other unintentional injuries	4	_	2	5	4	3	2
Suicide	6	3	1	9	7	0	9
Homicide	2	0	_	0	3	0	_
All other external causes	3	0	0	0	2	0	_

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Saline	Schuyler	Scotland	Scott	Shannon	Shelby	St. Charles
All causes	286	52	49	520	129	100	3,601
COVID-19	22	4	2	32	10	2	188
Septicemia	2	2	2	8	_	2	36
HIV / AIDS	0	0	0	0	0	0	0
Malignant neoplasms	72	7	7	06	31	18	734
Colon, rectum, and anus	7	0	2	8	~	_	56
Pancreas	2	0	0	က	2	_	51
Trachea, bronchus, and lung	16	4	2	23	-	8	181
Breast	4	~	_	8	2	0	51
Cervix uteri, corpus uteri, and ovary	4	~	~	~	0	~	33
Prostate	8	0	0	4	က	0	40
Urinary tract	2	0	0	6	2	0	37
Non-Hodgkin's lymphoma	4	0	~	2	_	0	26
Leukemia	2	0	0	5	2	0	27
Other malignant neoplasms	22	~	0	27	7	7	232
Diabetes mellitus	6	က	~	10	8	_	78
Alzheimer's disease	9	~	_	22	2	2	201
Parkinson's disease	4	0	_	8	_	3	09
Diseases of heart	61	16	8	167	27	23	765
Essential hypertension	2	2	_	2	_	0	32
Cerebrovascular diseases	7	0	2	27	7	9	172
Influenza and pneumonia	5	3	0	11		9	92
Chronic lower respiratory disease	15	ဇ	4	27	7	7	152
Pneumonitis due to solids and liquids	_	0	0	က	0	_	32
Chronic liver disease and cirrhosis	4	0	2	7	2	2	45
Nephritis and nephrosis	4	_	2	12	0	2	81
Conditions orig. in perinatal period	2	-	0	2	0	0	7
Congenital anomalies	0	0	0		0	0	14
Symptoms and ill-defined conditions	_	0	0	5	0	2	13
All other diseases	99	8	8	29	26	18	999
Unintentional injuries	6	~	5	22	7	4	257
Motor vehicle crashes		0	4	10	3		35
Falls	3	0	0	0	2		96
Accidental poisoning	2	0	0	3	0		96
Other unintentional injuries	3		1	6	2		30
Suicide	3	0	0	5	2	~	69
Homicide	0	0	0	2		0	11
All other external causes		0	0	3	0	0	12

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

				St. Louis			
	St. Clair	St. Francois	St. Louis City	County	Ste. Genevieve	Stoddard	Stone
All causes	152	916	3,303	11,283	228	464	464
COVID-19	8	9	127	634	10	24	25
Septicemia	0	41	49	185	0	O	9
HIV / AIDS	0	_	12	7	0	0	0
Malignant neoplasms	30	183	516	1,992	43	85	96
Colon, rectum, and anus	4	16	53	211	2	2	7
Pancreas	_	-	35	153	4	7	10
Trachea, bronchus, and lung	6	89	138	424	7	33	28
Breast	_	15	38	184	_	10	2
Cervix uteri, corpus uteri, and ovary	_	4	21	96	_	0	2
Prostate	0	9	38	93	8	က	7
Urinary tract	2		25	101	4	က	9
Non-Hodgkin's lymphoma	0	4	-	58	_	2	_
Leukemia	8	2	7	75	2	~	C)
Other malignant neoplasms	6	43	150	265	18	21	25
Diabetes mellitus	4	23	107	257	4	2	2
Alzheimer's disease	5	33	83	595	3	23	8
Parkinson's disease	0	10	20	157	2	9	5
Diseases of heart	20	207	735	2,536	64	105	126
Essential hypertension	_	7	28	84	9	5	2
Cerebrovascular diseases	80	27	141	574	7	23	15
Influenza and pneumonia		12	22	151	5	11	7
Chronic lower respiratory disease	6	81	88	391	1	41	35
Pneumonitis due to solids and liquids	8	7	22	85	7	2	2
Chronic liver disease and cirrhosis	_	10	19	144	3	6	9
Nephritis and nephrosis	3	20	92	286	3	17	7
Conditions orig. in perinatal period	0	4	16	35		0	~
Congenital anomalies	0	2	6	23			0
Symptoms and ill-defined conditions	2	4	21	47		0	~
All other diseases	15	116	489	1,977	34	02	85
Unintentional injuries	6	71	450	773	18	24	26
Motor vehicle crashes	7	22	25	144	3	7	12
Falls	_	9	28	160	2	4	ന
Accidental poisoning		39	314	365	12	8	4
Other unintentional injuries	0	4	51	104	_	2	7
Suicide	2	12	25	151	2	က	9
Homicide	0	4	164	176	0	0	0
All other external causes	~	3	6	23	0	~	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Sullivan	Taney	Texas	Vernon	Warren	Washington	Wayne
All causes	73	742	387	311	433	367	206
COVID-19	9	53	30	16	26	38	16
Septicemia	~	5	8	7	10	9	9
HIV / AIDS	0	0	0	0	0	0	0
Malignant neoplasms	13	151	25	42	62	72	41
Colon, rectum, and anus	4	8	2	9	10	7	7
Pancreas	0	-	8	4	4	9	2
Trachea, bronchus, and lung	_	26	14	14	24	25	12
Breast	~	10	2	0	6	8	4
Cervix uteri, corpus uteri, and ovary	_	6	2	_	3	4	0
Prostate	0	18	5	2	_	_	
Urinary tract	0	41	_	2	8	4	_
Non-Hodgkin's lymphoma	0	4	8	0	4	0	0
Leukemia	~	8	3	0	4	2	_
Other malignant neoplasms	S	43	19	13	17	17	13
Diabetes mellitus	5	20	9	13	13	24	7
Alzheimer's disease	_	4	10	12	26	4	9
Parkinson's disease	0	2	2	_	3	2	3
Diseases of heart	21	225	85	82	100	64	27
Essential hypertension	0	2	2	_	_	2	_
Cerebrovascular diseases	က	24	26	12	13	17	6
Influenza and pneumonia		7	6	7	2	7	8
Chronic lower respiratory disease	5	41	21	20	29	26	18
Pneumonitis due to solids and liquids	~	8	3	0	0	4	0
Chronic liver disease and cirrhosis	0	21	10	4	4	3	3
Nephritis and nephrosis	0	17	4	6	10	7	10
Conditions orig. in perinatal period	0	2		0	1	0	_
Congenital anomalies	0	2		0	2	2	0
Symptoms and ill-defined conditions	0	2	7	2	3	2	_
All other diseases	12	110	20	62	70	52	34
Unintentional injuries		37	28	15	33	21	12
Motor vehicle crashes	0	9	7	4	9	10	4
Falls	0	9	5	2	9	0	2
Accidental poisoning	_	19	6	9	14	6	_
Other unintentional injuries	0	9	7	3	7	2	5
Suicide	3	8	6	4	9	7	3
Homicide	0	-	3	0	2	2	0
All other external causes	0	0		2	0	5	0

Table 26C. Resident Deaths by Selected Causes of Death by County of Residence: Missouri, 2022

	Webster	Worth	Wright	Unknown
All causes	459	20	303	2
COVID-19	38	0	19	0
Septicemia	7	_	4	0
HIV / AIDS	0	0	0	0
Malignant neoplasms	68	6	09	0
Colon, rectum, and anus	5	0	8	0
Pancreas	2	2	9	0
Trachea, bronchus, and lung	27	_	12	0
Breast	4	_	9	0
Cervix uteri, corpus uteri, and ovary	2	0	2	0
Prostate	3	0	3	0
Urinary tract	9	0	_	0
Non-Hodgkin's lymphoma	2	0	3	0
Leukemia	8	0	2	0
Other malignant neoplasms	32	5	17	0
Diabetes mellitus	10	4	9	0
Alzheimer's disease	5	2	2	0
Parkinson's disease	6	0	2	0
Diseases of heart	117	7	82	1
Essential hypertension	0	2		0
Cerebrovascular diseases	21	0	-	0
Influenza and pneumonia	3	_	8	0
Chronic lower respiratory disease	26	5	15	0
Pneumonitis due to solids and liquids	_	0	_	0
Chronic liver disease and cirrhosis	7	_	3	0
Nephritis and nephrosis	6	_	5	0
Conditions orig. in perinatal period	0	0	3	0
Congenital anomalies	_	0	_	0
Symptoms and ill-defined conditions	_	0	_	0
All other diseases	81	12	46	0
Unintentional injuries	24	5	20	1
Motor vehicle crashes	5	3	2	0
Falls	7	0		0
Accidental poisoning	4		9	1
Other unintentional injuries	80	~	8	0
Suicide	7	0	9	0
Homicide	_	0	3	0
All other external causes	2	0	~	0

Table 26D. Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri, 2022

	Ballwin	Blue Springs	Cape Girardeau	Chesterfield	Columbia	Florissant	Gladstone
All causes	592	534	492	604	882	029	323
COVID-19	16	22	25	34	27	49	23
Septicemia	4	9	9	9	20	14	ဇ
HIV / AIDS	0	0	~	0	2	0	_
Malignant neoplasms	45	95	83	103	167	143	70
Colon, rectum, and anus	5	16	9	11	18	14	7
Pancreas	3	7	9	8		16	9
Trachea, bronchus, and lung	11	21	23	18	34	37	16
Breast	4	9	4	10	13	6	7
Cervix uteri, corpus uteri, and ovary	2	9	2	4	14	4	က
Prostate	0	5	7	5	13	9	2
Urinary tract	3	က	~	6	10	8	Ŋ
Non-Hodgkin's lymphoma	_	က	2	4	4	4	က
Leukemia	_	က	4	7	4	4	က
Other malignant neoplasms	15	25	22	27	46	41	18
Diabetes mellitus	9	17	2	7	21	20	7
Alzheimer's disease	16	10	42	47	39	26	4
Parkinson's disease	8	7	8	20	17	က	4
Diseases of heart	51	104	106	123	164	144	71
Essential hypertension	3	4	7	3	9	80	_
Cerebrovascular diseases	14	21	25	37	37	30	18
Influenza and pneumonia	3	4	8	11	18	5	_
Chronic lower respiratory disease	10	32	42	23	40	24	13
Pneumonitis due to solids and liquids	3	2	2	3	2	5	2
Chronic liver disease and cirrhosis	3	-	7	2	13	-	2
Nephritis and nephrosis	5	14	22	15	10	1-	O
Conditions orig. in perinatal period	_	_		0	9	-	0
Congenital anomalies	0	4	0	1	8		_
Symptoms and ill-defined conditions	1	4	4	3	2	5	3
All other diseases	29	115	89	135	186	93	89
Unintentional injuries	11	41	15	18	99	48	16
Motor vehicle crashes	2	5	5	2	12	10	2
Falls	3	9	2	6	8	6	2
Accidental poisoning	5	22	3	4	33	22	12
Other unintentional injuries	1	8	5	3	13	7	0
Suicide	6	12	4	11	17	1	5
Homicide	0	8	9	1	13	17	0
All other external causes		0	0		_	_	_

Table 26D. Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri, 2022

All causes COVID-19 Septicemia HIV / AIDS Malignant neoplasmsColon, rectum, and anusPancreasBreastCervix uteri, corpus uteri, and ovaryProstate	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	228 228 177 17 40 44 44 44 44 44 60 00 00 00 00 00 00 00 00 00 00 00 00	1,664 1,664 108 293 293 293 293 13 113 110 10 110 110 110 110 110 110	499 499 25 12 11 11 11 13 13	624 30 30 111 115 110 7 7	539 23 10	85
All causes COVID-19 Septicemia HIV / AIDS Malignant neoplasmsColon, rectum, and anusPancreasBreastCervix uteri, corpus uteri, and ovaryProstate	000000000000000000000000000000000000000	22	1,004 108 108 293 293 293 113 113 114 116 116 116 117 118	25	9024 30 30 111 115 110 7 7 7 7 7	23	28
Septicemia HIV / AIDS Malignant neoplasmsColon, rectum, and anusPrachea, bronchus, and lungBreastCervix uteri, corpus uteri, and ovaryProstate	02 0 0 0 8 0 5 0 4 0 0 0 5	71	108 293 293 293 113 113 114 116 111 111 111 111 111 111 111 111	25 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	30 111 115 115 7 7 7 7 7	23	/
Septicemia HIV / AIDS Malignant neoplasmsColon, rectum, and anusPrachea, bronchus, and lungBreastCervix uteri, corpus uteri, and ovaryProstate	2 0 0 8 0 1 2 2 4 2 4 0 - 7	7 - 0 4 5 6 4 7 0 7 6 9	293 293 293 113 113 114 116 116	12 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	111 115 100 100 100 100 100 100 100 100	10	7
Malignant neoplasmsColon, rectum, and anusPrachea, bronchus, and lungBreastCervix uteri, corpus uteri, and ovaryProstate	0 0 8 8 6 6 7 7 7 7 7 0 7 5	- 0 4 0 0 <td>293 293 222 222 223 13 13 14 16 11 11 11</td> <td>75 77 77 77</td> <td>115 110 10 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7</td> <td>_</td> <td>_</td>	293 293 222 222 223 13 13 14 16 11 11 11	75 77 77 77	115 110 10 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	_	_
Malignant neoplasmsColon, rectum, and anusPancreasTrachea, bronchus, and lungBreastCervix uteri, corpus uteri, and ovaryProstate	8 8 6 6 7 7 7 7 7 9 0 7 5	0	293 222 223 833 13 10 7 7 7 7 11 11 11 11 11 11 11 11 11 11 1	75	115 10 7 7 7 7 7 7 7 7		0
Colon, rectum, and anusPancreasTrachea, bronchus, and lungBreastCervix uteri, corpus uteri, and ovaryProstate	8 0 0 0 4 0 4 0 - 6	0 0 0 0 0 0 0 0	22 22 83 13 10 7 7 7 7 11 11 11 11 11 11 11 11 11 11 1	23 1 1 3 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	10 7 7 28 8 8	103	12
PancreasTrachea, bronchus, and lungBreastCervix uteri, corpus uteri, and ovaryProstate	0 0 0 7 7 7 0 0 0 0	0 0 0 0 0 0 0 0	222 83 13 14 17 17 17 19 10 10 10 10 10 10 10 10 10 10 10 10 10	23 1 3 5 6 0 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	288	6	_
Trachea, bronchus, and lungBreastCervix uteri, corpus uteri, and ovaryProstate	2 2 3 4 4 4 4 5 4 5 6 6 7 8 8 8 9 10	0 4 7 0 7 0 6 0 5	83 13 13 83 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	23	28	9	_
Cervix uteri, corpus uteri, and ovaryProstate	0 4 0 4 0 - 6	4 2 0 0 0 0 0 9	13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	22 22 1 3 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	8	25	က
Cervix uteri, corpus uteri, and ovaryProstate	4 0 4 0 - 6	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	01 7 11 16 16 16 16 16 16 16 16 16 16 16 16	22 22 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	7	9	2
Prostate	2 4 0 - 5	0 0 0 0 0 0	7 11 11 6	22 22 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	-	2	0
+00+ /200ill	4 0 - 7	0 0 0 0 0	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3 3 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	11	O	2
O	0 1 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	11 17	22 22 1 13 7 7 7 7	8	7	_
Non-Hodgkin's lymphoma	15 1	0 10 9	11	22 22 13	9	9	0
Leukemia	15	0 0 0	91	13	2	2	0
Other malignant neoplasms		0 0		13	28	26	2
Diabetes mellitus	7	9	44	7	24	22	2
Alzheimer's disease	4		15	•	32	25	7
Parkinson's disease	4	4	17	~	9	9	0
Diseases of heart	21	26	356	127	129	112	17
Essential hypertension	_	က	9	6	0	0	0
Cerebrovascular diseases	13	10	99	21	24	18	9
Influenza and pneumonia	2	က	26	1	11	8	3
Chronic lower respiratory disease	41	12	81	26	55	90	5
Pneumonitis due to solids and liquids	0	_	80	9	0	0	0
Chronic liver disease and cirrhosis	2	0	17	5	13		2
Nephritis and nephrosis	4	9	39	24	13		2
Conditions orig. in perinatal period	_	_	4	_	4	4	0
Congenital anomalies	က	0	2	2	_	~	0
Symptoms and ill-defined conditions	0	_	6	9	4	4	0
All other diseases	44	38	396	06	98	62	19
Unintentional injuries	25	12	115	24	35	34	_
Motor vehicle crashes	2	_	24	7	9	9	0
Falls	2	_	21	4	3	ဇ	0
Accidental poisoning	10	7	51	8	17	16	1
Other unintentional injuries	2	3	19	2	6	6	0
Suicide	4	2	44	10	10	6	_
Homicide	9	9	22	4	7	7	0
All other external causes	က	2	4	0	_	~	0

Table 26D. Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri, 2022

	Kansas Citv	Kansas City - Cass County	Kansas City - Clav County	Kansas City - Jackson County	Kansas City - Platte County	Kirkwood	Lee's Summit
All causes	4.820	0	1.033	3.280	507	309	879
COVID-19	284	C	65	190	29	1,8	69
Septicemia	99	0	10	51	4	7	7
HIV / AIDS	-	0	_	10	0	0	0
Malignant neoplasms	845	0	219	543	83	55	155
Colon, rectum, and anus	61	0	13	42	9	2	13
Pancreas	72	0	18	45	6	8	17
Trachea, bronchus, and lung	203	0	09	125	18	10	19
Breast	02	0	20	45	2	2	16
Cervix uteri, corpus uteri, and ovary	42	0	41	27	_	2	9
Prostate	36	0	9	25	2	5	8
Urinary tract	48	0	41	27	7	_	13
Non-Hodgkin's lymphoma	22	0	7	41	_	2	5
Leukemia	30	0	80	18	4	_	8
Other malignant neoplasms	261	0	59	175	27	16	50
Diabetes mellitus	113	0	23	88	2	4	12
Alzheimer's disease	117	0	39	52	26	27	29
Parkinson's disease	20	0	18	22	10	9	16
Diseases of heart	086	0	190	689	101	99	163
Essential hypertension	25	0	4	18	3	2	5
Cerebrovascular diseases	207	0	45	138	24	16	47
Influenza and pneumonia	69	0	13	40	9	6	6
Chronic lower respiratory disease	174	0	42	106	26	10	34
Pneumonitis due to solids and liquids	31	0	10	19	2	9	5
Chronic liver disease and cirrhosis	80	0	12	09	80	8	4
Nephritis and nephrosis	109	0	22	75	12	8	24
Conditions orig. in perinatal period	24	0	3	19	2	0	_
Congenital anomalies	17	0	9	11	0	0	4
Symptoms and ill-defined conditions	33	0	9	26	_	_	4
All other diseases	920	0	202	287	131	52	203
Unintentional injuries	437	0	92	330	31	15	54
Motor vehicle crashes	62	0	16	99	7	_	7
Falls	62	0	21	53	2	8	27
Accidental poisoning	215	0	29	172	14	5	12
Other unintentional injuries	64	0	10	49	5	_	8
Suicide	81	0	20	58	3	2	24
Homicide	148	0	9	139	3	2	8
All other external causes	10	0	_	6	0	0	2

Table 26D. Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri, 2022

	-	Maryland	100	4.0	10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	o de la constante de la consta	4000 13
			_	Naytowii	nialifilido	ot. Ollailes	ot. oosepii
All causes	268	279	208	401	2,185	777	884
COVID-19	17	14	44	27	111	39	35
Septicemia	2	5	4	7	36	6	19
HIV / AIDS	0	0	0	0	က	0	0
Malignant neoplasms	38	47	136	09	338	145	157
Colon, rectum, and anus	9	2	-	4	38	8	12
Pancreas	က	2	6	_	22	7	11
Trachea, bronchus, and lung	8	-	33	15	83	35	42
Breast	က	9	15	2	16	=	12
Cervix uteri, corpus uteri, and ovary	က	0	က	7	10	80	9
Prostate	2	က	S	3	15	2	D.
Urinary tract	က	2	7	_	15	7	7
Non-Hodgkin's lymphoma	0	~	4	8	18	2	9
Leukemia	2	~	က	_	18	6	8
Other malignant neoplasms	8	13	46	20	103	53	48
Diabetes mellitus	6	-	9	6	33	18	10
Alzheimer's disease	7	15	42	7	102	47	33
Parkinson's disease	2	4	16	3	25	41	10
Diseases of heart	28	69	156	80	551	161	227
Essential hypertension	2	~	6	3	5	9	2
Cerebrovascular diseases	17	13	37	20	81	34	35
Influenza and pneumonia	4	4		7	29	22	18
Chronic lower respiratory disease	14	4	31	29	107	36	99
Pneumonitis due to solids and liquids	0	~	9	3	12	6	8
Chronic liver disease and cirrhosis	4	9	2	6	55		11
Nephritis and nephrosis	9	3	18	8	48	17	17
Conditions orig. in perinatal period	_	~	0	3	80	2	က
Congenital anomalies	_	0	9	_	9	4	က
Symptoms and ill-defined conditions	2	3	0	_	7	4	4
All other diseases	29	51	114	89	378	122	139
Unintentional injuries	13	17	49	19	176	54	65
Motor vehicle crashes	2	9	6	4	18	Ŋ	12
Falls	9	2	21	9	36	19	11
Accidental poisoning	2	2	16	9	103	21	35
Other unintentional injuries	0	~	3	3	19	6	7
Suicide	8	2	12	9	99	17	14
Homicide	0	2	3	10	41	4	9
All other external causes	1	3	3	0	4	2	2

Table 26D. Resident Deaths by Selected Causes of Death by Cities with 25,000 or More Population: Missouri, 2022

	St. Louis City	St. Peters	University City	Wentzville	Wildwood
All causes	3,304	511	322	323	207
COVID-19	127	19	17	18	8
Septicemia	49	9	5	2	~
HIV / AIDS	12	0	0	0	0
Malignant neoplasms	517	86	61	61	55
Colon, rectum, and anus	53	2	10	က	
Pancreas	35	8	4	4	3
Trachea, bronchus, and lung	138	25	6	17	2
Breast	38	7	4	~	2
Cervix uteri, corpus uteri, and ovary	21	2	5	8	3
Prostate	38	7	2	9	3
Urinary tract	25	9	4	4	
Non-Hodgkin's lymphoma	1-	5	2	က	4
Leukemia	2	4	0	4	8
Other malignant neoplasms	151	26	21	16	23
Diabetes mellitus	107	10	9	10	8
Alzheimer's disease	83	36	33	21	8
Parkinson's disease	20	7	6	5	4
Diseases of heart	735	109	87	28	45
Essential hypertension	28	5	9	4	_
Cerebrovascular diseases	141	29	21	41	5
Influenza and pneumonia	22	12	2	5	2
Chronic lower respiratory disease	88	24	6	21	2
Pneumonitis due to solids and liquids	22	3	3	4	_
Chronic liver disease and cirrhosis	61	10	2	က	9
Nephritis and nephrosis	92	15	14	4	3
Conditions orig. in perinatal period	16	_	0	0	_
Congenital anomalies	6	0	~	_	_
Symptoms and ill-defined conditions	21	1		2	0
All other diseases	489	92	52	90	50
Unintentional injuries	450	37	19	32	7
Motor vehicle crashes	25	_	4	က	0
Falls	28	17	5	41	9
Accidental poisoning	314	13	7	11	1
Other unintentional injuries	51	9	3	4	0
Suicide	25	11		7	3
Homicide	164	2	9	0	~
All other external causes	6	0	0		0

Table 27. Recorded Deaths by Type of Accident by Age by Sex: Missouri, 2022

		All A	des	0-4 Ye	ears	05-14 Y€	Years	15-24 Y	ears	25-44)	/ears	45-64	Years	(82-74)	Years	Over	74
	Total	Male	Female		Female	Male Fe	Female	Male F	emale	Male	Female	Male	-emale	Male	Female	Male	Female
Recorded Total	5,083	3,318	1,765	77	45	53	16	285	117	1,085	429	916	373	370	185	226	603
Work Total	92	88	9	0	0	0	0	9	0	31	2	34	_	6	0	6	0
Heavy transport vehicle	9	9	0	0	0	0	0	0	0	_	0	3	0	2	0	0	0
Other motor vehicle	32	30	2	0	0	0	0	က	0	12	4	6	_	က	0	က	0
Other transport	7	9	_	0	0	0	0	_	0	_	_	2	0	0	0	2	0
Falls	15	15	0	0	0	0	0	0	0	4	0	9	0	2	0	3	0
Farm machinery	2	2	0	0	0	0	0	0	0	0	0	_	0	_	0	0	0
Other machinery	2	2	0	0	0	0	0	0	0	2	0	2	0	_	0	0	0
Struck by/against object	4	4	0	0	0	0	0	_	0	9	0	7	0	0	0	0	0
Electric current	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unspecified accident	7	7	0	0	0	0	0	-	0	2	0	4	0	0	0	-	0
Home Total	2,273	1,430	843	63	33	6	∞	96	43	498	237	391	207	151	84	222	231
Falls	999	293	273	0	0	0	0	_	0	80	-	36	21	65	46	183	205
Machinery	9	9	0	0	0	0	0	0	0	-	0	-	0	-	0	က	0
Firearms	20	18	2	7	7	4	0	4	0	က	0	က	0	2	0	0	0
Struck by/against object	20	9	2	0	0	0	-	က	0	9	0	-	0	က	0	2	_
Drowning	29	17	12	4	2	-	0	0	0	2	က	က	2	4	_	က	_
Choke/suffocate	96	62	34	4	21	0	2	-	0	က	2		2	7	_	က	9
Excess natural heat/cold	21	13	80	0	0	0	0	0	0	2	-	2	က	2	_	4	က
Fire/flame/smoke	83	46	37	4	-	0	4	0	က	7	4	13	7	7	∞	7	10
Poisoning (drug/alcohol)	1,356	902	424	7	-	4	-	82	40	454	223	301	168	49	20	7	_
Poisoning (gas/other)	20	15	2	2	0	0	0	0	0	9	-	4	2	_	_	2	_
Other/unspecified accident	26	40	16	3	3	0	0	2	0	9	2	17	2	9	9	9	3
Public Transport Total	1,109	190	319	9	က	13	9	138	24	230	98	240	92	82	42	81	52
Car or truck	761	512	249	2	က	13	4	86	45	138	61	139	22	49	31	20	48
Pedestrian	136	92	41	_	0	0	_	14	4	59	20	34	9	10	တ	7	_
Pedal cyclist	7	6	2	0	0	0	_	0	0	2	0	2	_	2	0	0	0
Motorcyclist	147	133	14	0	0	0	0	21	3	47	2	25	9	11	_	2	2
Railroad (not motor vehicle)	2	4	_	0	0	0	0	2	_	2	0	0	0	0	0	0	0
Non-road vehicle (including ATV)	24	18	9	0	0	0	0	0	0	2	က	9	က	2	0	2	0
Water transport	10	6	_	0	0	0	0	0	_	က	0	7	0	4	0	0	0
Air transport	2	2	0	0	0	0	0	7	0	0	0	0	0	0	0	0	0
Other/unspecified transport	13	∞	2	0	0	0	0	_	0	_	0	2	က	_	_	0	
Public Non-Transport Total	1,572	982	282	∞	9	7	7	45	20	321	66	243	83	124	29	237	318
Falls	397	172	225	0	0	_	0	_	_	2	_	19	က	30	21	116	199
Machinery	80	7	_	0	0	0	0	0	_	0	0	_	0	2	0	_	0
Firearms	4	4	0	_	0	_	0	0	0	_	0	0	0	_	0	0	0
Struck by/against object	7	10	_	0	0	0	0	_	0	_	0	4	_	2	0	2	0
Drowning	48	42	9	0	0	3	_	9	0	16	4	1	0	3	_	က	0
Choke/suffocate	131	80	21	2	2	2	_	_	_	2	_	8	4	19	13	43	29
Excess natural heat/cold	38	28	10	0	7	0	0	0	0	7	_	7	_	10	4	2	2
Fire/flame/smoke	7	8	3	0	0	0	0	0	0	3	_	_	0	4	2	0	0
Poisoning (drug/alcohol)	717	535	182	2	_	0	0	34	16	286	88	174	64	34	9	2	9
Poisoning (gas/other)	7	_	9	0	_	0	0	0	0	_	_	0	2	0	_	0	_
Other/unspecified accident	200	86	102	0	0	0	0	7	_	4	_	4	∞	16	=	62	8
Late Effects of Accidents	34	24	10	0	0	0	0	0	0	5	2	8	9	4	0	7	2

Table 28. Resident Deaths by Selected Variables by Determination of Tobacco Use Contributing to Cause of Death: Missouri, 2022

		Tobac	Tobacco Use Contributed to Death	tributed to	Death		Percentage	ıtage	
	Total	Yes	Probably	o N	Unknown	Yes	Probably	No	Unknown
State Total	71,776	6,588	3,718	33,720	27,750	9.5	5.2	47.0	38.7
Gender									
Male	37,457	3,784	2,230	16,713	14,730	10.1	0.9	44.6	39.3
Female	34,319	2,804	1,488	17,007	13,020	8.2	4.3	49.6	37.9
Decedent's Race									
White Non-Hispanic	61,734	5,918	3,272	28,507	24,037	9.6	5.3	46.2	38.9
Black Non-Hispanic	8,106	268	374	4,151	3,013	7.0	4.6	51.2	37.2
Other Non-Hispanic*	1,024	99	37	571	351	6.3	3.6	55.8	34.3
Hispanic, Any Race	843	30	31	462	320	3.6	3.7	54.8	38.0
Decedent's Age									
Under 35	3,221	17	14	2,686	204	0.5	0.4	83.4	15.6
35-44	2,434	61	20	1,630	693	2.5	2.1	0.79	28.5
45-54	3,890	306	169	1,947	1,468	7.9	4.3	50.1	37.7
55-64	9,872	1,341	718	3,769	4,044	13.6	7.3	38.2	41.0
65-74	15,038	2,183	1,091	5,607	6,157	14.5	7.3	37.3	40.9
75-84	18,151	1,854	1,073	7,708	7,516	10.2	5.9	42.5	41.4
85+	19,168	826	603	10,373	7,366	4.3	3.1	54.1	38.4
Underlying Cause of Death									
Heart disease	16,118	1,539	865	6,681	7,033	9.5	5.4	41.5	43.6
Cancer	13,065	1,951	1,051	4,942	5,121	14.9	8.0	37.8	39.2
Lung cancer	3,374	1,307	524	320	1,223	38.7	15.5	9.5	36.2
Other cancer	9,691	644	527	4,622	3,898	9.9	5.4	47.7	40.2
Chronic lower respiratory disease	3,809	1,438	515	425	1,431	37.8	13.5	11.2	37.6
Stroke	3,148	160	134	1,406	1,448	5.1	4.3	44.7	46.0
Unintentional injuries	4,922	89	45	3,626	1,183	1.4	6.0	73.7	24.0
Alzheimer's disease	2,619	33	34	1,629	923	1.3	1.3	62.2	35.2
Diabetes mellitus	1,877	172	142	759	804	9.5	7.6	40.4	42.8
Influenza and pneumonia	1,097	61	20	202	479	5.6	4.6	46.2	43.7
Nephritis and nephrosis	1,683	20	42	200	811	4.2	2.5	45.2	48.2
Other	23,438	1,096	840	12,985	8,517	4.7	3.6	55.4	36.3

Table 29. Resident Deaths by Selected Characteristics by Sex: Missouri, 2022

	Total	Female	Male
State Total	71,776	34,319	37,457
Certifier			
Certifying Physician	54,682	28,265	26,417
Medical Examiner/Coroner	16,837	5,967	10,870
Other	257	87	170
Death Place			
Inpatient	20,761	9,587	11,174
Emergency Room/Outpatient	4,085	1,581	2,504
Dead on Arrival	40	80	32
Decedent's Home	25,389	11,310	14,079
Hospice Facility	2,450	1,295	1,155
Nursing Home	15,176	9,208	5,968
Other	3,874	1,329	2,545
Unknown	_	_	0
Month of Death			
January	8,251	3,918	4,333
February	6,370	3,015	3,355
March	5,828	2,797	3,031
April	5,378	2,558	2,820
Мау	5,591	2,636	2,955
June	5,442	2,610	2,832
July	5,651	2,730	2,921
August	5,553	2,647	2,906
September	5,417	2,576	2,841
October	5,674	2,743	2,931
November	5,842	2,771	3,071
December	6,779	3,318	3,461

	Total	Female	Male
Disposition			
Burial	28,477	14,966	13,511
Cremation	40,685	18,005	22,680
Donation	1,102	268	534
Entombment	339	191	148
Removal from State	1,132	571	561
Other	41	18	23
Marital Status			
Married	25,714	8,671	17,043
Divorced	13,368	6,156	7,212
Widowed	22,240	15,771	6,469
Never Married	9,849	3,554	6,295
Unknown	605	167	438
Education of Deceased			
8th Grade or Less	5,249	2,545	2,704
9th to 11th Grade	7,468	3,449	4,019
High School Graduates	33,154	16,539	16,615
Some College	14,009	6,779	7,230
Bachelor's Degree	6,698	2,940	3,758
Post-Graduate Degree	4,048	1,629	2,419
Unknown	1,150	438	712
Autopsy			
Yes	4,548	1,412	3,136
Yes, but not used	237	90	147

Table 30. Abridged Life Table for Total Population and by Sex: Missouri, 2022

Total Population

Age Interval	Proportion Dying	Of 100,000	Of 100,000 Born Alive	Stationary Population	Population	Average Remaining Lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
N + X OL X	ď	Ľ	ND _X	۸L×	××	Ēx
0 to 1	0.0065	100,000	653	99,413	7,542,882	75.4
1 to 5	0.0014	99,347	141	397,108	7,443,469	74.9
5 to 10	0.0007	99,207	74	495,848	7,046,361	71.0
10 to 15	0.0010	99,133	26	495,419	6,550,513	66.1
15 to 19	0.0044	99,035	438	494,081	6,055,094	61.1
20 to 25	9900:0	26,597	654	491,350	5,561,013	56.4
25 to 30	0.0087	97,943	849	487,592	5,069,663	51.8
30 to 35	0.0111	97,094	1,081	482,768	4,582,071	47.2
35 to 40	0.0133	96,013	1,274	476,880	4,099,303	42.7
40 to 45	0.0174	94,739	1,646	469,579	3,622,424	38.2
45 to 50	0.0218	93,093	2,034	460,378	3,152,845	33.9
50 to 55	0.0314	91,059	2,857	448,151	2,692,466	29.6
55 to 60	0.0496	88,202	4,378	430,066	2,244,315	25.4
60 to 65	0.0691	83,824	5,793	404,640	1,814,249	21.6
65 to 70	0.0931	78,032	7,265	371,995	1,409,609	18.1
70 to 75	0.1288	79,767	9,116	331,042	1,037,614	14.7
75 to 80	0.1960	61,650	12,083	278,043	706,572	11.5
80 to 85	0.3009	49,567	14,912	210,554	428,529	8.6
85+	1.0000	34,654	34,654	217,976	217,976	6.3

Table 30. Abridged Life Table for Total Population and by Sex: Missouri, 2022

Male Population


Age Interval	Proportion Dying	Of 100,000 Born Alive	Born Alive	Stationary Population	opulation	Average Remaining Lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
N + X OL X	Q _N	Ľ	ND _X	лLх	Ϋ́	Ж
0 to 1	0.0070	100,000	669	99,370	7,262,477	72.6
1 to 5	0.0016	99,301	163	396,877	7,163,106	72.1
5 to 10	0.0008	99,138	80	495,490	6,766,229	68.3
10 to 15	0.0012	850'66	116	495,002	6,270,739	63.3
15 to 19	0.0065	98,943	643	493,106	5,775,737	58.4
20 to 25	0.0094	98,300	926	489,183	5,282,631	53.7
25 to 30	0.0119	97,373	1,162	483,961	4,793,448	49.2
30 to 35	0.0149	96,211	1,433	477,473	4,309,487	44.8
35 to 40	0.0178	94,778	1,682	469,686	3,832,014	40.4
40 to 45	0.0212	93,096	1,972	460,551	3,362,328	36.1
45 to 50	0.0269	91,124	2,449	449,499	2,901,777	31.8
50 to 55	0.0381	88,675	3,382	434,921	2,452,277	27.7
55 to 60	0.0609	85,293	5,197	413,474	2,017,356	23.7
60 to 65	0.0849	960'08	6,801	383,479	1,603,883	20.0
65 to 70	0.1130	73,295	8,282	345,772	1,220,403	16.7
70 to 75	0.1517	65,014	9,862	300,412	874,631	13.5
75 to 80	0.2282	55,151	12,584	244,297	574,219	10.4
80 to 85	0.3486	42,568	14,839	175,739	329,923	7.8
85+	1.0000	27,728	27,728	154,183	154,183	5.6

Table 30. Abridged Life Table for Total Population and by Sex: Missouri, 2022

Female Population

Age Interval	Proportion Dying	Of 100,000	Of 100,000 Born Alive	Stationary Population	Population	Average Remaining Lifetime
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
N + X OL X	ď	Ť	ďχ	мĽх	ř	ШX
0 to 1	09000	100,000	604	99,457	7,835,465	78.4
1 to 5	0.0012	962'66	118	397,349	7,736,008	77.8
5 to 10	0.0007	99,278	89	496,222	7,338,659	73.9
10 to 15	0.0008	99,211	78	495,857	6,842,437	0.69
15 to 19	0.0022	99,132	219	495,113	6,346,580	64.0
20 to 25	0.0037	98,913	370	493,639	5,851,466	59.2
25 to 30	0.0053	98,543	518	491,418	5,357,827	54.4
30 to 35	0.0073	98,025	720	488,323	4,866,409	49.6
35 to 40	0.0087	97,305	846	484,407	4,378,086	45.0
40 to 45	0.0135	96,458	1,303	479,033	3,893,679	40.4
45 to 50	0.0168	95,155	1,597	471,783	3,414,647	35.9
50 to 55	0.0245	93,558	2,294	462,055	2,942,864	31.5
55 to 60	0.0385	91,264	3,509	447,546	2,480,808	27.2
60 to 65	0.0538	87,755	4,720	426,973	2,033,262	23.2
65 to 70	0.0746	83,034	6,192	399,692	1,606,290	19.3
70 to 75	0.1086	76,842	8,347	363,344	1,206,598	15.7
75 to 80	0.1689	68,496	11,566	313,563	843,254	12.3
80 to 85	0.2645	56,929	15,060	246,997	529,691	9.3
85+	1.0000	41,869	41,869	282,694	282,694	6.8

Graph F. Marriage Rates per 1,000 Population: Missouri, 1950-2022



Year	Marriages	Rate	Year	Marriages	Rate	Year	Marriages	Rate
1950	34,300	8.7	1985	49,484	6.6	2016	41,747	6.9
1955	34,162	8.3	1990	49,063	9.6	2017	40,316	9.9
1960	35,368	8.2	1995	45,057	8.4	2018	39,692	6.5
1965	39,882	8.9	2000	43,665	7.8	2019	36,636	0.9
1970	50,224	10.7	2002	40,675	7.0	2020	34,425	9.9
1975	50,147	10.5	2010	38,998	6.5	2021	37,524	6.1
1980	54,625	11.1	2015	41,377	8.9	2022	36,103	2.8

Table 31. Reported Marriages by Month of Event: Missouri, 2022

			Gender		
	Total	Male-Female	Female-Female	Male-Male	Not Stated
Total	36,103	34,766	854	868	06
January	1,367	1,321	27	14	2
February	1,714	1,620	64	29	1
March	1,974	1,896	48	26	4
April	2,943	2,851	62	24	9
Мау	3,572	3,462	73	27	10
June	3,731	3,586	06	44	11
July	3,060	2,913	96	43	8
August	2,727	2,598	82	39	8
September	4,337	4,195	68	40	13
October	5,853	5,654	132	55	12
November	2,504	2,426	49	23	9
December	2,321	2,244	42	29	9

Table 32. Reported Male-Female Marriages by Age: Missouri, 2022

								Age	Age of Female	<u>e</u>						
Age of Male	Total	14 And Under	د	16	17	8	6	20	24	22	23	24	25	56	27	28
Total	34,766	0	0	11	30	381	633	923	1,321	1,525	1,818	1,971	2,039	2,102	1,834	1,763
14 And Under	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	10	0	0	2	0	4	4	0	0	0	0	0	0	0	0	0
18	161	0	0	2	8	71	43	22	4	4	_	0	2	_	0	0
19	364	0	0	4	7	106	116	28	40	15	2	က	_	_	_	_
20	648	0	0	0	4	75	141	189	110	28	27	14	2	4	2	_
21	981	0	0	0		47	133	219	274	156	65	31	23	8	9	3
22	1,207	0	0	0	0	25	73	128	281	312	192	85	39	16	15	15
23	1,442	0	0	0	0	18	48	87	220	292	394	187	8	39	28	1
24	1,630	0	0	0	0	10	21	29	131	231	353	378	213	92	36	31
25	1,762	0	0	0	0	10	17	42	98	142	241	376	401	203	93	54
26	1,766	0	0	0	0	2	7	20	20	86	156	252	375	411	172	86
27	1,901	0	0	0	0	က	4	26	31	61	116	175	247	404	354	197
28	1,810	0	0	0	0	2	7	13	28	35	82	123	200	276	300	303
29	1,612	0	0	0	0	~	3	11	25	32	48	92	122	170	194	269
30	1,546	0	0	0	0	0	2	80	9	21	31	61	85	111	195	185
31	1,322	0	0	0	0	0	က	4	7	17	56	48	64	82	109	136
32	1,286	0	0	0	0	_	0	4	5	12	10	30	42	89	87	122
33	1,110	0	0	0	0	_	_	က	4	80	18	24	27	75	09	71
34	1,016	0	0	0	0	0	_	2	က	က	6	19	22	39	27	59
35-39	3,694	0	0	0	0	0	4	7	80	15	56	22	28	83	107	145
40-44	2,576	0	0	0	0	_	_	9	_	80	9	20	16	27	32	43
45-49	1,952	0	0	0	0	_	0	_	_	4	80	7	6	7	7	17
50-54	1,591	0	0	0	0	0	_	0	0	0	က	က	က	2	4	8
55-59	1,250	0	0	0	0	0	0	2	0	_	0	2	4	_	_	5
60-64	806	0	0	0	0	0	0	0	2	0	_	0	0	0	0	_
62-69	563	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
70-74	335	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
75 +	322	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Not Stated	_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table 32. Reported Male-Female Marriages by Age: Missouri, 2022

								Age of Female	emale							
Age of Male	29	30	31	32	33	34	35-39	40-44	45-49	50-54	55-59	60-64	62-69	70-74	75 +	Not Stated
Total	1,540	1,434	1,245	1,123	1,042	889	3,233	2,348	1,729	1,341	922	202	417	232	179	3
14 And Under	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	_	2	_	0	0	_	0	_	0	0	0	0	0	0	0	0
20	_	2	2	0	0	0	2	_	0	0	0	0	0	0	0	0
21	2	က	က	_	_	0	2	0	0	0	0	0	0	0	0	0
22	Ω	က	7	_	3	2	4	_	0	0	0	0	0	0	0	0
23	13	က	6	4	_	_	က	_	_	_	0	0	0	0	0	0
24	22	12	9	က	က	4	10	2	_	0	_	0	0	0	0	0
25	33	80	7	13	7	2	14	2	2	_	_	0	0	0	0	0
26	43	23	18	12	8	2	19	4	က	0	2	0	0	0	0	0
27	95	51	41	22	19	7	28	1	4	0	0	_	0	0	0	0
28	162	82	73	33	26	20	32	7	Ŋ	_	0	0	0	0	0	0
29	238	165	92	43	37	19	41	21	က	2	0	0	0	0	0	0
30	227	223	116	92	20	36	83	15	8	4	0	0	0	0	0	0
31	151	183	154	106	48	45	96	59	Ŋ	_	0	_	0	0	0	0
32	128	134	176	165	88	49	124	33	9	2	0	0	0	0	0	0
33	86	117	111	133	124	63	142	41	9	4	0	0	0	0	0	0
34	89	88	91	104	114	112	191	49	13	2	0	0	0	0	0	0
35-39	168	228	231	255	326	337	1,127	389	84	22	10	2	_	0	0	0
40-44	46	65	99	105	122	113	764	754	275	92	19	9	2	0	_	~
45-49	22	56	23	27	38	49	328	559	556	195	20	11	2	0	0	0
50-54	9	7	6	10	15	15	134	256	446	458	151	39	6	9	_	_
55-59	7	4	4	4	8	2	99	118	192	340	330	121	33	7	5	0
60-64	2	0	0	က	3	က	17	31	82	151	236	285	29	16	7	_
62-69	0	_	0	2	0	0	1	12	25	52	105	156	150	38	1	0
70-74	_	0	_	_	0	0	2	4	6	19	33	63	96	83	23	0
75 +	_	0	0	0	0	0	0	_	က	10	17	20	57	82	131	0
Not Stated	0	0	0	0	_	0	0	0	0	0	0	0	0	0	0	0

Table 33A. Reported Marriages by Age and Previous Marital Status: Missouri, 2022

Male Partner 1 Total Single Widowed Divorced Total Single Widowed Divorced Total Single Widowed Divorced Total Single Widowed Divorced Total Total Total Divorced Divorced Total Total Divorced Divorced Divorced Total Divorced <					Male-F	Female							Same-Sex	-Sex			
Martine Mart				emale			-	lale			6	artner 1				artner 2	
1,1706 2,1964 1,1061 2,666 3,4766 2,3976 1,1020 9,1766 1,247 2,469 1,11 2,69 1,247 2,697 1,147 2,697 1,147 2,697 1,147 2,697 1,147 2,697 1,147 2,697 1,147 2,697 1,147 2,697 1,147 2,697 1,147 2,697 1,147 2,697 1,147 2,697 2,147	Age	Total	Single	Widowed	Divorced	Total	-	Widowed	Divorced	Total	Single	Widowed	Divorced	Total	Single	Widowed	Divorced
10 10 10 10 10 10 10 10	Total	34,766	23,994	1,081	9,665	34,766	23,976	1,020	9,752	1,247	946	11	289		957	17	273
1	14 and Under	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
11 11 11 10 10 10 10 10	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
381 381 631 610	16	11	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	17	30	30	0	0	10	10	0	0	0	0	0	0	0	0	0	0
1, 10, 10, 10, 10, 10, 10, 10, 10, 10,	18	381	381	0	0	161	161	0	0	5	5	0	0	5	5	0	0
1,000 1,00	19	633	631	0	_	364	364	0	0	12	12	0	0	19	19	0	0
1,221 1,306 0 12 1,402 0 12 1,402 1,416 0 0 11 38 37 0 0 1 28 28 1,402	20	923	913	0	80	648	646	0	2	28	27	0	_	24	24	0	0
1,525	21	1,321	1,306	0	12	981	974	0	7	27	26	0	_	28	28	0	0
1,814 1,772 1,180 2 8 1,530 1,586 0 41 55 51 0 40 40 40 40 40 40 40	22	1,525	1,492	0	33	1,207	1,196	0	7	38	37	0	_	33	32	0	
1,971 1,880 1,928 1,630 1,568 1,630 1,689 1,690 1,762 1,705 1,762 1,705 1,90	23	1,818	1,772	_	45	1,442	1,422	0	19	39	39	0	0	43	40		2
2,039 1,926 3 107 1,762 1,706	24	1,971	1,880	2	88	1,630	1,588	0	41	55	51	0	4	53	51	0	2
2,102 1,954 3 145 1,766 1,699 2 64 56 66 61 66 61 1,834 1,649 5 1,84 1,649 5 149 1,78 1,13 62 56 0 6 61 50 1,783 1,566 2 2,26 1,801 1,659 1 1,13 62 56 0 6 61 50 1,434 1,169 2 2,20 1,81 1,424 1,69 33 1,110 81 2 4 0 6	25	2,039	1,928	3	107	1,762	1,705	_	56	57	52	0	2	55	52	0	က
1,834 1,649 5 180 1,964 6 1,649 6 1,804 1,649 6 1,804 1,649 1,649 1,679 1,679 1,169 1,640 1,566 1,804 1,649 1,169 1,169 1,244 1,669 1,143 1,169 1,244 1,649 1,444 1,67 1,48 1,49	26	2,102	1,954	3	145	1,766	1,699	2	64	59	26	0	က	99	61	0	2
1,763 1,566 2 205 1,810 1,659 1 150 53 44 0 6 6 58 64 58 1,540 1,324 4 212 1,418 1,48 4 160 72 64 0 8 6 53 1,434 1,169 4 220 1,542 1,372 1,48 4 16 7 64 0 8 65 53 1,245 935 4 206 1,522 1,099 5 248 0 7 46 0 7 64 5 46 5 46 5 5 45 5 45 5 4 5 46 0 7 6 5 5 4 5 5 4 5 5 4 5 5 4 5 5 4 5 5 4 5 5 4 5 5 4	27	1,834	1,649	5	180	1,901	1,787	_	113	62	26	0	9	61	50		10
1,540 1,524 4 212 1,448 4 160 72 64 0 8 66 53 1,434 1,169 4 20 1,546 1,357 1,448 4 160 72 64 0 8 6 53 1,245 935 4 260 1,322 1,099 5 218 62 48 0 7 54 45 1,124 813 8 3 1,110 847 2 249 60 52 40 0 7 45 45 1,024 699 10 1,286 1,032 2 221 6 5 41 0 7 6 5 42 4 5 42 6 5 42 6 5 4 5 42 6 5 4 5 4 5 4 5 4 5 4 5 4 5	28	1,763	1,556	2	202	1,810	1,659	_	150	53	4	0	6	2	58		2
1,434 1,169 4 260 1,546 1,357 1 187 53 46 0 7 54 45 45 1,125 935 4 306 1,322 1,099 5 249 60 62 48 0 7 54 45 46 5 48 0 7 64 46 6 5 48 6 7 6 48 6 6 6 5 48 6 6 5 48 6	29	1,540	1,324	4	212	1,612	1,448	4	160	72	2	0	80	99	53		12
1,245 935 4 306 1,226 1,039 5 249 60 48 60 48 60 48 60 48 60 48 60 48 60 48 60 48 60 52 44 60 52 40 60 52 41 60 52 42 60 52 41 60 52 42 60 52 42 60 52 41 60 52 42 60 52 42 60 52 42 60 52 42 60 52 42 60 52 42 60 42 60 42 40	30	1,434	1,169	4	260	1,546	1,357	_	187	53	46	0	7	72	45	0	6
1,123 813 8 301 1,286 1,032 5 249 60 52 41 60 62 42 42 42 42 42 42 42 42 42 42 42 42 41 60 52 41 60 46 46 46 46 46 46 46 46 47 41 60 47 40	31	1,245	935	4	306	1,322	1,099	2	218	62	48	0	14	69	55	0	14
1,042 699 10 333 1,110 847 2 261 52 41 0 11 60 46 889 542 15 326 1,26 52 283 26 16 0 10 40 30 4 2,213 1,567 65 1,567 369 1,217 31 1,445 154 99 1 41 10 9 1 41 1,445 154 99 1 44 1,517 96 1,517 1,413 62 29 1 44 98 53 62 25 60 1 44 98 53 62 25 60 1 44 98 53 62 25 90 1,241 73 38 62 25 25 70 70 70 70 70 70 70 70 70 70 70 70 70 70 70 70 70 </th <th>32</th> <th>1,123</th> <th>813</th> <th>8</th> <th>301</th> <th>1,286</th> <th>1,032</th> <th>C)</th> <th>249</th> <th>09</th> <th>52</th> <th>0</th> <th>∞</th> <th>52</th> <th>42</th> <th>0</th> <th>10</th>	32	1,123	813	8	301	1,286	1,032	C)	249	09	52	0	∞	52	42	0	10
889 542 15 332 1,016 726 56 283 26 16 0 10 40 30 3,233 1,567 65 1,597 3,694 2,217 31 1,445 154 99 1 44 96 16 10 40 30 1 1,415 16 60 1 44 98 1 1 44 16 60 1 44 98 1 1 44 98 1 40 30 1 40 30 40 30 40 1 40 30 40 50 40 <th>33</th> <th>1,042</th> <th>669</th> <th>10</th> <th>333</th> <th>1,110</th> <th>847</th> <th>2</th> <th>261</th> <th>52</th> <th>4</th> <th>0</th> <th>7</th> <th>90</th> <th>46</th> <th>0</th> <th>14</th>	33	1,042	669	10	333	1,110	847	2	261	52	4	0	7	90	46	0	14
3,233 1,567 65 1,597 3,694 2,217 31,445 1,445 164 99 1 54 151 101 44 1,445 164	34	888	542	15	332	1,016	726	2	283	26	16	0	10	40	30		6
2,348 737 96 1,512 2,576 1,012 44 1,515 1046 44 1,515 105 44 1,515 105 488 49 1,413 62 29 0 44 98 53 1,729 320 107 1,300 1,952 488 49 1,413 62 29 0 33 62 25 25 1,341 181 181 1,130 1,591 259 90 1,241 73 38 5 30 42 25 4 7 205 74 1,250 139 132 97 34 22 1 1 1 1 31 31 31 31 31 31 32 32 32 44 32 44 32 44 32 44 32 44 32 44 32 44 32 44 32 44 32 44 32 44 <th>35-39</th> <th>3,233</th> <th>1,567</th> <th>65</th> <th>1,597</th> <th>3,694</th> <th></th> <th>31</th> <th>1,445</th> <th>154</th> <th>66</th> <th>_</th> <th>54</th> <th>151</th> <th>101</th> <th></th> <th>49</th>	35-39	3,233	1,567	65	1,597	3,694		31	1,445	154	66	_	54	151	101		49
1,729 320 107 1,300 1,952 488 49 1,413 62 29 90 93 62 29 90 90 1,413 62 29 90 90 90 1,241 73 38 5 30 42 25 4 1,34 113 1,591 259 139 132 977 34 22 1 11 51 33 62 25 4 1,35 114 2,29 132 157 664 33 15 1 1 1 33 21 33 4 32 4 32 4 32 4 32 4 32 4 32 4 32 4 32 4 32 4 32 4 32 4 32 4 3 4 3 4 3 4 3 4 3 4 3 4 4 4 4 4	40-44	2,348	737	96	1,512	2,576	1,012	44	1,515	105	09		44	86	53	0	45
4 1,341 181 181 1,039 1,591 259 90 1,241 73 38 5 30 42 25 4 36 17 18 1,250 139 132 977 34 22 1 11 51 33 4 22 1 34 22 1 34 22 1 378 15 664 33 15 1 1 1 51 33 4 2 34 2 4 378 1 34 2 1 4 378 1 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 3 4 4 4	45-49	1,729	320	107	1,300	1,952	488	49	1,413	62	59	0	33	62	25	4	33
96 117 92 744 1,250 139 132 977 34 22 1 1 1 51 33 96 70 51 64 33 15 664 33 15 1 1 1 51 30 21 90 417 20 147 249 563 35 15 128 18 9 0 8 12 5 2 4 210 60 111 112 335 15 128 16 2 1 3 5 2 3 <th>50-54</th> <th>1,341</th> <th>181</th> <th>119</th> <th>1,039</th> <th>1,591</th> <th>259</th> <th>06</th> <th>1,241</th> <th>73</th> <th>38</th> <th>5</th> <th>30</th> <th>42</th> <th>25</th> <th>2</th> <th>15</th>	50-54	1,341	181	119	1,039	1,591	259	06	1,241	73	38	5	30	42	25	2	15
4 705 51 164 489 908 87 157 664 33 15 1 17 30 21 32 4 21 22 14 24 149 378 149 6 2 1 3 1 3 2 3 2 3 <t< th=""><th>55-59</th><th>955</th><th>117</th><th>92</th><th>744</th><th></th><th>139</th><th>132</th><th>977</th><th>34</th><th>22</th><th>_</th><th>17</th><th>51</th><th>33</th><th>3</th><th>15</th></t<>	55-59	955	117	92	744		139	132	977	34	22	_	17	51	33	3	15
417 20 147 249 563 35 149 378 18 9 0 8 12 5 4 232 32 11 112 335 15 128 192 6 2 1 3 5 2 2 2 3 2 3 2 4 213 105 2 0 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 1 4 4 1 4 1 4 1 4 1 4 1 4 4 1 4	60-64	705	51	164	489	908	87	157	664	33	15	_	17	30	21	_	8
4 232 9 111 112 335 15 128 192 6 2 1 3 5 2 3 5 2 1 3 5 2 3 3 3 3 3 3 3 3 3 3 4 3 3 4 3 4 4 3 4	62-69	417	20	147	249	563	35	149	378	18	6	0	8	12	5	_	9
Stated 3 5 4 21 10 6 7 6 1 4 1 4 1 6 6 1 4 1<	70-74	232	6	111	112	335	15	128	192	9	2	_	က	5	2	0	က
e at Marriage 29.7 26.9 60.0 42.2 31.4 28.3 64.5 45.3 32.0 30.2 51.0 40.2 31.8 30.1 47.	75 +	179	9	119	54	322	4	213	105	2	0		_	4	_	0	က
29.7 26.9 60.0 42.2 31.4 28.3 64.5 45.3 32.0 30.2 51.0 40.2 31.8 30.1 47.	Not Stated	က	_	0	_	_	0	0	_	0	0	0	0	0	0	0	0
	Median Age at Marriage	29.7	26.9	0.09	42.2	31.4	28.3		45.3			51.0		31.8	30.1		38.9

Table 33B. Reported Same-Sex Marriages by Age and Previous Marital Status: Missouri, 2022

					-							Mela	1-12			
				Lemale	le-remale							Male	Male-Male			
		ΔI.	Partner 1			<u>al</u>	Partner 2			ΔI.	Partner 1			14.1	Partner 2	
Age	Total	Single	Widowed	Divorced	Total	Single	Widowed	Divorced	Total	Single	Widowed	Divorced	Total	Single	Widowed	Divorced
Total	854	632	8	214	854	619	13	222	393	314	3	22	393	338	4	51
18	2	2	0	0	2	2	0	0	0	0	0	0	0	0	0	0
19	11	1	0	0	14	14	0	0	_		0	0	5	5	0	0
20	21	20	0	_	18	18	0	0	7	7	0	0	9	9	0	0
21	23	22	0	_	16	16	0	0	4	4	0	0	12	12	0	0
22	30	30	0	0	20	19	0	~	8	7	0	_	13	13	0	0
23	30	30	0	0	35	32	_	2	6	6	0	0	80	80	0	0
24	40	37	0	3	45	43	0	2	15	14	0	_	80	80	0	0
25	47	42	0	2	43	4	0	2	10	10	0	0	12	7	0	~
26	47	44	0	3	49	4	0	2	12	12	0	0	17	17	0	0
27	43	37	0	9	45	36	_	8	19	19	0	0	16	14	0	2
28	38	31	0	7	37	32	_	4	15	13	0	2	27	26	0	_
29	59	53	0	9	52	41	_	10	13	1	0	2	4	12	0	2
30	39	32	0	7	40	31	0	6	4	4	0	0	4	4	0	0
31	46	34	0	12	54	40	0	14	16	4	0	2	15	15	0	0
32	39	31	0	80	37	28	0	6	21	21	0	0	15	4	0	_
33	37	30	0	7	42	59	0	13	15	11	0	4	18	17	0	~
34	13	2	0	80	27	19	_	7	13	11	0	2	13	7	0	2
35-39	87	48	_	38	93	52	_	40	29	51	0	16	28	49	0	6
40-44	73	34	_	38	99	28	0	38	32	26	0	9	32	25	0	7
45-49	43	15	0	28	41	15	_	25	19	4	0	2	21	10	က	80
50-54	39	20	S	14	27	13	2	12	34	18	0	16	15	12	0	က
55-59	14	7	0	7	23	13	က	7	20	15	_	4	28	20	0	80
60-64	16	9	_	6	14	10	0	4	17	6	0	8	16	1	_	4
62-69	7	7	0	4	9	0	_	2	7	2	0	4	9	2	0	_
70-74	က	_	0	2	2	0	0	2	က	_	_	_	က	2	0	~
75 +	0	0	0	0	က	0	0	3	2	0	_	_	_	_	0	0
Median Age at Marriage	30.8	29.2	50.7	39.5	31.2	29.3	46.8	38.1	35.3	33.1	74.1	45.9	33.7	32.3	48.7	44.9

Table 34A. Reported Male-Female Marriages by Race: Missouri, 2022

Race of			Race of Male Partner	ile Partner	
Partner Partner	Total	White	Black	Other	Unknown
Total	34,766	28,663	2,873	1,205	2,025
White	28,956	27,118	737	621	480
Black	2,358	300	1,970	56	32
Other	1,378	754	86	516	22
Unknown	2,074	491	80	12	1,491

Table 34B. Reported Female-Female Marriages by Race: Missouri, 2022

Race of			Race of First Partner	st Partner	
Partner	Total	White	Black	Other	Unknown
Total	854	613	134	33	74
White	617	999	22	17	12
Black	126	15	102	5	4
Other	34	17	9	11	0
Unknown	77	15	4	0	58

Table 34C. Reported Male-Male Marriages by Race: Missouri, 2022

Race of			Race of First Partner	st Partner	
Partner	Total	White	Black	Other	Unknown
Total	868	311	58	22	31
White	287	262	6	13	3
Black	31	11	17	2	1
Other	23	15	1	7	0
Unknown	55	23	2	0	27

Table 35A. Reported Marriages by County of Recording with Rates per 1,000 Population: Missouri, 2022

Counties	Population	Marriages	Rate
State Total	6,177,957	36,103	5.8
Adair	25,165	150	0.9
Andrew	18,003	87	4.8
Atchison	5,182	35	6.8
Audrain	24,434	119	4.9
Barry	34,926	162	4.6
Barton	11,694	70	0.9
Bates	16,177	86	6.1
Benton	20,224	100	4.9
Bollinger	10,518	37	3.5
Boone	187,690	1,007	5.4
Buchanan	82,911	497	0.9
Butler	42,179	243	5.8
Caldwell	8,933	48	5.4
Callaway	44,762	185	4.1
Camden	43,768	305	7.0
Cape Girardeau	82,899	533	6.4
Carroll	8,423	51	6.1
Carter	5,268	41	7.8
Cass	110,394	290	5.3
Cedar	14,601	92	5.2
Chariton	7,386	47	6.4
Christian	93,114	206	5.4
Clark	6,723	42	6.2
Clay	257,033	1,333	5.2
Clinton	21,328	75	3.5
Cole	76,969	539	7.0
Cooper	16,772	106	6.3
Crawford	22,659	148	6.5
Dade	7,660	12	1.6
Dallas	17,626	75	4.3
Daviess	8,435	99	9.9
DeKalb	11,336	47	4.1
Dent	14,467	17	7.7
Douglas	11,975	87	7.3
Dunklin	27,406	147	5.4
Franklin	105,879	729	6.9
Gasconade	14,768	93	6.3
Gentry	6,253	25	4.0

Counties	Population	Marriages	Rate
Greene	303,293	2,093	6.9
Grundy	9,838	26	5.7
Harrison	8,199	49	0.9
Henry	22,438	145	6.5
Hickory	8,630	38	4.4
Holt	4,262	28	9.9
Howard	10,168	40	3.9
Howell	40,631	283	7.0
Iron	9,414	92	8.1
Jackson	716,531	5,462	7.6
Jasper	124,075	919	7.4
Jefferson	229,336	1,144	5.0
Johnson	54,368	391	7.2
Knox	3,776	23	6.1
Laclede	36,313	256	7.0
Lafayette	32,961	187	5.7
Lawrence	38,683	258	6.7
Lewis	9,891	46	4.7
Lincoln	63,155	340	5.4
Linn	11,820	99	5.6
Livingston	14,402	111	7.7
Macon	15,049	106	7.0
Madison	12,753	98	6.7
Maries	8,431	63	7.5
Marion	28,438	211	7.4
McDonald	23,588	177	7.5
Mercer	3,437	21	6.1
Miller	25,403	137	5.4
Mississippi	11,688	9/	6.5
Moniteau	15,220	62	5.2
Monroe	8,652	46	5.3
Montgomery	11,470	28	5.1
Morgan	21,785	141	6.5
New Madrid	15,695	09	3.8
Newton	60,011	274	4.6
Nodaway	20,670	141	6.8
Oregon	8,732	22	6.5
Osage	13,399	73	5.4
Ozark	8,940	48	5.4

Counties	Population	Marriages	Rate
Pemiscot	14,841	77	5.2
Perry	18,858	125	9.9
Pettis	43,353	344	7.9
Phelps	45,313	250	5.5
Pike	17,664	108	6.1
Platte	110,534	265	5.4
Polk	32,693	206	6.3
Pulaski	53,941	370	6.9
Putnam	4,666	37	7.9
Ralls	10,420	19	5.9
Randolph	24,622	148	6.0
Ray	23,107	128	5.5
Reynolds	900'9	32	5.3
Ripley	10,703	83	7.8
Saline	23,007	128	5.6
Schuyler	4,002	30	7.5
Scotland	4,643	28	0.9
Scott	37,840	207	5.5
Shannon	7,193	47	6.5
Shelby	5,982	29	4.8
St. Charles	413,803	2,467	0.9
St. Clair	9,576	20	5.2
St. Francois	696'99	441	9.9
St. Louis City	286,578	2,141	7.5
St. Louis County	990,414	3,312	3.3
Ste. Genevieve	18,644	100	5.4
Stoddard	28,377	207	7.3
Stone	32,136	178	5.5
Sullivan	5,840	25	4.3
Taney	56,821	633	11.1
Texas	25,336	140	5.5
Vernon	19,651	118	0.9
Warren	37,260	203	5.4
Washington	23,441	165	7.0
Wayne	10,792	78	7.2
Webster	40,335	218	5.4
Worth	1,955	7	3.6
Wright	19,156	108	5.6

Table 35B. Reported Marriages by Gender and County of Recording: Missouri, 2022

Counties	Male- Female	Female- Female	Male- Male	Not Stated	Counties	Male- Female	Fer
State Total	34,766	854	393	06	Greene	2,005	
Adair	145	2	2	_	Grundy	55	
Andrew	84	3	0	0	Harrison	40	
Atchison	34	_	0	0	Henry	143	
Audrain	118	_	0	0	Hickory	38	
Barry	160	_		0	Holt	26	
Barton	69		0	0	Howard	40	
Bates	6	0		0	Howell	280	
Benton	66		0	0	Iron	73	
Bollinger	37	0	0	0	Jackson	5,162	
Boone	946	43	18	0	Jasper	887	
Buchanan	481	12	4	0	Jefferson	1,128	
Butler	234	6	0	0	Johnson	377	
Caldwell	48	0	0	0	Knox	22	
Callaway	178	2	2	0	Laclede	253	
Camden	305	0	0	0	Lafayette	183	
Cape Girardeau	516	14	3	0	Lawrence	256	
Carroll	20	_	0	0	Lewis	46	
Carter	40	0	_	0	Lincoln	333	
Cass	222	8	2	0	Linn	9	
Cedar	92	0	0	0	Livingston	108	
Chariton	47	0	0	0	Macon	106	
Christian	497	8		0	Madison	86	
Clark	42	0	0	0	Maries	63	
Clay	1,285	29	19	0	Marion	207	
Clinton	73	2	0	0	McDonald	174	
Cole	521	17	_	0	Mercer	21	
Cooper	102	2		_	Miller	135	
Crawford	146	_	_	0	Mississippi	89	
Dade	0	0	0	12	Moniteau	79	
Dallas	73	2	0	0	Monroe	46	
Daviess	26	0	0	0	Montgomery	58	
DeKalb	47	0	0	0	Morgan	138	
Dent	111	0	0	0	New Madrid	59	
Douglas	87	0	0	0	Newton	267	
Dunklin	145	2	0	0	Nodaway	140	
Franklin	720	9	က	0	Oregon	22	
Gasconade	93	0	0	0	Osage	72	
Gentry	24	0	_	0	Ozark	11	


					ļ
Counties	Male- Female	Female- Female	Male- Male	Not Stated	
ene	2,005	49	39	0	ш.
ndy	55	0	_	0	L
rrison	40	0	1	8	
nry	143	2	0	0	L
kory	38	0	0	0	
It	26	-	-	0	
ward	40	0	0	0	<u></u>
well	280	2	_	0	
_	73	0	2	_	<u></u>
kson	5,162	202	98	0	u.
per	887	25	7	0	u.
ferson	1,128	14	_	_	<u> </u>
nson	377	12	2	0	<u>u.</u>
xo	22	0	_	0	IL.
lede	253	3	0	0	o,
ayette	183	4	0	0	o,
vrence	256	_	_	0	0,
vis	46	0	0	0	o,
coln	333	7	0	0	0)
n	65	0		0	o,
ingston	108	3	0	0	o,
con	106	0	0	0	0)
dison	86	0	0	0	o,
ries	63	0	0	0	o,
rion	207	4	0	0	o,
Donald	174	0		2	o,
rcer	21	0	0	0	0)
ler	135	2	0	0	0)
sissippi	89	4	4	0	0)
niteau	79	0	0	0	
nroe	46	0	0	0	_
ntgomery	28	0	0	0	
rgan	138	3	0	0	>
w Madrid	29	0	_	0	>
wton	267	9	7	0	>
daway	140	_	0	0	>
gon	22	2	0	0	>
age	72	0	_	0	>
ark	7	0	_	36	

Counties	Male- Female	Female- Female	Male- Male	Not Stated
Pemiscot	74	3	0	0
Perry	122	_	2	0
Pettis	338	9	0	0
Phelps	242	5	2	_
Pike	108	0	0	0
Platte	572	18	7	0
Polk	202	4	0	0
Pulaski	355	11	4	0
Putnam	36	_	0	0
Ralls	29		-	0
Randolph	147	_	0	0
Ray	125	_	2	0
Reynolds	32	0	0	0
Ripley	78	2	2	
Saline	125	2	_	0
Schuyler	30	0	0	0
Scotland	28	0	0	0
Scott	204	2	_	0
Shannon	44	3	0	0
Shelby	29	0	0	0
St. Charles	2,388	54	19	9
St. Clair	20	0	0	0
St. Francois	425	12	4	0
St. Louis City	2,012	69	53	7
St. Louis County	3,138	103	28	13
Ste. Genevieve	26	2	_	0
Stoddard	203	4	0	0
Stone	174	4	0	0
Sullivan	25	0	0	0
Taney	621	1	_	0
Texas	136	4	0	0
Vernon	115	2	_	0
Warren	199	4	0	0
Washington	158	9	_	0
Wayne	78	0	0	0
Webster	217	0	_	0
Worth	9	~	0	0
Wright	106	2	0	0

Table 35C. Reported Marriages by BRFSS Region of Recording with Rates per 1,000 Population: Missouri, 2022

BRFSS Region	Population	Total	Rate	Male-Female	Rate	Same-Sex	Rate	
State Total	6,177,957	36,103	5.8	34,766	5.6	1,247	0.2	
Northeast	245,423	1,519	6.2	1,497	6.1	21	0.1	
Northwest	229,997	1,414	6.1	1,365	5.9	41	0.2	
Central	731,867	4,441	6.1	4,305	5.9	134	0.2	
Southeast	552,813	3,419	6.2	3,290	0.9	91	0.2	
Southwest	971,775	6,308	6.5	6,123	6.3	171	0.2	
St. Louis Region	2,149,084	10,484	4.9	10,064	4.7	393	0.2	
Kansas City Region	1,296,998	8,518	9.9	8,122	6.3	396	0.3	
Urban	4,125,585	23,414	5.7	22,382	5.4	1,005	0.2	
Rural	2,052,372	12,689	6.2	12,384	0.9	242	0.1	

Graph G. Dissolution Rates per 1,000 Population: Missouri, 1950-2022



Year	Dissolutions	Rate	Year	Dissolutions	Rate	Year	Dissolutions	Rate
1950	12,177	3.1	1985	24,990	2.0	2016	19,997	3.3
1955	11,351	2.7	1990	25,701	2.0	2017	19,187	3.1
1960	11,320	5.6	1995	25,733	4.8	2018	18,630	3.0
1965	13,261	3.0	2000	24,980	4.5	2019	17,740	2.9
1970	17,852	3.8	2002	21,013	3.6	2020	16,406	2.7
1975	24,527	5.1	2010	23,349	3.9	2021	18,107	2.9
1980	27,595	5.6	2015	19,330	3.2	2022	16,543	2.7

Table 36. Reported Marriage Dissolution Decrees by Month and by Type of Decree: Missouri, 2022

	Total Decrees	Dissolutions	Legal Separations	Annulments
State Total	16,624	16,499	81	44
January	1,311	1,296	6	9
February	1,078	1,072	5	~
March	1,557	1,548	4	2
April	1,348	1,332	11	2
May	1,459	1,453	5	~
June	1,493	1,482	7	4
July	1,342	1,332	8	2
August	1,504	1,493	8	3
September	1,423	1,411	10	2
October	1,348	1,337	2	6
November	1,320	1,312	9	2
December	1,441	1,431	9	4

Table 37. Reported Dissolutions and Annulments of Marriage by Number of Previous Marriages: Missouri, 2022

					Wife			
Husband	Total	None	One	Two	Three	Four	Five Or More	Unknown
Total	16,543	10,000	3,304	1,051	281	98	38	1,783
None	10,036	8,286	1,351	258	20	13	9	72
One	3,386	1,363	1,361	432	113	31	15	71
Two	965	242	381	230	61	21	10	20
Three	277	46	102	72	43	8	2	4
Four	83	7	39	16	10	7	0	4
Five Or More	30	4	7	12	0	3	4	0
Unknown	1,766	52	63	31	4	3	1	1,612

Currently, the dissolution and annulment data do not include a variable for gender. To remain consistent with previous years, the terminology of "Husband" and "Wife" will remain until a gender variable is added to the data.

Table 38. Reported Dissolutions and Annulments of Marriage by Duration of Marriage and Number of Children Affected: Missouri, 2022

					Children Affected	Affected			
Duration	Total	No Children	One	Two	Three	Four	Five	Six Or More	Unknown
Total	16,543	9,153	3,137	2,813	1,047	265	79	31	18
Under 1 Year	409	336	48	17	4	2		~	0
1 Year	840	684	101	35	18	2	0	0	0
2 Years	971	602	171	64	22	5	0	0	0
3 Years	1,046	702	212	104	20	9	2	0	0
4 Years	1,093	675	219	152	36	7	2	_	_
5 Years	1,031	545	248	177	49	10		_	0
6 Years	981	513	199	196	52	16	2	_	2
7 Years	844	415	175	184	53	11	3	_	2
8-9 Years	1,451	583	331	383	111	33	10	0	0
10-12 Years	1,755	681	359	443	200	53	15	4	0
13-15 Years	1,269	438	258	349	156	42	18	9	2
16-19 Years	1,350	505	265	345	168	40	16	10	_
20-24 Years	1,316	639	308	233	26	28	5	က	က
25-29 Years	821	614	122	54	23	4	3	_	0
30-34 Years	475	414	37	41	7	2		0	0
35-39 Years	263	244	1	2	ဇ	0	0	0	0
40 Years and Longer	224	213	2	4	2	0	0	0	0
Unknown	404	243	89	54	26	4	0	2	7

Table 39. Reported Dissolutions and Annulments of Marriage by Race of Wife by Race of Husband: Missouri, 2022

			륀	<u> Husband</u>	
Wife	Total	White	Black	Other	White Black Other Unknown
Total	16,543	16,543 12,192 1,589	1,589	312	2,450
White	12,191	12,191 11,603	278	122	188
Black	1,408	131	1,227	23	27
Other	374	189	22	154	6
Unknown	2,570	269	62	13	2,226

Table 40. Reported Dissolutions and Annulments of Marriage by Petitioner by Disposition of Children and by Child Support Awarded: Missouri, 2022

				Custody Given To:	iven To:		
Petitioner	Total	Husband	Wife	Joint	Other	No Children	Unknown
Total	16,543	334	1,382	5,343	122	9,357	5
Husband	7,779	283	295	2,401	28	4,741	_
Wife	7,877	47	1,051	2,696	29	4,022	2
Joint	304	_	15	148	2	138	0
Other	16	0	0	4	0	12	0
Unknown	267	3	21	94	3	444	2

nef Total Husband Wife No Support Other No Children 16,543 525 3,413 3,204 10 9,357 7,779 387 1,095 1,539 5 4,741 7,877 119 2,219 1,492 5 4,022 304 9 50 107 0 138 567 10 48 63 0 444					Child Support Awarded To:	Awarded To:		
and 7,779 387 1,095 1,539 5 4 304 9 50 10 6 4 4 6 4 own 567 10 48 63 0 0 1 6 4	Petitioner	Total	Husband	Wife	No Support	Other	No Children	Unknown
Ind 7,779 387 1,095 1,539 5 4 7,877 119 2,219 1,492 5 4 304 9 50 107 0 16 0 1 3 0 567 10 48 63 0	Total	16,543	525	3,413	3,204	10	9,357	34
7,877 119 2,219 1,492 5 4 304 9 50 107 0 16 0 1 3 0 567 10 48 63 0	Husband	7,779	387	1,095	1,539	5	4,741	12
304 9 50 107 0 16 0 1 3 0 0wn 567 10 48 63 0	Wife	7,877	119	2,219	1,492	5	4,022	20
16 0 1 3 0 mm 567 10 48 63 0	Joint	304	6	50	107	0	138	0
567 10 48 63 0	Other	16	0	_	က	0	12	0
	Unknown	292	10	48	63	0	444	2

Currently, the dissolution and annulment data do not include a variable for gender. To remain consistent with previous years, the terminology of "Husband" and "Wife" will remain until a gender variable is added to the data.

Table 41. Reported Dissolutions and Annulments of Marriage by Age of Wife by Age of Husband: Missouri, 2022

						Age of	Age of Husband	미			
Age of Wife	Total	Less Than 20	20-24	25-29	30-34	20-24 25-29 30-34 35-39 40-44 45-54 55-64 65+	40-44	45-54	55-64	65 +	Unknown
Total	16,543	8	486		2,277	1,504 2,277 2,474 2,486 3,745 2,207	2,486	3,745	2,207	933	423
Less Than 20	35	4	24	_	0	2	2	0	_	_	0
20-24	735	3	354	276	20	20	80	7	_	0	16
25-29	1,931	0	79	917	645	158	28	24	6	_	40
30-34	2,574	0	13	205	1,155	750	237	133	19	2	09
35-39	2,586	_	_	4	255	1,092	763	344	41	7	38
40-44	2,430	0	_	19	9/	299	1,037	842	101	14	41
45-54	3,358	0	0	1	38	92	308	1,981	756	97	72
55-64	1,785	0	_	0	က	8	23	296	1,100	329	25
65 +	629	0	0	_	3	1	2	25	125	461	11
Unknown	480	0	13	30	52	49	48	93	54	21	120

Table 42A. Reported Dissolutions and Annulments by County of Recording with Rates per 1,000 Population: Missouri, 2022

Counties	Population	Decrees	Rate
State Total	6,177,957	16,543	2.7
Adair	25,165	45	1.8
Andrew	18,003	102	5.7
Atchison	5,182	28	5.4
Audrain	24,434	83	3.4
Barry	34,926	39	1.
Barton	11,694	33	2.8
Bates	16,177	52	3.2
Benton	20,224	47	2.3
Bollinger	10,518	32	3.0
Boone	187,690	424	2.3
Buchanan	82,911	170	2.1
Butler	42,179	209	5.0
Caldwell	8,933	0	0.0
Callaway	44,762	116	2.6
Camden	43,768	116	2.7
Cape Girardeau	82,899	264	3.2
Carroll	8,423	32	3.8
Carter	5,268	24	4.6
Cass	110,394	308	2.8
Cedar	14,601	39	2.7
Chariton	7,386	4	6.1
Christian	93,114	303	3.3
Clark	6,723	20	3.0
Clay	257,033	664	2.6
Clinton	21,328	46	2.2
Cole	76,969	200	2.6
Cooper	16,772	41	2.4
Crawford	22,659	82	3.8
Dade	7,660	24	3.1
Dallas	17,626	38	2.2
Daviess	8,435	41	1.7
DeKalb	11,336	36	3.2
Dent	14,467	09	4.1
Douglas	11,975	36	3.0
Dunklin	27,406	26	3.5
Franklin	105,879	334	3.2
Gasconade	14,768	39	2.6
Gentry	6,253	48	7.7

Counties	Population	Decrees	Rate
Greene	303,293	1,084	3.6
Grundy	9,838	27	2.7
Harrison	8,199	27	3.3
Henry	22,438	42	1.9
Hickory	8,630	29	3.4
Holt	4,262	4	0.0
Howard	10,168	24	2.4
Howell	40,631	176	4.3
Iron	9,414	30	3.2
Jackson	716,531	1,525	2.1
Jasper	124,075	466	3.8
Jefferson	229,336	202	2.2
Johnson	54,368	194	3.6
Knox	3,776	7	1.9
Laclede	36,313	129	3.6
Lafayette	32,961	96	2.9
Lawrence	38,683	93	2.4
Lewis	9,891	30	3.0
Lincoln	63,155	159	2.5
Linn	11,820	39	3.3
Livingston	14,402	29	4.1
Macon	15,049	36	2.4
Madison	12,753	89	5.3
Maries	8,431	23	2.7
Marion	28,438	97	3.4
McDonald	23,588	75	3.2
Mercer	3,437	0	2.6
Miller	25,403	11	3.0
Mississippi	11,688	36	3.1
Moniteau	15,220	43	2.8
Monroe	8,652	25	2.9
Montgomery	11,470	22	1.9
Morgan	21,785	4	2.0
New Madrid	15,695	22	3.6
Newton	60,011	180	3.0
Nodaway	20,670	4	2.1
Oregon	8,732	18	2.1
Osage	13,399	19	1.4
Ozark	8,940	32	3.6

Counties	Population	Decrees	Rate
Pemiscot	14,841	4	3.0
Perry	18,858	53	2.8
Pettis	43,353	151	3.5
Phelps	45,313	128	2.8
Pike	17,664	72	3.1
Platte	110,534	259	2.3
Polk	32,693	26	3.0
Pulaski	53,941	306	2.7
Putnam	4,666	15	3.2
Ralls	10,420	21	2.0
Randolph	24,622	75	3.0
Ray	23,107	19	2.6
Reynolds	900'9	10	1.7
Ripley	10,703	89	6.4
Saline	23,007	22	2.4
Schuyler	4,002	7	2.7
Scotland	4,643	12	2.6
Scott	37,840	135	3.6
Shannon	7,193	19	2.6
Shelby	5,982	20	3.3
St. Charles	413,803	1,086	2.6
St. Clair	9,576	30	3.1
St. Francois	696'99	292	3.9
St. Louis City	286,578	534	1.9
St. Louis County	990,414	2,088	2.1
Ste. Genevieve	18,644	49	2.6
Stoddard	28,377	114	4.0
Stone	32,136	113	3.5
Sullivan	5,840	27	4.6
Taney	56,821	191	3.4
Texas	25,336	71	2.8
Vernon	19,651	69	3.5
Warren	37,260	101	2.7
Washington	23,441	80	3.4
Wayne	10,792	43	4.0
Webster	40,335	109	2.7
Worth	1,955	9	3.1
Wright	19,156	63	3.3

Table 42B. Reported Dissolutions and Annulments by BRFSS Region of Recording with Rates per 1,000 Population: Missouri, 2022

		Decrees	
BRFSS Region	Population	Recorded	Rate
State Total	6,177,957	16,543	2.7
Northeast	245,423	869	2.8
Northwest	229,997	705	3.1
Central	731,867	2,125	2.9
Southeast	552,813	2,010	3.6
Southwest	971,775	3,101	3.2
St. Louis Region	2,149,084	4,894	2.3
Kansas City Region	1,296,998	3,010	2.3
Urban	4,125,585	10,062	2.4
Rural	2,052,372	6,481	3.2

APPENDIX

On January 1, 2010, the Missouri Department of Health and Senior Services (MDHSS) implemented two significant changes relating to the tabulation of statistical data on vital events in Missouri. MDHSS launched a web-based registration system and began registering births and deaths using the 2003 Revision of the US Standard Certificates of Live Births and Deaths. The web-based registration system collected some existing data items in different ways. The revised certificates stopped collecting some data items, included new data items, and collected old information in new ways. As a result, differences in tabulations since 2010 may be the result of changes in data collection methods rather than changes in health status. Major changes in data collection methods are addressed in this appendix. Differences between 2022 tabulations and pre-2010 tabulations should be evaluated with these changes in mind.

RELIABILITY OF THE DATA

In analyzing any data including vital statistics, the potential for error in the data must not be overlooked. There are several types of errors possible including: under-registration, errors made by the informant, and errors in compiling and processing.

The most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be used in analyzing trend data, because changes have occurred over the years in medical diagnosis, coding definitions, and registration methodology.

Care should be taken in using rates where the number of events or reference population is small. Minor differences in the number of events may result in major changes in the rates. Rates based on fewer than 20 events are very unstable. Most of the rates computed for this report are crude rates. In comparing rates for geographic areas and time periods, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics.

SOURCES OF VITAL RECORDS

Vital statistics in Missouri are compiled from six basic records which are filed with MDHSS by state law. These records are: live birth records, death records, and fetal death records, each beginning in 1911; marriage and divorce records, beginning in 1949; and abortion records, beginning in 1975.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, deaths, and abortions, including events occurring to Missouri residents in other states. However, MDHSS has not received individual abortion records from Illinois since 1983 and did not receive records from Tennessee clinics from 1997 to 2005. Instead, MDHSS received estimates of Missouri resident abortions from some Tennessee clinics from 1997 to 2005, and an estimate of Missouri resident abortions was received from Illinois for 1988-2022. MDHSS also received abortion counts of Missouri resident abortions from Arkansas in 2014-2017 and from Oklahoma in 2019-2022. These estimates and counts are included in Graph D.

There is no interstate exchange of records for marriages, dissolutions, and annulments. Tables using these data files (Tables 31 through 42) report events that occurred in Missouri, by county of occurrence, regardless of the residence of the parties involved.

The data within this report represent the 2022 calendar year of events. Live births were accepted through February 22, 2023, death, fetal death, and abortion records through April 15, 2023, dissolutions through June 27, 2023 and marriages through July 18,2023.

Except where noted, historical vital statistics data are taken from annual MDHSS vital statistics reports.

POPULATION

All Missouri county and city population estimates for 2022 were developed by the United States Census Bureau (Vintage 2022) that adjust for 2020 Census data. Counts for all other decennial years were taken from the United States Census Bureau for those years. Age-sex-specific estimates and counts were also taken from the Census Bureau with the exception of the Less than Age One population, which used the number of that year's resident live births. Cities in the over 25,000, 10,000 to 24,999 and 2,500-9,999 population categories in tables 16 and 17 were revised in 2021 based on the 2020 Census Counts.

The source of the state total estimates for non-Census years 1911-1969 is the US Census Bureau P-25 series. State estimates for 1971-1979 were obtained from the US Census Bureau publication, "Preliminary Intercensal Estimates of the Population of Counties." Age-sex-specific population estimates for 1981 - 1989 were developed by the US Census Bureau in unpublished tables. State population estimates for 1991-1999 and 2001-2009 also came from the US Census Bureau. MDHSS used these as controls in developing 1991-1999 age-sex-specific population estimates for Missouri. Estimates of the 2001-2009 age-sex-specific state population were adjusted to the 2010 counts and provided by the US Census Bureau (published October 2012). State total population estimates for 2011-2019 came from the US Census Bureau (Vintage 2020). They have not been adjusted to the 2020 Census.

RACE and HISPANIC ORIGIN (ETHNICITY)

Since the 1989 report, birth, fetal death, and infant death data have been presented by race of mother. Before 1989, this data was presented by race of child. The change in 1989 was implemented to be consistent with the National Center for Health Statistics (NCHS), which also implemented this change in 1989. Race of child had been computed by an algorithm based on the race of mother and race of father. Persons of mixed parentage were classified according to the race of the nonwhite parent. Because of this rather arbitrary formula and the increasing proportion of out-of-wedlock births in which father's race is missing, NCHS decided to implement this change to race of mother.

Beginning with the 2010 vital statistics report, tabulations of race for live births, deaths, and abortions refer to four mutually-exclusive groups that take into account Hispanic origin. The groups are "white, non-Hispanic"; "black, non-Hispanic"; "other/multiple race, non-Hispanic"; and "Hispanic, all races". For tabulations prior to 2010, "race" refers to the classification of the population into three distinct groups: white, black, and other. Before 2010, persons of Latin American birth or ancestry who were not identified as being American Indian or other designated race were classified as white.

The 2010 methodology was changed to be consistent with changes in population data from the decennial US Census, the 2003 US Standard certificates for live births and deaths, and the 2003 US Standard Report of Fetal Death. Prior to 2010, only one race could be selected. "Multiple race" was available as a primary selection, but no details were captured. Beginning with 2010 birth and death data, more than one race can be selected. Analysis of 2022 Missouri resident data showed that 3.5 percent of births were to mothers of multiple races and 0.5 percent of deaths were to multiple race decedents. Therefore, records of mothers and decedents which indicate only white or only black as their race, and do not indicate Hispanic origin, are classified in this report as white,

non-Hispanic, or black, non-Hispanic, respectively. The "other/multiple, non-Hispanic" race group now includes persons selecting multiple races as well as persons identified as American Indian or Alaska Native (AIAN), Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese, other Asian, Native Hawaiian, Guamanian or Chamorro, Samoan, Other Pacific Islander, or other specified race, but not of Hispanic origin. Persons of unknown race are not included in "other/multiple," but are included in the total of all races.

Data is not available to show the effects of the changes in race and Hispanic classification on low birth weight rates for 2022 data because NCHS no longer produces pre-2010 single race data. However, these types of changes are shown in Appendix Table A of the 2010 to 2021 Missouri Vital Statistics Reports. Generally the number of white non-Hispanic and black non-Hispanic were reduced by 6 to 11 percent from the White and Black totals using the pre-2010 method, as the Hispanic births and births involving multiple race were removed in the 2010 method. The pre-2010 and 2010 low birth weight rates for white non-Hispanic vs White and black non-Hispanic vs Black rates were extremely close (all differing by less than 3 percent). The black to white ratios were slightly higher (averaging about 2 percent higher) using the 2010 method than the pre-2010 method.

Users of the MDHSS MOPHIMS/MICA guery tools

(https://healthapps.dhss.mo.gov/MoPhims/MICAHome) should note that the above changes are not reflected in the Birth and Death MICA queries for 2010-2021. Instead, an algorithm from NCHS is used to make race-specific statistics from both multiple-race and single-race data collection systems that are sufficiently comparable to permit analysis. Hispanic origin was maintained as a separate category of analysis in the Birth and Death MICAs. This was done to keep analyses as consistent with the prior years of data as possible. (Filtering of Hispanic origin for data queries is still supported.)

However, beginning with 2022 data, NCHS stopped providing this bridged race data, and MOPHIMS and MICA will begin using the same race definitions used in the Missouri Vital Statistics Reports.

"RESIDENT" AND "RECORDED" EVENTS

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data for vital events pertain to persons residing in a particular area, independent of where the event occurred. An exception to this is that when a person dies in a hospital, nursing home, or other institution, the usual place of residence before admission determines the place of residence. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child. "Recorded" data for vital events are based on where the event occurred. Analysis using recorded data may include records of non-Missouri residents.

Resident and recorded figures are independent of each other and should neither be added to nor subtracted from the other. Thus, the number of events occurring or not occurring in the same geographic area where the people reside cannot be simply calculated from resident and recorded data. Each table indicates whether the analysis is for resident or recorded data.

GEOCODING

Beginning with 2008 data, MDHSS uses a computerized geocoding package (Address Broker) to improve the accuracy of residence address information on Missouri resident birth and death records for the entire state. If the record's address, including resident county, city, and zip code, matches well with available address data, the software overwrites the existing values on the record and also adds latitude, longitude, and Census tract. If no match is available or the best match is not accurate enough, address information is left as reported, and latitude, longitude, and Census tract are not added. From 2000 through 2007, only the following metropolitan counties were geocoded: Buchanan, Cass, Clay, Greene, Jackson, Jefferson, Platte, Ray, St. Charles, St. Louis County, and St. Louis City.

REGIONS

Beginning with the 2010 report, Missouri Regional Planning Commission areas were replaced with Behavioral Risk Factor Surveillance System (BRFSS) regions. This change was made to support and enhance MDHSS BRFSS survey data. More information on BRFSS, along with public access data, can be found at: https://health.mo.gov/data/brfss/index.php. A map of the BRFSS region boundaries is included in this report on page vi.

URBAN vs. RURAL COUNTIES

Tables displaying BRFSS region data also include urban and rural groupings. These groupings cut across BRFSS regions so that a subset of all BRFSS regions is not equivalent to the urban and rural groupings. In 2021 the urban and rural groupings changed from the Metro/Non-metro groupings used in previous reports to be more consistent with the Health in Rural Missouri Biennial Report produced by the Office of Rural Health and Primary Care found at (https://health.mo.gov/living/families/ruralhealth/publications.php). That report defines a rural county as less than 150 people per square mile and does not contain any part of a central city in a Metropolitan Statistical Area. Another advantage of this definition is that counties are less likely to drop in and out of the defined areas from year to year. The urban counties are Boone, Buchanan, Cape Girardeau, Cass, Christian, Clay, Cole, Greene, Jackson, Jasper, Jefferson, Newton, Platte, St. Charles, St. Louis, as well as St. Louis City. The 99 other counties are defined as rural. A map of urban and rural regions is included in this report on page vi.

UNKNOWNS AND IMPUTED DATA

Records of Missouri residents with unknown county of residence are included in the state totals of this publication. In general, state totals always include records with variables that have any unknown values. The number of 2022 records with unknown county of residence by system is as follows:

To account for unknown data items and inconsistencies in reporting to MDHSS, the following imputations and data interpretations were made in this report:

Unknown sex is considered male.

- Unknown county of mother's or decedent's residence is replaced with the county of recording when the recording occurs in Missouri.
- Unknown marital status is considered not married, out-of-wedlock. (Prior to 2010, unknown marital status was considered married.)
- Unknown live birth order is considered 1st.
- Unknown number born is considered singleton.
- Maternal age greater than or equal to age 65 is considered unknown.
- Unknown month of last live birth is considered June.
- Unknown day of last live birth is considered 15th.
- Unknown average amount smoked for any trimester or for the three months prior to pregnancy is considered unknown maternal smoking status.
- Prepregnancy weight less than 50 pounds or greater than 400 pounds is considered unknown prepregnancy weight. Postpregnancy weight less than 50 pounds or greater than 450 pounds is considered unknown postpregnancy weight.
- Negative weight gain during pregnancy (weight loss) is considered 0 pounds gained.

INDICATORS CHANGED OR REMOVED FROM THIS REPORT

The following indicators appeared in prior editions of this report but were changed as noted or removed beginning with the 2010 report:

- Maternal Drinking During Pregnancy: Data item was removed by NCHS from the 2003 revision
 of the US Standard Birth Certificate. Self-reporting by mothers on this data item was found to be
 poor at best.
- Maternal Smoking During Pregnancy (Table 10): Smoking during any trimester of pregnancy.
 Data item was revised by NCHS on the 2003 revision of the US Standard Birth Certificate to
 provide opportunity to analyze the patterns of maternal smoking. (See "Enhanced Data on
 Maternal Smoking (Table 5A, Table 10)" for details.)
- Years at Present Address: Data item was removed from certificate by MDHSS to make room for other items.
- Maternal Transfers: Due to the low number of events in recent years, this indicator was removed.
- Crown Heel Length: Data item was removed by MDHSS due to poor reporting and lack of reliability.
- Birth Spacing Less Than 18 Months (Table 10): The full date of last live birth is now collected instead of only month and year. As a result, births that took place more than 17 months but less than 18 months after the last live birth are now counted. This is a factor contributing to the increase in the rate for this indicator since 2009.
- Obstetric and Pediatric Conditions and Procedures, Congenital Anomalies and Abnormal Conditions of Newborn (Table 5B): See "Medical Information on Birth Records" below for a detailed description of changes made to these indicators.
- Live Birth Order (Table 6, Table 7, and Table 10): Definition changed to include all prior live births, regardless of current vital status. As such, Live Birth Order of 1st identifies "first-time" mothers. Prior to the 2010 report, Live Birth Order only counted prior live births currently living.
- Mother more than 15% Underweight, Mother more than 20% Overweight: Indicators have been replaced with the BMI-based Underweight and Obese indicators (Table 10).
- Prenatal Care and Inadequate Prenatal Care (Table 10): Beginning in 2010 the complete date of first prenatal visit is collected, affecting the beginning trimester of Prenatal Care and the rates

- of inadequate prenatal care. (See "Date of First Prenatal Visit and Adequacy of Prenatal Care (Table 10)" for details.)
- Mother on Medicaid and WIC: Removed from the 2010 report due to the high correlation between the Mother on Medicaid and Mother on WIC indicators.
- Recorded Births and Deaths by Cities with 2,500 to 24,999 Population: These listings were removed due to the extreme influence local health care capacity has on where these events occur.
- Causes of Death, Groupings of Causes of Death, and Rankable Causes of Death (Tables 18-19, Table 21, Table 23, and Table 26): Changes made by MDHSS (See "Cause of Death Classification and Rankable Causes of Death" below for details.).
- Cause of Accidental Death (Table 27): Definition of public transportation accidental death in car
 or truck changed because of no longer updating motor vehicle accidental deaths with added
 information from the Highway Patrol beginning in 2010. This resulted in less specific ICD-10
 codes and the need to expand the codes for car and truck accidents and reduce the codes for
 Public Transport: Other/Unspecified. (See "Accidental Death Table (Table 27)" below for
 details.).

RATES

Rates are calculated by dividing the number of events of concern by the population at risk or a related population and multiplying by a constant. Live birth, death, natural increase, marriage, and dissolution rates are expressed in terms of 1,000 estimated mid-year population. Cause-specific death rates are expressed in terms of 100,000 population. Infant, perinatal, fetal, neonatal, and post-neonatal death rates are stated per 1,000 live births (Tables 22-25). (See "Population" above for more details.)

Rates per 100 (percentages) are used for most prenatal and birth outcome indicators (Tables 7-10), such as inadequate prenatal care and low birth weight births, where the denominator is based on the number of live births. When the rate being calculated is a percent, events for which the value of interest is unknown are excluded from the calculation. Hence, percentages in this report are the percent of events for which the value is known, not the percentage of all potential events.

FORMULAE FOR VARIOUS RATE INDICATORS

Total Fertility Rate (Graph B) is the average number of live births a woman would have if a given set of age-specific birth rates applied throughout her reproductive years.

General Fertility Rate (Table 3) is the total number of live births per 1,000 women aged 15-44 for a given year.

Age-Specific Fertility Rate (Table 3) is the number of live births born to mothers of a given age per 1,000 females of that age group for a given year.

Abortion Ratio (Table 14) is the comparison of the total number of abortions to the total number of live births for a given year, and then multiplied by 1,000.

Abortion Ratio =
$$\frac{Number\ of\ abortions\ during\ year}{Live\ births\ for\ that\ year} \times 1,000$$

Crude Death Rate is defined as the total number of deaths of area residents for the year divided by the appropriate population (usually midyear population estimate) of the area, then multiplied by some constant. The constants used in this report are 100,000 for cause-specific rates and deaths for all causes (Tables 18 and 26A) and 1,000 for death rates in all other tables and graphs.

Crude death rate =
$$\frac{Number\ of\ deaths\ during\ year}{Midyear\ population\ for\ that\ year} \times 1,000\ or\ 100,000$$

Age-Specific Death Rate (Tables 4 and 20) is calculated in the same manner as the crude death rate except that both the number of deaths and the population used are restricted to a given age group.

Age-specific death rate for a given age group = $\frac{Number\ of\ deaths\ in\ that\ age\ group\ during\ year}{Population\ in\ that\ age\ group\ for\ that\ year}$ \times 1,000

The **Age-Adjusted Death Rate** (Tables 18A, 26A) is a weighted average of age-specific death rates. Comparison of areas or time periods using crude death rates can often be misleading, since these rates are affected by the age composition of the population. For example, a county may have a high crude death rate simply because it has an older population. To control for differences in age composition, age-specific rates can be weighted (normalized) according to a standard population. Such a calculation produces an age-adjusted rate.

The age-adjusted rates shown in this report are calculated by the direct method, using the following formula:

Age-Adjusted Death Rate =
$$\sum_{A=0.1}^{A=11} (Ma \times \frac{Pa}{P})$$

where Ma = the age-specific rate for each given age group

Pa = the standard population in each given age group

P = the total standard population, and

∑ indicates that the results for the eleven age groups are summed.

The eleven age groups used for age adjustment are as follows: Under 1, 1-4, 5-14, 15-24, 25-34, 35-44, 45-54, 55-64, 65-74, 75-84, and 85+.

This adjustment serves to control for differences in age compositions and makes comparisons between areas or time periods more appropriate. It is important, however, not to compare age-adjusted death rates with rates adjusted to different standard populations or with unadjusted rates.

This report uses the 2000 US population as the standard. In the 1991 to 1998 annual vital statistics reports, the 1940 US standard population was used. This makes comparisons of age-adjusted death rates with annual vital statistics reports before 1999 inappropriate. The standard population was changed to United States 2000 to be comparable with national age-adjusted death rates published by NCHS. The 1940 distribution was considered out-of-date at that time since it was representative of a younger population. For a more detailed discussion of this topic, see "Age Standardization of Death Rates: Implementation of the Year 2000 Standard." National Vital Statistics Reports, Vol. 47, No. 3 at: http://www.cdc.gov/nchs/data/nvsr/nvsr47/nvs47 03.pdf

GESTATIONAL AGE CHANGE in 2014

Beginning in 2014, Missouri adopted a new standard for estimating gestational age as recommended by NCHS (see https://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64 05.pdf). The new measure is the obstetric estimate of gestation at delivery, replacing the formerly-used method of calculating the period between the date of last normal menses (DLNM) and the date of birth. The new method is considered more accurate according to various studies documented in the NCHS article. This change primarily affects the rate of births less than 37 weeks gestation presented in Table 10. It tends to increase the gestational age and thus substantially reduce the rate of births less than 37 weeks. The change also has a relatively slight effect on other indicators that use gestational age, including inadequate prenatal care and weight gain during full-term pregnancy. See Appendix Table B for a comparison of these indicators using the two methods of estimating gestation for 2013-2022.

Appendix Table A
Resident Rates per 100 Live Births for Four Gestational Age Indicators,
Obstetric Estimate vs. Date of Last Normal Menses (DLNM): Missouri 2013-2022

	Less than 37 Weeks		Weight Gain < 15 lbs		Weight Gain 45 + lbs		Inadequate Prenatal Care	
	Obstetric Estimate	DLNM	Obstetric Estimate	DLNM	Obstetric Estimate	DLNM	Obstetric Estimate	DLNM
2013	9.6	11.5	11.4	11.3	21.3	21.3	18.7	18.6
2014	9.8	11.9	11.6	11.5	21.6	21.6	20.2	20.0
2016	10.2	12.1	13.1	13.1	20.8	20.8	19.2	19.0
2018	10.7	12.5	14.1	14.0	21.0	21.0	21.0	20.8
2020	11.0	12.4	14.3	14.3	20.9	20.9	21.3	21.1
2022	11.3	12.7	16.5	16.5	20.0	20.0	20.6	20.5

MEDICAL INFORMATION ON BIRTH RECORDS

Table 5B presents selected risk factors, obstetric procedures, characteristics of labor and delivery, methods of delivery, presence of infections, maternal health concerns, abnormal conditions of the newborn, and congenital anomalies. Many of these indicators are collected from the birth certificate by means of a check-off box system. A study conducted by MDHSS supported the belief that check-off boxes increase reporting of these data items. Starting in 2010, revisions to the check-off boxes were implemented, and the following data items are no longer collected on the birth certificate:

 Maternal Risk Factors: anemia, cardiac disease, acute or chronic lung disease, genital herpes, hydramnios/oligohydramnios, hemoglobinopathy, incompetent cervix, previous live born infant weighing 4000+ grams at birth, renal disease, Rh sensitization, uterine bleeding

- Obstetric Procedures: amniocentesis, electronic fetal monitoring, ultrasound, chorionic villus sampling (CVS)
- Characteristics of Labor: abruptio placenta, placenta previa, other excessive bleeding, seizures during labor, dysfuntional labor, cephalopelvic disproportion, cord prolapse, anesthetic complications
- Abnormal Conditions of Newborn: anemia, fetal alcohol syndrome, hyaline membrane disease, meconium aspiration syndrome

MEDICAID STATUS OF BIRTHS (Table 5A, Table 10)

Another change on the 2003 revision of the US Standard Birth Certificate concerned the mother's participation in Medicaid. Prior to 2010, the birth certificate asked if the mother was on Medicaid at any time during the pregnancy. Even if the mother was not on Medicaid at the time of delivery, but had participated at some time in her pregnancy, the expected response to the question was "Yes." As of the 2010 report, Medicaid status is captured using a question about the principal payment source for the delivery. Medicaid is indicated only if the mother's delivery will be primarily paid for by Medicaid. As a result, Medicaid births will generally be fewer than in previous years.

ENHANCED DATA ON MATERNAL SMOKING (Table 5A, Table 10)

The 2003 revision of the US Standard Birth Certificate contains more detailed data on mothers' smoking habits during pregnancy than the previous certificate did. Before 2010, mothers were asked about the average number of cigarettes smoked daily during the entire pregnancy. As of 2010, information on maternal smoking is captured for each trimester of pregnancy and for the three-month period prior to becoming pregnant. This allows for targeted analysis and investigation into the impact of smoking on gestational development and birth outcomes. In addition, the previous data item allowed for a mother to answer yes to smoking status but leave the average amount smoked unknown. Starting with 2010 data, if the average amount smoked for any period of smoking is unknown, then the mother's smoking status is unknown. (See "Unknowns" above.) These changes resulted in an increase in maternal smoking during pregnancy.

DATE OF FIRST PRENATAL VISIT AND ADEQUACY OF PRENATAL CARE (Table 10)

Prior to 2010, only the ordinal month of the pregnancy (first month, second month, etc.) was reported to identify the beginning of prenatal care. The 2003 revision of the US Standard Birth Certificate collects the full date of the first prenatal visit. The ordinal month is then calculated based on the mother's date of last normal menses. Beginning with the 2010 report, this calculation provides results that are, on average, almost a month later in the pregnancy than previous results. This in turn results in inadequate prenatal care rates that are 50 percent higher than in prior years. The higher rates are probably more representative of the actual rate of inadequate prenatal care. In other words, the increase is likely an artifact of the less accurate reporting in the past of the month prenatal care began.

DEFINITIONS FOR 2010 AND LATER

APGAR – An assessment of the health of an infant taken at one minute and five minutes after birth. For the 2003 revision of the US Standard Birth Certificate, the assessment is repeated at ten minutes if the score at five minutes was less than 6. Apgar scores range from 0 to 10 and are used internationally. Factors used to determine the score are: heart rate, respiratory effort, muscle tone, reflex irritability, and color. A score below 8 implies a moderately or severely depressed condition. The score used for this report is taken at five minutes after birth. The score

- assigned is completely at the discretion of the attending physician. As such, caution should be used in interpreting patterns of low scores by geographic area because of possible regional subjective bias. In addition, different medical personnel might assign different scores to the same child.
- Attendant Classification of the physician or other person in attendance at or immediately after delivery of the infant. MD: Medical Doctor; DO: Doctor of Osteopathy; CNM/CM: Certified Nurse Midwife or Certified Midwife; CPM (added in 2014): Certified Professional Midwife; Other Midwife: includes other non-certified midwives. Attendant is presented in Table 5A.
- Birth Order Number of previous pregnancy outcomes plus one. This differs from "live birth order" in that it includes other previous pregnancy outcomes besides live births such as abortions or miscarriages. It is used in Table 24.
- Birth Spacing: Less than 18 months Live births occurring to mothers who had a prior live birth within 18 months. The percent is of second and higher order births and the newborn is a singleton or is the first live birth in a multiple birth set. As of the 2010 report, the full date of the last live birth is collected, making it possible to identify prior births more than 17 months but less than 18 full months. This contributed to the percentage increase seen in 2010.
- Breastfed After Delivery (Infant Care: Breastfed After Delivery) Live births where the mother breastfed, or attempted to breastfeed, the baby prior to discharge from the birthing facility. This does not imply that breastfeeding was successful or that the mother intends to continue breastfeeding after discharge.
- Complication Report (table 12C) -- Report completed by physicians performing post-abortion care upon a woman.
- Fetal Death Spontaneous death in utero at 20 or more completed weeks of gestation, or has a delivery weight of 350 grams or more.
- FSP Participation by mother in the Food Stamp Program during her pregnancy.
- Full-term-Birth A live birth with a gestational age of 37 or more weeks.
- Gestational Age The age of a fetus or baby in terms of the number of completed weeks spent in its mother's womb. (See GESTATIONAL AGE CHANGE in 2014 earlier in APPENDIX for more Information.)
- High Weight Gain (Risk Factor) A full-term singleton live birth to a mother who gained more than 44 pounds during pregnancy.
- Inadequate Prenatal Care Fewer than five prenatal care visits for pregnancies less than 37 weeks gestation, fewer than eight visits for pregnancies 37 or more weeks, or prenatal care began after the first four months of pregnancy. Before 1994 records with unknown month prenatal care began or unknown prenatal visits were excluded. Beginning in 1994, if adequacy of prenatal care could be determined, even if month care began or number of visits was unknown, then these records were included. This is referred to as the Missouri Index of Adequacy of Prenatal Care Utilization.

Infant Death – Live born infant dying during the first year of life.

- Infant Transfer Live born infant transferred to another facility after delivery.
- Live Birth Order Number of previous babies born alive to mother, regardless of current vital status, plus one. Live birth order of one indicates first-time mother. Prior to the 2010 report, only prior live births still living were counted.
- Low Birth Weight A live birth of less than 2,500 grams (five and one-half pounds).
- Low Weight Gain (Risk Factor) A full-term singleton live birth to a mother who gained less than 15 pounds during pregnancy.
- Maternal Death Death of a mother, whether while pregnant, during delivery, or up to a year after delivery, as a result of complications of pregnancy, childbirth, or puerperium (ICD-10 codes O00-O99).
- Maternal Weight Gain The amount of weight a mother gains (or loses) from prior to pregnancy to time of birth.
- Maternal Weight Status Before Pregnancy Pre-pregnancy classification as underweight, normal, overweight, or obese, based on a woman's body mass index (BMI). The BMI formula uses height and weight to calculate this measure of body fatness or thinness.
- Natural Increase Number of resident live births minus resident deaths for a given period.
- Neonatal Death Death of a live born infant during the first 27 days of life.
- NICU Neonatal Intensive Care Unit.
- Non-Smoker A live birth to a mother who indicated that she did not smoke during the three months prior to pregnancy and did not smoke during the first, second, and third trimesters of pregnancy. In other words, the mother entered '0' for the average amount smoked for each time period. If the mother failed to provide information for any period, her smoking status is unknown.
- Non-Live Birth Outcome A pregnancy that did not result in a live birth (resulted in a spontaneous miscarriage, fetal death, or an induced abortion) (Table 5A).
- Out-of-Wedlock birth A live birth involving a mother who was unmarried at the time of conception, at the time of birth, and throughout the time between conception and birth.
- Perinatal Death An obstetric event that resulted in a fetal death or neonatal death.
- Prenatal Care (1st, 2nd, 3rd Trimester) Trimester that prenatal care began as indicated by the time between the date of last normal menses and date of first prenatal visit. All live births belong in one of five categories: 1st Trimester, 2nd Trimester, 3rd Trimester, None, Unknown.
- Poor Pregnancy Outcome A pregnancy of at least 20 weeks gestation that results in a perinatal death, small for gestational age live birth, or an intrauterine-growth-restricted live birth.
- Postneonatal Death Death occurring after the 27th day of life but before one year of life.
- Pregnancy An obstetric event that resulted in a live birth, fetal death, or induced abortion (Table 11).

- Preterm Birth A live birth of less than 37 weeks gestation.
- Principal Payment Source The primary source of payment of the hospital charges incurred as a result of the delivery.
- Quit Smoking (During Pregnancy) A live birth to a mother who indicated: (a) smoking during the first trimester but did not smoke for the second and third trimesters or (b) smoking during the first and second trimesters but did not smoke for the third trimester.
- Singleton A live birth resulting from a pregnancy where one and only one fetus was conceived. One surviving live birth resulting from a multiple gestation pregnancy is not considered a singleton birth.
- Small for Gestational Age A singleton live birth where the birth weight is at or below the 10th percentile of births of the same gender and gestational age.
- Smoked Pack Per Day A live birth to a mother who reported smoking an average of 20 or more cigarettes per day over the course of an entire three-trimester pregnancy. (See "Unknowns" above.)

CAUSE OF DEATH CLASSIFICATION AND RANKABLE CAUSES OF DEATH (Tables 18, 19, 21, 26)

Cause of death data are analyzed and presented by the underlying cause. The underlying cause of death is defined as the disease or injury that initiated the chain of morbid events leading directly to death, or the circumstances of the accident or violence that produced the fatal injury.

The causes of death presented here are classified in accordance with the Tenth Revision of the International Classification of Diseases (ICD-10), World Health Organization. This revision is used to classify deaths occurring in the United States on or after January 1, 1999. Comparisons with cause of death statistics from earlier years must be done with caution, since systems for classifying causes of death have changed over the years. Consequently, the mortality trend for a single disease may be distorted as a result of changes in defining and coding the cause of death. For a general measure of the extent of the changes between the ninth and tenth revisions, consult https://www.cdc.gov/nchs/data/nvsr/nvsr49/nvsr49 02.pdf.

In tables presenting "leading" causes of death, selected causes of death are grouped together according to guidelines designated by NCHS into "rankable causes." Modifications of those guidelines would produce a different picture of leading causes of death. For example, if all deaths from infectious diseases were combined into a single group instead of distributed in their current groupings, the resulting single group would have constituted the sixth leading cause of death in Missouri for 2010. Leading cause of death rankings are based on numbers of deaths, not death rates. Twenty of the current NCHS 51 rankable causes of death (each marked with an asterisk) are included in this report and listed below.

In Tables 21 and 26, which list "Selected" causes of death, the following specific causes of death, listed in prior years, were removed beginning with the 2010 report: tuberculosis, syphilis, stomach cancer, and peptic ulcer. These causes were removed due to the low incidence of deaths from those causes in Missouri. The circulatory disease groupings were simplified in the 2010 report. Also, deaths due to SIDS (ICD-10 code R95) and to pregnancy, childbirth, and the puerperium (ICD-10 codes O00-O99) were removed from tables of rankable causes because they are presented in tables of infant and maternal mortality.

Three new causes of death were added beginning with the 2010 report: enterocolitis due to clostridium difficile, Parkinson's disease, and pneumonitis due to solids and liquids. Also, two new cause groupings were added: falls and accidental poisonings. Both of these groupings were formerly included among the "other unintentional injuries" grouping. All of these causes/groupings have been added because of their striking increase in numbers since 2000. The twenty rankable and seventeen other selected causes of death and cause of death groupings presented in this report are listed below along with their ICD-10 diagnosis codes.

Starting in 2020, due to the worldwide pandemic, COVID-19 was added as a rankable cause and replaced Enterocolitis due to clostridium difficile in Tables 21 and 26.

Cause of Death Groupings Used in Tables 21 and 26......ICD-10 Codes

*COVID-19	U07.1
*Septicemia	A40-A41
*HIV/AIDS	
*Malignant neoplasms	
Colon, rectum, and anus	
Pancreas	
Trachea, bronchus, and lung	
Breast	
Cervix uteri, corpus uteri, and ovary	
Prostate	C61
Urinary tract	
Non-Hodgkin's lymphoma	
Leukemia	
Other malignant neoplasms	Residual of C00-C97
*Diabetes mellitus	
*Alzheimer's disease	G30
*Parkinson's disease	G20-G21
*Diseases of heart	
*Essential hypertension	I10, I12
*Cerebrovascular diseases	

*Influenza and pneumonia	
*Unintentional injuries	
FallsW00-W19	
Accidental poisoning by and exposure to noxious substancesX40-X49	
Other unintentional injuries V01, V05-V06, V09.1, V09.3-V09.9, V10-V11,	
V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9,	
V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, W20-X39, X50-X59, Y85-Y86	
*SuicideX60-X84, Y87.0	
*HomicideX85-Y09, Y87.1	
All other external causes: events of undetermined intent, legal intervention, complication	ons of
medical care, and late effects of injuriesY10-Y36, Y40-Y84, Y87.2, Y88-Y89	

^{*}Indicates NCHS rankable causes of death

The other 32 causes of death designated by NCHS as rankable causes but not included in this report are listed below. They are included, however, in the MOPHIMS Death MICA at https://healthapps.dhss.mo.gov/MoPhims/MOPHIMSHome

Additional Cause of Death Groupings Used for Ranking by NCHS But Not in This Report

Cause	ICD-10 Code
Salmonella infections	
Shigellosis and amebiasis	
Enterocolitis due to Clostridium difficile	
Tuberculosis	
Whooping cough	
Scarlet fever and erysipelas	
Meningococcal infection	
Syphilis	
Acute poliomyelitis	
Arthropod-borne viral encephalitis	
Measles	
Viral hepatitis	B15-B19
Malaria	
Benign/in situ neoplasms and neoplasms of uncertain or unkr	nown behavior D00-D48
Anemias	
Nutritional deficiencies	E40-E64
Meningitis	G00, G03
Atherosclerosis	I70
Aortic aneurysm and dissection	171
Acute bronchitis and bronchiolitis	J20-J21
Pneumoconiosis and chemical effects	J60-J66, J68
Peptic ulcer	K25-K28
Diseases of appendix	K35-K38
Hernia	
Cholelithiasis and other disorders of gallbladder	K80-K82
Infections of kidney	N10-N12, N13.6, N15.1
Hyperplasia of prostate	N40
Inflammatory diseases of female pelvic organs	N70-N76
Pregnancy, childbirth, and the puerperium	O00-O99
Legal intervention	
Operations of war and their sequelae	
Complications of medical and surgical care	Y40-Y84, Y88

ACCIDENTAL DEATH TABLE (Table 27)

Beginning with 2004 data, the accidental death table was updated to reflect revised ICD-10 cause of death groupings. These groupings are adapted from criteria for the "Injury Mortality Summary" provided by the Research and Statistics Department of the National Safety Council (NSC). Many of the categories were new in 2004, and even when the category name did not change, the numbers were not precisely comparable to prior years' data because of changed definitions. Poisonings at home, in particular, were grossly underreported under the old system. The new system gives a more complete count of poisoning deaths and presents poisoning deaths due to all drugs, both prescribed and illicit.

Note that accidental deaths in Table 27 are deaths that occurred in Missouri, whether the injury occurred in Missouri or not. Tables with accidental death counts are not comparable to most of the other mortality tables because those tables display Missouri resident deaths. See "'Resident' and 'Recorded' Events" above.

Accidental death data are also categorized by the physical location where the accident occurred. A work accident is any unintentional injury death for which the "Injury at work?" checkbox on the death certificate is marked "Yes." A home accident is any unintentional injury death occurring at any noninstitutional residence including its garage and grounds. Deaths due to unintentional injury where the injury occurred anywhere else are classified as public. Beginning with the 2010 report, ICD-10 codes V87.0-V87.8, V88.0-V88.8, V89.0 and V89.2 were included in the definition for accidental Public transport: car or truck deaths. If a death falls into more than one category such as late effects of a motor vehicle crash while the decedent was at work, the order of precedence is: late effects, work, home/public.

Accidental Death Categories in Table 2	27 ICD-10 Codes
Grand total	V01-X59, Y85-Y86
Work total	"Injury at work?" checkbox = "Yes"
Heavy transport vehicle	V60-V69
Other motor vehicle V02-V04. V09	0, V09.2, V12-V14, V190-V19.2, V19.4-V19.6,
	-V81.1, V82.0-V82.1, V87.0-V87.8, V88.0-V88.8, V89.0,
V89.2	
Other transport	Residual of V01-V99
Farm machinery	W30
Other machinery	W31
Struck by/against object	W20-W29, W35-W49
Electric current	W85-W87
Other/unspecified accident	W32-W34, W50-W84, W88-W99, X00-X59
Home total	W00-X59 with place of injury code of 0
Public non-transport total	W00-X59 with place of injury code not 0
•	W30-W31
	W32-W34
, ,	W20-W29, W35-W49
Drowning	W65-W74
	W75-W77, W78-W80, W81-W84
	X30-X31
	X00-X09
. ,	X40-X45
	X46-X49
	Residual of W00-X59
	V01-V99
	V69, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
	V02-V04,V09.0,V09.2
	V12-V14, V19.0-V19.2,V19.4-V19.6
Motorcyclist	V20-V29
· · · · · · · · · · · · · · · · · · ·	V83-V86
	V90-V94 V95-V97
•	Residual of V01-V99
	Y85-Y86
במום כווסטוט טו מטטוטפוונט	100-100

TOBACCO USAGE AND MORTALITY DATA (Table 28)

Beginning in 2010, the death certificate includes a question that asks, "Did tobacco use contribute to the death?" This allows the medical certifier to make a determination as to the role of tobacco use in causing the death. This item should not be interpreted as or substituted for the decedent's smoking status at death.

Note that this is different from the "Smoking-Attributable" death estimates, which are calculated by applying likelihood percentages to all deaths with specified ICD-10 underlying cause codes based on the extent to which smoking increases the risk of dying from those particular diseases. Missouri smoking-attributable death estimates are published in the 'Leading Causes of Death' Community Data Profile available online at: https://healthapps.dhss.mo.gov/MoPhims/ProfileBuilder?pc=10.

NEW DEATH TABLE IN 2013 (Table 29)

In 2013, a new death table was added entitled Resident Deaths by Selected Characteristics by Sex. It includes death variables that are not reported in other tables such as certifier, death place, month of death, disposition of body, marital status, education of deceased, and whether an autopsy was performed.

ABRIDGED LIFE TABLES (Table 30)

The abridged life tables used beginning in 2010, were developed by MDHSS. They represent a slight change to the calculations used before 2010, which had been developed from an NCHS program using the technique of "reference to a standard table." These life tables are technically defined as "current life tables" since they are cross-sectional in nature. In other words, the 2022 tables do not represent the life expectancy of an actual cohort of all Missourians born in a particular year and followed throughout their lifetime. Rather, the current life table considers a hypothetical cohort and assumes it is subject to the age-specific mortality rates existing for a given year. This means the population figures listed in these tables are not actual population counts for Missouri. Instead, they are only theoretical. The figures are only useable for calculating age-specific life expectancy.

For further information about life expectancy tables and their methodology, go to http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60 09.pdf.

REVISED MARRIAGE TABLES 31-35 in 2016 (WITH SAME-SEX MARRIAGES)

In June 2015, the US Supreme Court ruled that same-sex couples had a right to marry, and Missouri began recording these marriages after this ruling. However, since the data was incomplete, we did not report this data in detail in 2015 (although the 726 reported same-sex marriages were included in the state totals). In 2016, data on same-sex marriages was reported in detail for the first time in Tables 31 and 33-35. Table 31 shows the number of marriages by month for male-female, female-female, and male-male marriages. In 2022 there are 90 marriages with unknown gender that are included in the state totals. Table 32 includes only male-female marriages because the same-sex numbers are too small to break out by specific age cross-tabulations. Tables 33-35 display marriages by gender by selected other variables.

NEW TABLES ON POST-ABORTION COMPLICATIONS (TABLE 12C)

In 2018, a new table has been added entitled Post-Abortion Complication Report Results. Since 1980, Missouri statutes have allowed health care providers (hospitals, clinics, and physicians) to complete and submit "Complication Report for post-Abortion Care" forms after treating patients for complications following induced abortions. However, reporting from this form has been very sporadic through the years. In 2017, MDHSS revised the form and the regulations related to post-abortion complications in a major effort to improve our understanding of these procedures. Table 12C shows the results of this data for the 2022 calendar year. Data collected includes the type of complication, whether the original abortion procedure was surgical or medical, and whether the patient was hospitalized. In 2022, MDHSS received 65 complication reports representing 115 complications. The post-abortion care for all of the reported complications took place in Missouri, but most of the original abortions were performed in other states. The completeness of reporting is still uncertain, and other states do not exchange this type of data with MDHSS.

Recent Huge Decreases in Missouri Abortions Affects Missouri Resident Abortions in Different Ways

As Missouri has continued to further restrict abortions through regulations and laws, the number of Missouri recorded abortions have dropped dramatically from 4,562 in 2016 to 2,910 in 2018 to just 88 in 2022. Despite the huge drop in Missouri recorded abortions, residents of Missouri were still obtaining abortions in other states, primarily Kansas and Illinois. Many of those previously having abortions in Missouri were traveling to Illinois as the only licensed abortion clinic in Missouri was in the St. Louis area. The resident abortion data in Tables 11-15 come from individual data reports. We receive those records from Missouri, Kansas and several other surrounding states, but not Illinois. As more Missourians went to Illinois, the official Missouri resident abortion count went down, decreasing by nearly half from 7,275 in 2016 to 3,012 in 2022. In 2022, well over 90 percent of the Missouri resident abortion numbers came from Kansas abortions compared to just over 40 percent in 2016. As a result, reported resident abortions have not changed much in Western Missouri but have decreased sharply in Eastern Missouri, particularly in the St. Louis area. Therefore the abortion data in Tables 11-15 in 2022 primarily represent abortions occurring in Kansas to Missourians in Western Missouri.

In Graph D, in addition to the data from individual abortion reports, estimated counts of abortions from states (primarily Illinois) not providing individual reports are also made. Despite the huge decreases in Missouri recorded abortions mentioned above, the estimated total number of Missouri resident abortions has risen from 9,074 in 2016 to 10,255 in 2022.